



Mark Scheme (Results)

November 2015

Pearson Edexcel GCSE
In Mathematics B (2MB01)
Foundation (Non-Calculator) Unit 2

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2015

Publications Code UG042907

All the material in this publication is copyright

© Pearson Education Ltd 2015

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will award marks for the quality of written communication (QWC).
The strands are as follows:
 - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.
 - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

10 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

Guidance on the use of codes within this mark scheme

M1 – method mark for appropriate method in the context of the question

A1 – accuracy mark

B1 – Working mark

C1 – communication mark

QWC – quality of written communication

oe – or equivalent

cao – correct answer only

ft – follow through

sc – special case

dep – dependent (on a previous mark or conclusion)

indep – independent

isw – ignore subsequent working

| 5MB2F_01 November 2015 | | | | | |
|------------------------|-----|---------|-----------------------------|------|---|
| Question | | Working | Answer | Mark | Notes |
| 1 | (a) | | 37 | 1 | B1 cao |
| | (b) | | 23 079 | 1 | B1 cao |
| | (c) | | 8 hundred | 1 | B1 for 8 hundreds or 800 |
| 2 | | | 117 cm | 2 | M1 for 123–6 or 1.23–0.06 or 117 or 1.17 A1 for 117 cm or 1.17 m |
| 3 | (a) | | (4, 2) | 1 | B1 cao |
| | (b) | | Cross at $(1, \frac{1}{2})$ | 1 | B1 cao |
| 4 | | | 80 | 3 | M1 for $120 \div 3 (=40)$ M1 for 120 – “40” A1 cao OR M1 for $120 \div 3 (=40)$ M1 for “40” $\times 2$ A1 cao |

| 5MB2F_01 November 2015 | | | | | |
|------------------------|--------|---------|---------------|------|---|
| Question | | Working | Answer | Mark | Notes |
| 5 | (a) | | 7.5 cm | 2 | B2 for 7.3 cm – 7.7 cm or 73 mm – 77 mm or 7 cm 5 mm (B1 for cm with value in range 6.5 – 8.5 or mm with value in range 65 – 85) |
| | (b)(i) | | Acute | 2 | B1 cao |
| | (ii) | | 53 | | B1 for 51 – 55 |
| 6 | | | 3 | 2 | M1 for correct method to find both total scores A1 cao OR M1 for correct method to find differences for each judge A1 cao |
| 7 | (a) | | Parallelogram | 1 | B1 (accept trapezium) |
| | (b) | | 2 | 1 | B1 cao |

| 5MB2F_01 November 2015 | | | | |
|------------------------|---------|---|------|--|
| Question | Working | Answer | Mark | Notes |
| *8 | | No with working | 3 | M1 for correct method to find time of arrival at station 8 16 + 25 + 12 A1 for 8 53 C1 ft (dep on M1) for correct comparison of “8 53”(and 8 50) OR M1 for correct method to find time interval from 8 16 to 8 50 A1 for 34 and 37 C1 ft (dep on M1) for correct comparison of “34” and “37” |
| 9 | (a) | 0.37, 0.401, 0.439, 0.46 | 1 | B1 cao |
| | (b) | $\frac{1}{4}, \frac{1}{2}, \frac{2}{3}, \frac{3}{4}, \frac{7}{8}$ 0.75, 0.875, 0.25, 0.5, 0.66 | 2 | M1 for attempt to convert all to same form or one error in ordered listing A1 for correct order (Accept 0.67 or 0.66 for $\frac{2}{3}$) (SC: B1 for order reversed) |
| 10 | | 3.15 | 4 | M1 for correct first step eg $8.2 + 6.1 + 6.1 (= 20.4)$ eg 30 – one ticket price M1 for finding money left over eg $30 - “20.4” (= 9.6)$ or finding the cost of 3 drinks of one size eg 3.15×3 M1 for a complete method to work out the price of each drink eg $“9.6” \div 3 (= 3.2)$ eg $30 - “20.4”$ and cost of 3 drinks of all sizes A1 for 3.15 from correct calculations |

| 5MB2F_01 November 2015 | | | | | |
|------------------------|-------|-----------------------------|-------------------|------|---|
| Question | | Working | Answer | Mark | Notes |
| 11 | (i) | | 11 | 3 | B1 cao |
| | (ii) | | 50 | | B1 cao |
| | (iii) | | 31 | | B1 cao |
| 12 | | | 27 | 2 | M1 for $6 \times 2 + 5 \times 3$ oe A1 cao |
| 13 | (a) | | 5r | 1 | B1 |
| | (b) | | 14t | 1 | B1 |
| | (c) | | 2ab | 1 | B1 |
| 14 | | | 40 | 3 | M1 for $24 \div 3 (= 8)$ M1 for “8” $\times 5$ A1 cao OR M1 for $3 \times 24 (= 72)$ M1 for “3 $\times 24$ ” – 8 – 8 – 8 – 8 A1 cao |
| 15 | | 1, 4, 9, 16, 25 1, 8, 27 | Liz 25, Howard 27 | 2 | M1 for a list of at least 2 square numbers or at least 2 cube numbers identified with no ambiguity or Liz and Howard’s ages reversed A1 cao |

| 5MB2F_01 November 2015 | | | | |
|------------------------|---------|--------|------|---|
| Question | Working | Answer | Mark | Notes |
| *16 | | 20° | 4 | B1 for identifying 60° angle on the diagram or in a correct statement of working M1 for completing method eg $180 - (360 - 140 - 60)$ A1 for 20 C1 for all reasons used <u>Angles</u> at a <u>point</u> add up to <u>360°</u> <u>Angles</u> in a <u>triangle</u> add up to <u>180°</u> Base <u>angles</u> of an <u>isosceles</u> triangle are <u>equal</u> |
| 17 | | 50 | 2 | M1 for $200 \div 4$ A1 cao |

| 5MB2F_01 November 2015 | | | | |
|------------------------|----------------------------------|-------------|------|--|
| Question | Working | Answer | Mark | Notes |
| 18 | | 68 | 5 | <p>B1 for correct conversion of units M1 for $250 \div 25 (= 10)$ or $300 \div 20 (= 15)$ M1 for “10” \times “15” M1 (dep on M2) for number of tiles $\div 20$, round up, $\times 8.5(0)$ A1 for 68</p> <p>OR</p> <p>B1 for correct conversion of units M1 for $250 \div 20 (= 12.5)$ or $300 \div 25 (= 12)$ M1 for “12.5” \times “12” M1 (dep on M2) for number of tiles $\div 20$, round up, $\times 8.5(0)$ A1 for 68</p> <p>OR</p> <p>B1 for correct conversion of units M1 for $3 \times 2.5 (= 7.5)$ or $20 \times 25 (= 500)$ M1 for “3×2.5” \div “0.2×0.25” or “300×250” \div “20×25” M1 (dep on M2) for number of tiles $\div 20$, round up, $\times 8.5(0)$ A1 for 68</p> |
| *19 | 1, 4, 7, 10, 13 8, 6, 4, 2, 0 | Explanation | 2 | <p>M1 for listing at least 3 terms of both sequences C1 for Yes and explanation from fully correct working that 4 is in both sequences; numbers in A are increasing; numbers in B are decreasing</p> |

| 5MB2F_01 November 2015 | | | | |
|------------------------|---------|-----------|------|---|
| Question | Working | Answer | Mark | Notes |
| 20 | | 7.21 (am) | 3 | <p>M1 for listing multiples 9,18,27,36 and 12,24,36 (condone 1 arithmetic error) or method to find LCM M1 for identifying 36 as LCM A1 cao</p> <p>OR</p> <p>M1 for listing times 6.54, 7.03, 7.12, 7.21 or for listing times 6.57, 7.09, 7.21 (condone one arithmetic error) M1 for listing times 6.54, 7.03, 7.12, 7.21 and 6.57, 7.09, 7.21 (condone one arithmetic error) A1 cao</p> |

5MB2F_01 November 2015

| Question | Working | Answer | Mark | Notes | | | | | | | | | | | | | | | | |
|----------|--|--------|------|-------|---|-----|---|---|---|---|---|-----|---|-----|---|-----|---|-------------------------------------|---|---|
| 21 | $y = \frac{1}{2}x + 3$ <table border="1" data-bbox="389 379 815 437"> <tr> <td>x</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>y</td> <td>2</td> <td>2.5</td> <td>3</td> <td>3.5</td> <td>4</td> <td>4.5</td> <td>5</td> </tr> </table> | x | -2 | -1 | 0 | 1 | 2 | 3 | 4 | y | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | Correct line from (-2, 2) to (4, 5) | 3 | <p>(Table of values / calculation of values) M1 for at least 2 correct attempts to find points by substituting values of x. M1 ft for plotting at least 2 of their points (any points plotted from their table must be correctly plotted) A1 for correct line between $x = -2$ and $x = 4$</p> <p>(No table of values) M1 for at least 2 correct points with no more than 2 incorrect points plotted M1 for at least 2 correct points (and no incorrect points) plotted</p> <p>OR line segment of $y = \frac{1}{2}x + 3$ drawn A1 for correct line between $x = -2$ and $x = 4$</p> <p>(Use of $y = mx + c$) M1 for line drawn with gradient of $\frac{1}{2}$ OR line drawn with a y intercept of 3 M1 for line drawn with gradient of $\frac{1}{2}$ AND line drawn with a y intercept of 3 A1 for correct line between $x = -2$ and $x = 4$</p> <p>SC : B2 for correct line from $x = 0$ to $x = 4$</p> |
| x | -2 | -1 | 0 | 1 | 2 | 3 | 4 | | | | | | | | | | | | | |
| y | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | | | | | | | | | | | | | |

