

Mark Scheme (Results)

Summer 2015

Pearson Edexcel GCSE In Mathematics B (2MB01) Higher (Calculator) Unit 3

#### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.edexcel.com</a> or <a href="https://www.edexcel.com">www.btec.co.uk</a>. Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

### Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

Summer 2015
Publications Code UG042121
All the material in this publication is copyright
© Pearson Education Ltd 2015

### **NOTES ON MARKING PRINCIPLES**

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **6** Mark schemes will award marks for the quality of written communication (QWC). The strands are as follows:
  - i) ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear Comprehension and meaning is clear by using correct notation and labelling conventions.
  - ii) select and use a form and style of writing appropriate to purpose and to complex subject matter

    Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
  - iii) organise information clearly and coherently, using specialist vocabulary when appropriate.

    The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

### 7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

## 8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

# 9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

# 10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

#### 11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

# 12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

## 13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

#### Guidance on the use of codes within this mark scheme

M1 – method mark for appropriate method in the context of the question

A1 – accuracy mark

B1 – Working mark

C1 – communication mark

QWC – quality of written communication

oe – or equivalent

cao - correct answer only

ft – follow through

sc - special case

dep – dependent (on a previous mark or conclusion)

indep – independent

isw - ignore subsequent working

| 5MB3H/01 Ju | 5MB3H/01 June 2015 |        |      |  |  |
|-------------|--------------------|--------|------|--|--|
| Question    | Working            | Answer | Mark | Notes  |  |
| 1           |                    | 71.40  | 2    | M1 for 41.65÷7   |  |
|             |                    |        |      | A1 for 71.4(0)   |  |
|             |                    |        |      |  |  |
| 2           |                    | 4      | 3    | M1 $\frac{4.5}{100} \times 300$ (=13.5) or $\frac{104.5}{100} \times 300$ (=313.5) oe<br>M1 50 ÷ "13.5" (=3.7) or at least 3 repeated addition of "13.5"<br>A1 cao<br>SC B1 for $1.045^n \times 300$ |  |

| 5MB3H/01 Ju | 5MB3H/01 June 2015 |         |      |  |  |
|-------------|--------------------|---------|------|--|--|
| Question    | Working            | Answer  | Mark | Notes  |  |
| 3 (a)       |                    | 1.75    | 2    | M1 for intention to multiply brackets or for intention to divide all terms by 4 as the first step A1 for 1.75 oe                                       |  |
| (b)         |                    | p > 7.5 | 2    | M1 for correct method to isolate $p$ or intention to divide all terms by 2 as the first step (condone the use of '=' in method)<br>A1 for $p > 7.5$ oe |  |
| (c)         |                    | 3, -5   | 3    | M2 for $(x-3)(x+5)$<br>(M1 for $(x \pm 3)(x \pm 5)$ )<br>A1 cao 3 and -5   |  |
|             |                    |         |      | OR $2 + \sqrt{2^2 - 4 \times 1 \times 15}$   |  |
|             |                    |         |      | M1 for $\frac{-2 \pm \sqrt{2^2 - 4 \times 1 \times -15}}{2 \times 1}$  |  |
|             |                    |         |      | M1 for $\frac{-2 \pm \sqrt{64}}{2}$  |  |
|             |                    |         |      | A1 for 3 and – 5 cao   |  |

| 5MB3H/01 Ju | ine 2015 |                                  |      |  |
|-------------|----------|----------------------------------|------|--|
| Question    | Working  | Answer                           | Mark | Notes  |
| *4          | Working  | 275g (£7.95) pack<br>with reason | 4    | M1 for one of 439 ÷ 150 (= 2.92), 639 ÷ 200 (= 3.19), 795 ÷ 275 (= 2.89) OR one of 150 ÷ 439 (= 0.341), 200 ÷ 639 (= 0.31), 275 ÷ 795 (= 0.345) OR any other calculation that could lead to a comparative figure M1 for calculations that could lead to comparative figures for 2 jars M1 for calculations that could lead to comparative figures for 3 jars eg all 3 from the above lists C1 for correct comparative figures for all 3 jars leading to a correctly stated comparison: 275g best value |
| 5 (a)       |          | 7, -2, -1                        | 2    | B2 for all three correct values 7, -2, -1 (B1 for two correct values 7, -2 or -1)  |
| (b)         |          | Correct curve                    | 2    | B2 for fully correct curve (B1 ft for at least 5 points plotted correctly)   |
| 6           |          | 6                                | 4    | M1 for $7x + 22$ or $(5x+2)$ or $7b + 22p$ or $5b + 2p$<br>M1 for forming equation $7x + 22 = 2(5x + 2)$<br>M1 for correct intent to isolate $x$ on one side A1 cao  |

| 5MB3H/01 Ju | ine 2015 |  |      |  |
|-------------|----------|--|------|--|
| Question    | Working  | Answer                                 | Mark | Notes  |
| 7           | 8        | 28                                     | 3    | M1 for 240 × 1.2 (=288)<br>M1 for "288" ÷ 10 (=28.8)<br>A1 cao<br>OR<br>M1 for 10 ÷ 1.2 (=8.33)<br>M1 240 ÷ "8.33" (=28.8)<br>A1 cao   |
| 8           |          | Correct position marked                | 3    | M1 for perpendicular bisector of the line AC M1 for arc of circle centre D radius 7cm A1 for correct point   |
| *9          |          | No with comparison of correct figures. | 3    | M1 for correct method to find frame dimensions $15+5+5$ (=25) and $10+5+5$ (=20)<br>M1 for finding relationship between length and width for both eg $15 \div 10$ (=1.5) and $25 \div 20$ (= 1.25) or for correct use of a scale factor to find a comparable length C1 for correct conclusion following comparison of 2 correct comparable figures |
| 10          |          | Rotation, 90° clockwise centre (1,4)   | 3    | B1 for rotation B1 for 90° clockwise or 270° anticlockwise B1 for (1,4) NB Award B0 if more than one transformation given  |

| 5MB3H/01 Ju | ine 2015 |                   |      |   |
|-------------|----------|-------------------|------|---|
| Question    | Working  | Answer            | Mark | Notes   |
| 11          |          | 3.4               | 3    | M1 for $\pi \times 3.5^2 \times 10$ (=384.85 or =122.5 $\pi$ ) or $\pi \times 6^2$ (=113.1 or =36 $\pi$ ) M1 (dep) for "384.85" ÷ "113.1" or 122.5( $\pi$ ) ÷ 36( $\pi$ ) A1 for 3.4 – 3.5 OR M1 for $\left(\frac{12}{7}\right)^2$ (=2.9) or $\left(\frac{7}{12}\right)^2$ (=0.34) M1 for $10 \div$ " $\left(\frac{12}{7}\right)^2$ " or $10 \times$ " $\left(\frac{7}{12}\right)^2$ " A1 for 3.4 – 3.5 |
| 12          |          | $7.5 \times 10^9$ | 2    | M1 for $2.1 \times 10^7$ or 21000000 or sight of figures 75 A1 for $7.5 \times 10^9$  |
| 13          |          | 29.6              | 4    | M1 for $8^2 + 5^2$ or $64 + 25$ or $89$<br>M1 (dep) $\sqrt{"8^2" + "5^2"}$ (=9.4)<br>M1 for "9.4" $\times \pi$<br>A1 for $29.5 - 29.65$   |
| *14         |          | 49                | 3    | M1 for 180 - 56 - 75 A1 for 49 C1 for alternate segment theorem and angles on a straight line add up to 180° OR alternate segment theorem and angles in a triangle add up to 180° Appropriate to methods shown  |

| 5MB3H/01 J | 5MB3H/01 June 2015                                      |                        |      |  |  |
|------------|---|------------------------|------|--|--|
| Question   | Working   | Answer                 | Mark | Notes  |  |
| 15         |   | 0.84                   | 3    | M2 for $2 \times 0.75^3$<br>(M1 for $2 \times 0.75$ (=1.5) or $2 \times 0.25$ (=0.5) and $2 - 0.5^3$ )<br>A1 for $0.84 - 0.844$  |  |
| 16         | y(x+5) = 3x $yx+5y = 3x$ $5y = 3x - yx$ $5y = x(3 - y)$ | $x = \frac{5y}{3 - y}$ | 3    | M1 for intention to multiply by $x + 5$<br>M1 for intention to isolate $yx$ and $3x$ on one side to get $3x - xy$ oe<br>A1 for $x = \frac{5y}{3-y}$ or $\frac{-5y}{y-3}$   |  |
| 17         |   | 85.6                   | 4    | M1 for $360 \div 5$ (=72)<br>M1 (dep) for $\frac{1}{2} \times 6^2 \times \sin"72"$ (=17.12)<br>M1 for completing full method to find total area of pentagon<br>A1 for $85.5 - 85.6$<br>OR<br>M1 for $360 \div 10$ (=36) or $\frac{1}{2}$ (180 - 360÷5) (=54)<br>M1(dep) for<br>eg $6 \times \sin"36" \times 6 \times \cos"36"$ (=17.12)<br>or $\frac{1}{2}$ $6 \times \sin"54" \times 6 \times \cos"54"$ (=8.55)<br>M1 for completing full method to find total area of pentagon<br>A1 for $85.5 - 85.6$ |  |

| 5MB3I | 5MB3H/01 June 2015 |         |                       |      |  |
|-------|--------------------|---------|-----------------------|------|--|
| Ques  | tion               | Working | Answer                | Mark | Notes  |
| 18    |                    |         | $y = \frac{375}{x^2}$ | 3    | M1 for $y \propto \frac{1}{x^2}$ or $y = \frac{k}{x^2}$ or $k = yx^2$<br>M1 for $5^2 \times 15$ (=375) |
|       |                    |         |                       |      | A1 for $y = \frac{375}{x^2}$ or $y = \frac{k}{x^2}$ and $k = 375$                                      |
| 19    |                    |         | 300                   | 3    | B1 for 45 or 0.15  |
|       |                    |         |                       |      | M1 for $45 \div 0.15$  |
|       |                    |         |                       |      | A1 for 300 cao   |
| 20    | (a)                |         | p = 4,                | 3    | M1 for sight of $(x-4)^2$ or $p=4$   |
|       |                    |         | p = 4, $q = -10$      |      | M1 for $(x-4)^2 - 16 + 6$  |
|       |                    |         |                       |      | A1 for $p = 4$ , $q = -10$   |
|       |                    |         |                       |      | OR   |
|       |                    |         |                       |      | M1 for $x^2 - 2px + p^2 + q$ or $-2p = -8$ or $p^2 + q = 6$  |
|       |                    |         |                       |      | M1 for $-2p = -8$ and $p^2 + q = 6$  |
|       |                    |         |                       |      | A1 for $p = 4$ , $q = -10$   |
|       | (b)                |         | (4, -10)              | 1    | B1 ft  |
| 21    | (a)                |         | Correct graph         | 2    | M1 for any translation along x axis  |
|       |                    |         |                       |      | A1 correct position  |
|       | (b)                |         | y = -g(x)             | 1    | B1 for $y = -g(x)$ oe from correct interpretation of diagram   |

| 5MB3H/01 Ju | 5MB3H/01 June 2015 |                                      |      |   |  |
|-------------|--------------------|--------------------------------------|------|---|--|
| Question    | Working            | Answer                               | Mark | Notes   |  |
| 22          |                    | 6.2                                  | 5    | M1 for a method to find an angle  |  |
|             |                    |                                      |      | RAB = 70, ABR = 50, BRA = 60  or  TAR = 20  |  |
|             |                    |                                      |      | M1 for substitution into sine formula $\frac{AR}{\sin"50"} = \frac{12}{\sin"60"}$   |  |
|             |                    |                                      |      | M1 for use of sine rule to find AR, $AR = \frac{12}{\sin 60} \times \sin 50$ " (=10.61)   |  |
|             |                    |                                      |      | M1 for substitution into cosine formula   |  |
|             |                    |                                      |      | $TR^2 = 5^2 + \text{``}10.61\text{'`'}^2 - 2 \times 5 \times \text{``}10.61\text{''} \times \cos 20 \text{ (=37.92)}$   |  |
|             |                    |                                      |      | A1 for 6.15 - 6.2   |  |
| 23          |                    | $\frac{3}{4}(\mathbf{b}+\mathbf{a})$ | 4    | B1 for $\mathbf{b} - \mathbf{a}$ or $\frac{1}{2}(\mathbf{b} - \mathbf{a})$ or $\mathbf{a} - \mathbf{b}$ or $\frac{1}{2}(\mathbf{a} - \mathbf{b})$<br>M1 for $\overrightarrow{OM} = \mathbf{a} + \frac{1}{2}(\mathbf{b} - \mathbf{a})$ or $\mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b})$ oe |  |
|             |                    |                                      |      | M1 for $\overrightarrow{ON} = \frac{3}{2} (\mathbf{a} + \frac{1}{2} (\mathbf{b} - \mathbf{a}))$ or $\frac{3}{2} (\mathbf{b} + \frac{1}{2} (\mathbf{a} - \mathbf{b}))$   |  |
|             |                    |                                      |      | A1 for $\frac{3}{4}$ ( <b>b</b> + <b>a</b> ) oe (simplified)  |  |
|             |                    |                                      |      |   |  |

| PI  | ۱/ | Т |
|-----|----|---|
| , , | VI | • |

# Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: ±5°

Measurements of length: ±5 mm

| PAPER:   | PAPER: 5MB3H_01       |   |  |  |  |  |
|----------|-----------------------|---|--|--|--|--|
| Ques     | Question Modification |   | Notes  |  |  |  |
| Q4       |                       | Diagrams have been removed.   | M1 for one of 439 ÷ 150 (= 2.92), 639 ÷ 200 (= 3.19), 795 ÷ 275 (= 2.89) OR one of 150 ÷ 439 (= 0.341), 200 ÷ 639 (= 0.31), 275 ÷ 795 (= 0.345) OR any other calculation that could lead to a comparative figure M1 for calculations that could lead to comparative figures for 2 jars M1 for calculations that could lead to comparative figures for 3 jars eg all 3 from the above lists C1 for correct comparative figures for all 3 jars leading to a correctly stated comparison: 275g best value |  |  |  |
| Q5<br>Q5 | (a)<br>(b)            | Wording added: 'There are three spaces to fill.' Table produced in vertical format.  1½ cm grid provided. | B2 for all three correct values 7, -2, -1 (B1 for two correct values 7, -2 or -1)  B2 for fully correct curve (B1 ft for at least 5 points plotted correctly)  |  |  |  |

| PAPER: | PAPER: 5MB3H_01  |   |  |  |  |  |
|--------|--|---|--|--|--|--|
| Ques   | tion Modification  | Notes   |  |  |  |  |
| Q8     | Size of diagram kept as original. Scale put on diagram as well as in text.   | M1 for perpendicular bisector of the line AC M1 for arc of circle centre D radius 7cm A1 for correct point  |  |  |  |  |
| Q9     | Diagram has been enlarged. Dotty shading. Measurement labels moved to be more accessible for candidates.   | M1 for correct method to find frame dimensions 15+5+5 (=25) and 10+5+5 (=20) M1 for finding relationship between length and width for both eg 15 ÷ 10 (=1.5) and 25 ÷ 20 (= 1.25) or for correct use of a scale factor to find a comparable length C1 for correct conclusion following comparison of 2 correct comparable figures |  |  |  |  |
| Q10    | The grid has been enlarged. Shapes are labelled triangle A and triangle B. Wording added: 'It shows two triangles on the grid, triangle A and triangle B.' Dotty shading | B1 for rotation B1 for 90° clockwise or 270° anticlockwise B1 for (1,4) NB Award B0 if more than one transformation given   |  |  |  |  |

| PAPER: 5MF | PAPER: 5MB3H_01  |   |  |  |  |
|------------|--|---|--|--|--|
| Question   | Modification   | Notes   |  |  |  |
| Q11        | The diagram has been enlarged. 2 models provided for all candidates. A diagram is also provided for MLP. | M1 for $\pi \times 3.5^2 \times 10$ (=384.85 or =122.5 $\pi$ ) or $\pi \times 6^2$ (=113.1 or =36 $\pi$ ) M1 (dep) for "384.85" ÷ "113.1" or 122.5( $\pi$ ) ÷ 36( $\pi$ ) A1 for 3.4 – 3.5 OR M1 for $\left(\frac{12}{7}\right)^2$ (=2.9) or $\left(\frac{7}{12}\right)^2$ (=0.34) M1 for $10 \div$ " $\left(\frac{12}{7}\right)^2$ " or $10 \times$ " $\left(\frac{7}{12}\right)^2$ " A1 for 3.4 – 3.5 |  |  |  |
| Q13        | The diagram has been enlarged.   | M1 for $8^2 + 5^2$ or $64 + 25$ or $89$<br>M1 (dep) $\sqrt{"8^2" + "5^2"}$ (=9.4)<br>M1 for "9.4" $\times \pi$<br>A1 for 29.5 – 29.65   |  |  |  |
| Q14        | The diagram has been enlarged. Wording added: 'Angle CAB is marked x'.                                   | M1 for 180 - 56 - 75 A1 for 49 C1 for alternate segment theorem and angles on a straight line add up to 180° OR alternate segment theorem and angles in a triangle add up to 180° Appropriate to methods shown  |  |  |  |

| PAPER: 5MB3H_01       |  |   |  |  |  |
|-----------------------|--|---|--|--|--|
| Question Modification |  | Notes   |  |  |  |
| Q16                   | MLP: x changed to e. y changed to f.             | M1 for intention to multiply by $e + 5$<br>M1 for intention to isolate $yx$ and $3x$ on one side to get $3e - ef$ oe<br>A1 for $x = \frac{5f}{3-f}$ or $\frac{-5f}{f-3}$  |  |  |  |
| Q17                   | The diagram has been enlarged.                   | M1 for $360 \div 5$ (=72) M1 (dep) for $\frac{1}{2} \times 6^2 \times \sin"72"$ (=17.12) M1 for completing full method to find total area of pentagon A1 for $85.5 - 85.6$ OR M1 for $360 \div 10$ (=36) or $\frac{1}{2}$ (180 - 360 $\div$ 5) (=54) M1(dep) for eg $6 \times \sin"36" \times 6 \times \cos"36"$ (=17.12) or $\frac{1}{2}$ $6 \times \sin"54" \times 6 \times \cos"54"$ (=8.55) M1 for completing full method to find total area of pentagon A1 for $85.5 - 85.6$ |  |  |  |
| Q19                   | MLP and braille: a changed to x. b changed to f. | B1 for 45 or 0.15<br>M1 for 45 ÷ 0.15<br>A1 for 300 cao   |  |  |  |

| PAPER: 5MB3H_01 |     |   |   |  |  |  |
|-----------------|-----|---|---|--|--|--|
| Question        |     | Modification  | Notes   |  |  |  |
| Q21             | (a) | The grid has been enlarged.                                   | M1 for any translation along x axis A1 correct position   |  |  |  |
| Q21             | (b) | The grid has been enlarged.                                   | B1 for $y = -g(x)$ oe from correct interpretation of diagram  |  |  |  |
| Q22             |     | The diagram has been enlarged. TR is joined by a dashed line. | M1 for a method to find an angle, $RAB = 70$ , $ABR = 50$ , $BRA = 60$ or $TAR = 20$ M1 for substitution into sine formula $\frac{AR}{\sin"50"} = \frac{12}{\sin"60"}$ M1 for use of sine rule to find $AR$ , $AR = \frac{12}{\sin"60"} \times \sin"50"$ (=10.61) M1 for substitution into cosine formula $TR^2 = 5^2 + "10.61"^2 - 2 \times 5 \times "10.61" \times \cos 20 $ (=37.92) A1 for 6.15 - 6.2   |  |  |  |
| Q23             |     | The diagram has been enlarged. OM is joined by a dashed line. | B1 for $\mathbf{b} - \mathbf{a}$ or $\frac{1}{2}(\mathbf{b} - \mathbf{a})$ or $\mathbf{a} - \mathbf{b}$ or $\frac{1}{2}(\mathbf{a} - \mathbf{b})$ M1 for $\overrightarrow{OM} = \mathbf{a} + \frac{1}{2}(\mathbf{b} - \mathbf{a})$ or $\mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b})$ oe  M1 for $\overrightarrow{ON} = \frac{3}{2}(\mathbf{a} + \frac{1}{2}(\mathbf{b} - \mathbf{a}))$ or $\frac{3}{2}(\mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b}))$ A1 for $\frac{3}{4}(\mathbf{b} + \mathbf{a})$ oe (simplified) |  |  |  |

| PI  | 1/1 | Т |
|-----|-----|---|
| , , | vı  | • |