


Please check the examination details below before entering your candidate information

Candidate surname					Other names									
<b>Pearson Edexcel</b>					Centre Number					Candidate Number				
<b>International GCSE</b>					<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>					<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>				
<b>Thursday 7 January 2021</b>														
Morning (Time: 2 hours)							Paper Reference <b>4MA1/1HR</b>							
<b>Mathematics A</b>														
<b>Paper 1HR Higher Tier</b>														
														
<b>You must have:</b> Ruler graduated in centimetres and millimetres, protractor, compasses, pen, HB pencil, eraser, calculator. Tracing paper may be used.												Total Marks		

### Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*
- **Calculators may be used.**
- You must **NOT** write anything on the formulae page.  
Anything you write on the formulae page will gain **NO** credit.

### Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*

### Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ►

P66298A

©2021 Pearson Education Ltd.







1/1/1/



  
Pearson

**International GCSE Mathematics**

**Formulae sheet – Higher Tier**

<p><b>Arithmetic series</b> Sum to <math>n</math> terms, <math>S_n = \frac{n}{2} [2a + (n - 1)d]</math></p>	<p><b>Area of trapezium</b> = <math>\frac{1}{2}(a + b)h</math></p>
<p><b>The quadratic equation</b> The solutions of <math>ax^2 + bx + c = 0</math> where <math>a \neq 0</math> are given by: <math display="block">x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}</math></p>	
<p><b>Trigonometry</b></p> 	<p><b>In any triangle ABC</b> <b>Sine Rule</b> <math>\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}</math> <b>Cosine Rule</b> <math>a^2 = b^2 + c^2 - 2bc \cos A</math> <b>Area of triangle</b> = <math>\frac{1}{2} ab \sin C</math></p>
<p><b>Volume of cone</b> = <math>\frac{1}{3} \pi r^2 h</math> <b>Curved surface area of cone</b> = <math>\pi r l</math></p> 	<p><b>Volume of prism</b> = area of cross section <math>\times</math> length</p> 
<p><b>Volume of cylinder</b> = <math>\pi r^2 h</math> <b>Curved surface area of cylinder</b> = <math>2\pi r h</math></p> 	<p><b>Volume of sphere</b> = <math>\frac{4}{3} \pi r^3</math> <b>Surface area of sphere</b> = <math>4\pi r^2</math></p> 

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Answer ALL TWENTY TWO questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Show that  $3\frac{1}{5} \times 1\frac{5}{6} = 5\frac{13}{15}$

$$\text{LHS} : \frac{\cancel{16}^8}{5} \times \frac{11}{\cancel{6}_3} \quad (1)$$

$$= \frac{8 \times 11}{5 \times 3} \quad (1)$$

$$= \frac{88}{15} \quad (1)$$

$$= 5\frac{13}{15}$$

$$\begin{array}{r} 5 \\ 15 \overline{) 88} \\ \underline{- 75} \\ 13 \end{array}$$

(Total for Question 1 is 3 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



2 Given that  $a < b < c$

the four whole numbers  $a, a, b$  and  $c$  have

- a mode of 7
- a median of 8.5
- a mean of 9

Work out the value of  $a$ , the value of  $b$  and the value of  $c$ .

$$\text{mode} = a = 7 \quad (1)$$

$$\text{median} = \frac{a+b}{2} = 8.5$$

$$\frac{7+b}{2} = 8.5$$

$$7+b = 17$$

$$b = 10 \quad (1)$$

$$\text{mean} = \frac{a+a+b+c}{4} = 9 \quad (1)$$

$$7+7+10+c = 36$$

$$c = 36 - 24 = 12 \quad (1)$$


$$a = 7$$

$$b = 10$$

$$c = 12$$

(Total for Question 2 is 4 marks)

3 (a) On the number line, show the inequality  $-2 \leq y < 1$



(2)

$n$  is an integer. —  $n$  is a whole number

(b) Write down all the values of  $n$  that satisfy  $-3.4 < n \leq 2$

$-3, -2, -1, 0, 1, 2$  (2)

(2)

(Total for Question 3 is 4 marks)



- 4 A train journey from Paris to Amsterdam took 3 hours 24 minutes.  
The total distance the train travelled was 433.5 km.

Work out the average speed of the train.  
Give your answer in kilometres per hour.

$$\text{speed} = \frac{\text{distance}}{\text{time}}$$

Convert 24 minutes to hours :

$$\frac{24}{60} = 0.4 \text{ hours}$$



$$\text{time taken} = 3 + 0.4 = 3.4 \text{ hours} \quad (1)$$

$$\text{speed} = \frac{433.5 \text{ km}}{3.4 \text{ hours}} \quad (1)$$

$$\approx 127.5 \text{ km/h} \quad (1)$$

..... 127.5 ..... km/h

(Total for Question 4 is 3 marks)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



5 The diagram shows a cuboid and a cylinder.



The dimensions of the cuboid are  $x$  cm by 12 cm by 5 cm.  
The volume of the cuboid is  $270 \text{ cm}^3$

The radius of the cylinder is  $x$  cm.  
The height of the cylinder is  $2x$  cm.

- (a) Work out the volume of the cylinder.  
Give your answer correct to the nearest whole number.


$$\begin{aligned} \text{Volume of cuboid} &= 12 \times 5 \times x = 270 \\ &= 60x = 270 \\ x &= \frac{270}{60} \\ &= 4.5 \text{ cm} \text{ (1)} \end{aligned}$$

$$\begin{aligned} \text{Volume of cylinder} &= \pi \times x^2 \times 2x \\ &= \pi \times (4.5)^2 \times 2(4.5) \text{ (1)} \\ &= 573 \text{ cm}^3 \text{ (1)} \end{aligned}$$

..... 573 .....  $\text{cm}^3$   
(3)

- (b) Change  $1 \text{ m}^3$  to  $\text{cm}^3$

$$1 \text{ m}^3 \times \frac{(100)^3 \text{ cm}^3}{(1)^3 \text{ m}^3} = 1\,000\,000 \text{ (1)}$$



..... 1 000 000 .....  $\text{cm}^3$   
(1)

(Total for Question 5 is 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 6 (a) Make  $c$  the subject of  $A = \frac{c}{y} - 5z$

$$A = \frac{c}{y} - 5z$$

$$Ay = c - 5yz$$

$$c = Ay + 5yz$$

$$c = y(A + 5z)$$

$$c = y(A + 5z)$$

(2)

- (b) Write down the value of  $g^0$

1

(1)

- (c) Factorise  $x^2 - 11x + 24$

$$x = \frac{11 \pm \sqrt{(-11)^2 - 4(1)(24)}}{2}$$

$$= \frac{11 \pm \sqrt{25}}{2}$$

$$= \frac{11+5}{2} \text{ or } \frac{11-5}{2}$$

$$= 8 \text{ or } 3$$

$$= (x-8)(x-3)$$

$$(x-8)(x-3)$$

(2)

(Total for Question 6 is 5 marks)



- 7 Kuro invests 50 000 yen for 3 years in a savings account. She gets 2.4% per year compound interest.

Work out how much money Kuro will have in her savings account at the end of the 3 years. Give your answer correct to the nearest yen.

$$\begin{aligned} 100\% + 2.4\% &= 102.4\% \\ &= 50\,000 \times (102.4\%)^3 \quad \leftarrow \text{compounded for 3 years} \quad (2) \\ &= 53\,687 \quad (1) \end{aligned}$$

53 687 ..... yen

(Total for Question 7 is 3 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





- 8 The diagram shows a regular pentagon,  $ABCDE$ , a regular hexagon,  $CFGHID$ , and a quadrilateral,  $EDIJ$ .




Diagram NOT accurately drawn

$AEJ$  and  $HIJ$  are straight lines.

Work out the size of the angle marked  $x$ .  
Show your working clearly.

Interior angle of a polygon :

$$\frac{n-2}{n} \times 180^\circ$$

where  $n$  = number of sides

Finding interior angle of a Pentagon :

$$\frac{5-2}{5} \times 180^\circ = 108^\circ \text{ (1)}$$

Finding interior angle of a hexagon :

$$\frac{6-2}{6} \times 180^\circ = 120^\circ \text{ (1)}$$

$$\text{angle } JED = 180^\circ - 108^\circ = 72^\circ$$

$$\text{angle } EDI = 360^\circ - 108^\circ - 120^\circ = 132^\circ \text{ (1)}$$

$$\text{angle } DIJ = 180^\circ - 120^\circ = 60^\circ$$

$$x^\circ = 360^\circ - 72^\circ - 132^\circ - 60^\circ \text{ (1)}$$

$$= 96^\circ \text{ (1)}$$

96

(Total for Question 8 is 5 marks)




DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

9  $A = 2^8 \times 3^5 \times 11^4$      $B = 2^6 \times 3 \times 11^8$

(a) Find the highest common factor (HCF) of  $A$  and  $B$ .



HCF of  $A$  and  $B$  :  $2^6 \times 3 \times 11^4$  (2)

$$2^6 \times 3 \times 11^4$$

(2)

(b) Find the lowest common multiple (LCM) of  $2A$  and  $3B$ .  
Give the LCM as a product of powers of its prime factors.

$$2A = 2^9 \times 3^5 \times 11^4$$

$$3B = 2^6 \times 3^2 \times 11^8$$

LCM of  $2A$  and  $3B$  :  $2^9 \times 3^5 \times 11^8$  (2)

$$2^9 \times 3^5 \times 11^8$$

(2)

(Total for Question 9 is 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 10 The diagram shows one face of a wall.  
This face is in the shape of a pentagon with exactly one line of symmetry.




Diagram NOT accurately drawn


Omondi is going to paint this face of the wall once.  
He has to buy all the paint that he needs to use.

The paint in each tin of paint Omondi is going to buy will cover  $16\text{m}^2$  of the face of the wall.

Work out the least number of tins of paint Omondi will need to buy.  
Show your working clearly.

By using Pythagoras' Theorem, finding  $n$  :

$$\begin{aligned} n &= \sqrt{7^2 - 5^2} \\ &= \sqrt{24} \quad (1) \\ &= 4.898\dots \quad (1) \end{aligned}$$



Area of trapezium A and B :

$$\begin{aligned} &\frac{1}{2} \times (6 + 10.898\dots) \times (5) \times 2 \quad \leftarrow 2 \text{ trapeziums} \\ &= 84.494\dots \text{ m}^2 \quad (1) \end{aligned}$$

$$\frac{84.494\dots}{16} = 5.28 \quad \leftarrow 5 \text{ tins of paint is not enough to cover the whole wall}$$

$\therefore$  Omondi needs 6 tins of paint.

(1)

6

(Total for Question 10 is 5 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- 11 The manager of a call centre asked the 120 people, who rang the call centre last week, how long they each waited before their call was answered.

The table gives information about their replies.

Time waited ( $t$ minutes)	Frequency
$0 < t \leq 5$	8
$5 < t \leq 10$	15
$10 < t \leq 15$	17
$15 < t \leq 20$	28
$20 < t \leq 25$	33
$25 < t \leq 30$	19

- (a) Complete the cumulative frequency table.

Time waited ( $t$ minutes)	Cumulative frequency
$0 < t \leq 5$	8
$0 < t \leq 10$	23
$0 < t \leq 15$	40
$0 < t \leq 20$	68
$0 < t \leq 25$	101
$0 < t \leq 30$	120

(1)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) On the grid below, draw a cumulative frequency graph for your table.



(2)

(c) Use your graph to find an estimate for the median of the times waited.

$$\text{median} = \frac{120}{2} = 60$$

..... 18.5 (1) minutes  
(1)

(d) Using your graph, find an estimate for the percentage of the 120 people who said that they waited longer than 23 minutes before their call was answered. Show your working clearly.

From graph, 23 minutes = 88

$$120 - 88 = 32 \quad (1)$$

Percentage of people waited longer than 23 minutes :

$$\frac{32}{120} \times 100\% = 26.7\% \quad (1)$$

..... 26.7 %  
(2)

(Total for Question 11 is 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



12 (a) Simplify  $(16e^{10}f^6)^{\frac{1}{2}}$

$$\begin{aligned} & 16^{\frac{1}{2}} \times (e^{10})^{\frac{1}{2}} \times (f^6)^{\frac{1}{2}} \\ & = 4 \times e^5 \times f^3 \\ & = 4e^5f^3 \quad (2) \end{aligned}$$

$$4e^5f^3$$

(2)

(b) Write  $\frac{2x+1}{4} + \frac{x-2}{3}$  as a single fraction in its simplest form.

Rationalise the denominator :

$$\begin{aligned} & \frac{3(2x+1) + 4(x-2)}{4(3)} \quad (1) \\ & = \frac{6x+3+4x-8}{12} \quad (1) \\ & = \frac{10x-5}{12} \quad (1) \end{aligned}$$

$$\frac{10x-5}{12}$$

(3)

Given that  $4^{k+3} = 16 \times 2^k$

(c) find the value of  $k$ .

Show your working clearly.

$$\begin{aligned} & 4^{k+3} = 16 \times 2^k \\ & 2^{2(k+3)} = 2^4 \times 2^k \quad (1) \\ & 2(k+3) = 4+k \\ & 2k+6 = 4+k \quad (1) \\ & 2k-k = 4-6 \\ & k = -2 \quad (1) \end{aligned}$$

$$k = \frac{-2}{1} \quad (4)$$

(Total for Question 12 is 9 marks)



13 Here are two vectors.

$$\vec{AB} = \begin{pmatrix} 5 \\ 3 \end{pmatrix} \quad \vec{CB} = \begin{pmatrix} -2 \\ 4 \end{pmatrix}$$

Find, as a column vector,  $\vec{AC}$


$$\begin{aligned} \vec{AC} &= \vec{AB} + \vec{BC} \\ &= \begin{pmatrix} 5 \\ 3 \end{pmatrix} + \begin{pmatrix} 2 \\ -4 \end{pmatrix} \text{ (1)} \\ &= \begin{pmatrix} 7 \\ -1 \end{pmatrix} \text{ (1)} \end{aligned}$$

$$\begin{pmatrix} 7 \\ -1 \end{pmatrix}$$

(Total for Question 13 is 2 marks)



14

Diagram NOT  
accurately drawn

$B$ ,  $D$ ,  $E$  and  $F$  are points on a circle.

$ABC$  is the tangent at  $B$  to the circle.

Angle  $ABD = 39^\circ$

Angle  $EFD = 18^\circ$

Work out the size of angle  $BDE$ .

Give reasons for your working.

$$\text{angle } BFD = \text{angle } ABD = 39^\circ \quad (1)$$

(alternate segment theorem) (1)

$$\text{angle } BDE = 180^\circ - (18^\circ + 39^\circ) \quad (1)$$

$$= 180^\circ - 57^\circ$$

$$= 123^\circ \quad (1)$$

(opposite angles in a cyclic quadrilateral sum up to  $180^\circ$ )

123

(Total for Question 14 is 4 marks)





15 (a) Use algebra to show that  $4.\dot{5}\dot{7} = 4\frac{19}{33}$

$$\text{Let } x = 4.57 \dots \quad (1)$$

$$100x = 457.57 \dots$$

$$100x - x = 457.57 - 4.57$$

$$99x = 453 \quad (1)$$

$$x = \frac{453}{99}$$

$$= 4 \frac{57 \div 3}{99 \div 3}$$

$$= 4 \frac{19}{33} \quad (\text{shown})$$

$$\begin{array}{r} 4 \\ 99 \overline{) 453} \\ \underline{- 396} \\ 57 \end{array}$$

(2)

(b) Show that  $\frac{2}{6-3\sqrt{2}}$  can be written in the form  $\frac{a+\sqrt{a}}{b}$

where  $a$  and  $b$  are integers.

Show your working clearly.

$$\frac{2}{6-3\sqrt{2}} \times \frac{6+3\sqrt{2}}{6+3\sqrt{2}} \quad (1) \quad - \text{eliminate surds from denominator}$$

$$= \frac{2(6+3\sqrt{2})}{36-9(2)}$$

$$= \frac{12+6\sqrt{2}}{18} \quad (1)$$

$$= \frac{6(2+\sqrt{2})}{6(3)}$$

$$= \frac{2+\sqrt{2}}{3} \quad (1) \quad \text{where } a = 2 \\ b = 3$$

(3)

(Total for Question 15 is 5 marks)



16 (a) Expand and simplify  $(x + 4)(x - 2)(x + 1)$

Expand first 2 terms :

$$\begin{aligned}(x+4)(x-2) &= x^2 - 2x + 4x - 8 \\ &= x^2 + 2x - 8 \quad (1)\end{aligned}$$

Multiply with the remaining term :

$$\begin{aligned}(x^2 + 2x - 8)(x + 1) &= x^3 + x^2 + 2x^2 + 2x - 8x - 8 \quad (1) \\ &= x^3 + 3x^2 - 6x - 8 \quad (1)\end{aligned}$$

$$x^3 + 3x^2 - 6x - 8$$

(3)

(b) Express  $x^2 - 10x + 40$  in the form  $(x + a)^2 + b$ , where  $a$  and  $b$  are integers.

By using completing the square method :

$$\begin{aligned}(x-5)^2 - 25 + 40 \quad (1) \\ = (x-5)^2 + 15 \quad (1)\end{aligned}$$

$$\text{where } a = -5$$

$$b = 15$$

$$(x-5)^2 + 15$$

(2)

(Total for Question 16 is 5 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



17 Solve the simultaneous equations

$$\begin{aligned}x - 6y &= 5 & x &= 5 + 6y & \text{--- ①} \\xy - 2y^2 &= 6 & & & \text{--- ②}\end{aligned}$$

Show clear algebraic working.

substitute ① into ② :

$$(5 + 6y)y - 2y^2 = 6 \quad \text{①}$$

$$5y + 6y^2 - 2y^2 = 6$$

$$4y^2 + 5y - 6 = 0 \quad \text{①}$$

$$(4y - 3)(y + 2) = 0 \quad \text{①}$$

$$y = \frac{3}{4} \text{ or } y = -2 \quad \text{①}$$

substitute y values into ① :

$$x = 5 + 6\left(\frac{3}{4}\right) \text{ or } x = 5 + 6(-2)$$


$$x = \frac{19}{2} \quad \text{or} \quad x = -7 \quad \text{①}$$

$$x = \frac{19}{2}, y = \frac{3}{4}, \quad x = -7, y = 2$$

(Total for Question 17 is 5 marks)



- 18 The histogram and the table give some information about the amounts of time, in hours, that Year 11 students at Bergdesh Academy spent, in total, on their homework last week. No student in Year 11 spent longer than 9 hours on their homework.



$$\text{frequency} = \text{frequency density} \times \text{class width}$$

Finding height of first bar :

$$\text{f.d} = \frac{28}{2} = 14$$

(5 small square represents 2) ①



Time spent on homework ( $t$ hours)	Frequency
$0 < t \leq 2$	28
$2 < t \leq 4$	40
$4 < t \leq 5$	30
$5 < t \leq 6$	24
$6 < t \leq 9$	36

$$20 \times 2 = 40$$

$$30 \times 1 = 30$$

$$24 \times 1 = 24$$

$$12 \times 3 = 36$$

Using the information in the histogram and in the table, work out an estimate for the mean amount of time the Year 11 students spent on their homework last week. Give your answer in hours correct to 3 significant figures.

$$\text{estimated mean} = \frac{(1 \times 28) + (3 \times 40) + (4.5 \times 30) + (5.5 \times 24) + (7.5 \times 36)}{28 + 40 + 30 + 24 + 36}$$

$$= \frac{28 + 120 + 135 + 132 + 270}{158}$$

$$= \frac{685}{158}$$

$$= 4.34$$

..... 4.34 ..... hours

(Total for Question 18 is 5 marks)



$$19 \quad k = \frac{t}{a - h}$$

$t = 14$  correct to 2 significant figures

$a = 7.8$  correct to 2 significant figures

$h = 3.4$  correct to 2 significant figures

Work out the lower bound for the value of  $k$ .

Show your working clearly.

To get lower bound value of  $k$  : 
$$\frac{\text{lower bound of } t}{\text{upper bound of } a - \text{lower bound of } h}$$

lower bound of  $t = 13.5$

upper bound of  $a = 7.85$  (1)

lower bound of  $h = 3.35$

$$\begin{aligned} \text{lower bound of } k &= \frac{13.5}{7.85 - 3.35} \quad (1) \\ &= 3 \quad (1) \end{aligned}$$

3

(Total for Question 19 is 3 marks)



- 20 A particle  $P$  is moving along a straight line.  
The fixed point  $O$  lies on the line.

At time  $t$  seconds ( $t \geq 0$ ), the displacement of  $P$  from  $O$  is  $s$  metres where

$$s = t^3 - 9t^2 + 33t - 6$$

Find the minimum speed of  $P$ .

$$\text{speed, } v = \frac{ds}{dt} = 3t^2 - 18t + 33 \quad (1)$$

$$v = 3(t^2 - 6t + 11)$$

By completing the square :

$$v = 3[(t-3)^2 - 9 + 11] \quad (1)$$

$$= 3[(t-3)^2 + 2] \quad (1)$$

$$v = 3(t-3)^2 + 6 \quad (1)$$

$v$  is at minimum when first term = 0 (cannot be negative because of square)

$$\text{when } t = 3, \quad v = 3(3-3)^2 + 6$$

$$= 0 + 6$$

$$= 6 \quad (1)$$

$\therefore$  minimum speed of  $P$  is  $6 \text{ ms}^{-1}$ .

..... 6 ..... m/s

(Total for Question 20 is 5 marks)



- 21 The  $n$ th term of an arithmetic series is  $u_n$  where  $u_n > 0$  for all  $n$   
The sum to  $n$  terms of the series is  $S_n$

Given that  $u_4 = 6$  and that  $S_{11} = (u_6)^2 + 18$

find the value of  $u_{20}$

$$u_4 = 6 = a + (4-1)d$$

$$6 = a + 3d$$

$$a = 6 - 3d \quad \textcircled{1}$$

$$S_{11} = \frac{11}{2} [2a + 10d] = (a + 5d)^2 + 18 \quad \textcircled{1}$$

Substitute  $a = 6 - 3d$  into equation of  $S_{11}$  :

$$\frac{11}{2} [2(6 - 3d) + 10d] = (6 - 3d + 5d)^2 + 18 \quad \textcircled{1}$$

$$\frac{11}{2} (12 - 6d + 10d) = (6 + 2d)^2 + 18$$

$$\frac{11}{2} (12 + 4d) = 36 + 24d + 4d^2 + 18$$

$$66 + 22d = 54 + 24d + 4d^2$$

$$4d^2 + 24d - 22d + 54 - 66 = 0$$

$$4d^2 + 2d - 12 = 0$$

$$2d^2 + d - 6 = 0 \quad \textcircled{1}$$

$$(2d - 3)(d + 2) = 0$$

$$d = \frac{3}{2} \text{ or } d = -2$$

Since  $u_n > 0$ ,  $d = -2$  is not valid.

$$d = \frac{3}{2} \text{ and } a = \frac{3}{2} \quad \textcircled{1}$$

$$u_{20} = \frac{3}{2} + (19)\left(\frac{3}{2}\right)$$

$$= 30 \quad \textcircled{1}$$

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

30

(Total for Question 21 is 6 marks)

Turn over for Question 22



P 6 6 2 9 8 A 0 2 5 2 8

22  $ABC$  is an isosceles triangle with  $AB = AC$ .


$B$  is the point with coordinates  $(-1, 5)$

$C$  is the point with coordinates  $(2, 10)$

$M$  is the midpoint of  $BC$ .

Find an equation of the line through the points  $A$  and  $M$ .

Give your answer in the form  $py + qx = r$  where  $p$ ,  $q$  and  $r$  are integers.



$$\begin{aligned} \text{midpoint of } BC &= \left( \frac{2+(-1)}{2}, \frac{10+5}{2} \right) \\ &= (0.5, 7.5) \quad \textcircled{1} \end{aligned}$$

$$\begin{aligned} \text{gradient of line } BC &= \frac{10-5}{2-(-1)} \\ &= \frac{5}{3} \quad \textcircled{1} \end{aligned}$$

$$\begin{aligned} \text{gradient of line } MA &= \frac{-1}{m_{BC}} \\ &= -\frac{3}{5} \quad \textcircled{1} \end{aligned}$$

$$\text{Equation of line } MA = 7.5 = -\frac{3}{5}(0.5) + c$$

$$\begin{aligned} c &= 7.5 + 0.3 \\ &= \frac{39}{5} \quad \textcircled{1} \end{aligned}$$

$$y = -\frac{3}{5}x + \frac{39}{5}$$

$$5y = -3x + 39$$

$$5y + 3x = 39 \quad \textcircled{1}$$

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

$$5y + 3x = 3q$$

---

(Total for Question 22 is 5 marks)

---

**TOTAL FOR PAPER IS 100 MARKS**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

