

Mark Scheme (Results)

January 2015

Pearson Edexcel International GCSE Mathematics A (4MAO) Paper 3HR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2015
Publications Code UG040595
All the material in this publication is copyright
© Pearson Education Ltd 2015

General Marking Guidance

- All candidates must receive the same treatment. Examiners
 must mark the first candidate in exactly the same way as they
 mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
 Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

- o M marks: method marks
- o A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- o cao correct answer only
- o ft follow through
- o isw ignore subsequent working
- o SC special case
- o oe or equivalent (and appropriate)
- o dep dependent
- o indep independent
- o eeoo each error or omission

No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Apart from Questions 4c, 9 and 24 (where the mark scheme states otherwise), the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Question	Working	Answer	Mark	Notes
1	$640 \div (7+9) \times 9 \text{ or } 40 \times 9$		2	M1
		360		A1 SCB1 for 280
				Total 2 marks

Question	Working	Answer	Mark	Notes		
2 (a)	$15625 + \frac{173}{2.5}$	15694.2	2	B2	B1 for 15625 or 69.2 or $\frac{346}{5}$ or $\frac{78471}{5}$	
(b)		15700	1	B1	ft from (b) if non-trivial	
					Total 3 marks	

Question	Working	Answer	Mark	Notes
3	$0 \times 5 + 1 \times 8 + 2 \times 2 + 3 \times 3 + 4 \times 2 \text{ or } 0 + 8 + 4 \times 2 \times 3 + 4 \times 3 \times 3 \times 3 + 4 \times 3 \times 3 \times 3 + 4 \times 3 \times$		2	M1 condone one error in products (products need
	4 + 9 + 8			not be evaluated and we need not see 0 or 0×5)
		29		A1 SC: B1 for an answer of 34 or 1.45 with no
				working
				Total 2 marks

Question	Working	Answer	Mark		Notes
4 (a)		3(2w+5)	1	B1	
(b)	$x^2 + 4x + 7x + 28$	2 + 11 - + 29	2	M1	for 3 correct terms out of 4 or for 4 correct terms ignoring signs or for $x^2 + 11x + c$ for any non-zero value of c or for + $11x + 28$
(-)	2(5) 2 15	$x^2 + 11x + 28$	2	A1	
(c)	3(x-5) = 3x - 15 $3x - 15 = 7x + 12$ $-15-12 = 7x - 3x or$ $3x - 7x = 12 + 15 oe$		3	M1 M1	For correct expansion of bracket (seen anywhere) correct rearrangement with x terms on one side and numbers on the other side $-15-12=7x-3x$ or $3x-7x=12+15$ or better
		-6.75		A1	Award 3 marks if M1 scored and answer correct, accept – 6.75 oe
					Total 6 marks

Quartien	Working	A marrian	Mark		Notes
Question	Working	Answer			
5	(-2,-4)(-1,-1)(0,2)(1,5)(2,8)	Correct line between $x = -2$ and $x = 4$	4	B4 Fo	or a correct line between
	(3, 11)(4, 14)			\mathcal{X}	= -2 and $x = 4$
				B3 Fo	or a correct line through at
				le	ast 3 of $(-2,-4)(-1,-1)(0,2)$
					, 5)(2, 8)(3, 11)(4, 14) OR
				`	r all of $(-2,-4)(-1,-1)(0,2)$
					, 5)(2, 8)(3, 11)(4, 14)
				`	otted but not joined
				-	or at least 2 correct points
					otted OR for a line drawn
					ith a positive gradient
					rough (0, 2) and a clear
					tempt to use a gradient of 3
					or at least 2 correct points
					ated (may be in a table) OR
					or a line drawn with a
					sitive gradient through
				(0	, 2) OR for a line with the
				cc	orrect gradient. NB a line
				jo	ining
				(0	, 2) to (3, 0) scores B0
					Total 4 marks

Question	Working	Answer	Mark		Notes
6	4+1 1+9		2	M1	or x coordinate of 2.5 or y
	${2}$ or ${2}$				coordinate of 5
		(2.5, 5)		A1	(2.5oe, 5)
					Total 2 marks

Question	Working	Answer	Mark		Notes
7		Translation 4 right and 6 up	2	B2	B1 for translation
					B1 for 4 right and 6 up or $\begin{pmatrix} 4 \\ 6 \end{pmatrix}$
					Total 2 marks

Question	Working	Answer	Mark		Notes
8 (a)	12 45 (5.4)		3	M1	or M2 for 45×0.88 oe eg
	$\frac{12}{100} \times 45 (=5.4)$				45 ×(1-0.12)
	100				(NB 45 \times (1–12%) scores zero
					unless accompanied by a correct
					answer)
	45 – "5.4"			M1	Dep on correct method for 12%
		39.6(0)		A1	
(b)	546 – 525 (=21)		3	M1	546/525(=1.04)
	'21'			M1	Dep $(("1.04" - 1) \times 100)$ or
	$\frac{'21'}{525} \times 100$				546/525 × 100 – 100
	323	4		A1	
				•	Total 6 marks

Question	Working	Answer	Mark	Notes
9	15 14 45a 28a		3	M1 Correct improper fractions
	$\frac{1}{2} - \frac{1}{3} = \frac{1}{6a} - \frac{1}{6a}$			
				M1 Correct fractions with a common denominator a multiple of 6
		shown		dep on M2 Improper fraction required eg $\frac{17}{6}$, $\frac{34}{12}$
				Alt method
				M1 $(7)\frac{3}{6} - (4)\frac{4}{6}$ (ie can ignore integer parts)
				M1 1
				$-\frac{1}{6}$
				Improper fraction required eg $\frac{17}{6}$, $\frac{34}{12}$ or $3 - \frac{1}{6}$
				Answer dep on M2
				Alt method
				$\frac{M1}{7\frac{3}{6}-4\frac{4}{6}}$
				$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
				A1 $2\frac{5}{6}$ required before final answer
				Answer dep on M2
				NB: Follow one strand that gives most marks
				Total 3 marks

Qu	estion	Working	Answer	Mark	Notes		
10	(a)	$\pi \times 11^2 (121\pi) (=380.1) \text{ or } 2 \times \pi \times 11^2$		4	M1		
		$(242\pi)(=760.2)$ oe					
		$2 \times \pi \times 11 \times 30(660\pi)$ (=2073.4)			M1	ind	
		2×"380" + "2073" or "760.2" + "2073"			M1	dep on M2	
		$(242\pi + 660\pi \text{ or } 902\pi)$					
			2800		A1	2833.71 awrt 2800	
						SC: B3 for 2453.59or awrt 2500	
	(b) (i)		29.5	1	B1		
	(b) (ii)		30.5 or 30.49 rec	1	B1		
						Total 6 marks	

Question	Working	Answer	Mark	Notes
11	$\tan A = \frac{80}{35} \text{or } \tan B = \frac{35}{80}$		4	M1
	$(A =) \tan^{-1} \left(\frac{80}{35}\right) \text{ or } (B =) \tan^{-1} \left(\frac{35}{80}\right)$			M1
	(A =) 66.37 or (B =) 23.62			A1 Accept answers that round to 66 or 24 (allow answers without labels)
		204		B1 Allow answers in range 203.6 - 204 ft for correct conversion to bearing
				Total 4 marks

Question	Working	Answer	Mark	Notes
12 (a)	18 – 10		2	M1
		8		A1
(b)			1	B1 ft from (a)Eg. No as the range and/or iqr for the
				boys is greater than the same measure for the
				girls
				Total 3 marks

Question	Working	Answer	Mark	Notes
13	$2^3 \times 3^2$		2	M1 for identifying 2^3 or 3^2 or
				for 24, 48, 72 and 36, 72 or for an answer of
				144 or 216
		72		A1 accept $2^3 \times 3^2$
				Total 2 marks

Question	Working	Answer	Mark	Notes
14	180 – 140 or 40		5	M1 or $180 \times (n-2) \div n = 140$ oe
	360 ÷ "40"			M1 or $40n = 360$
	n = 9			A1
	180 - 360÷(2×"9")			M1 or $(180 \times (2 \times "9" - 2)) \div 2 \times "9"$ or
				$(90 \times (2 \times 2 \times "9" - 4)) \div 2 \times "9" (2880 \div 18)$
		160		A1
				Total 5 marks
	Alternative scheme			
	180 – 140 or 40		5	M1 or $180 \times (n-2) \div n = 140$ oe
	"40" ÷ 2			M1
	20			A1
	180 – "20"			M1
		160		A1

Question	Working	Answer	Mark	Notes
15		$16x^6y^4$	2	B2 B1 for two of 16 , x^6 , y^4 in a product with three
				terms. Terms must be simplified.
				Total 2 marks

Qu	estion	Working	Answer	Mark		Notes
16	(a)		8, 25, 50, 90, 112, 120	1	B1	cao
	(b)	Plotting points from table at ends of interval		2	B1	$\pm \frac{1}{2}$ sq ft from sensible table ie clear attempt to add frequencies
		Points joined with curve or line segments			B1	ft from points if 4 or 5 correct or if all points are plotted consistently within each interval at the correct heights Accept cf graph which is not joined to the origin NB A bar chart, unless it has a curve going consistently through a point in each bar, scores no points.
	(c)	60 (or 60.5) indicated on cf graph or stated	approx 33	2	M1 A1	for 60 (or 60.5) indicated on cf axis or stated If M1 scored, ft from cf graph If no indication of method, ft only from correct curve & if answer is correct (± ½ sq tolerance) award M1 A1
	•				_	Total 5 marks

Question	Working	Answer	Mark	Notes
17 (a)	8x + 4y = 112		3	M1 correct equation linking x and y
	$y = \frac{112 - 8x}{4}$ oe			M1 expression y in terms of x
	$V = x^2 \times \frac{112 - 8x}{4}$	proof		A1 Conclusion with full working shown
(b)	$56x - 6x^2$		2	B2 B1 for $56x$; B1 for $-6x^2$
(c)	$56x - 6x^2 = 0$		3	M1 ft for equating differential to 0
	$x = \frac{28}{3}$ oe			A1 Correct value for x
			813	A1 for answer that rounds to 813
				Total 8 marks

Question	Working	Answer	Mark	Notes
18	$\frac{4}{3} \times \pi \times \left(\frac{18.6}{2}\right)^3$ or 3369(.282)		3	M1
	"3369(.282)"÷ 2			M1 dep
		1680		A1 for ans which rounds to 1680
				Total 3 marks

Question	Working	Answer	Mark	Notes	
19	$8x = 6 \times 6.5$		2	M1	
		4.875		A1 4.875 oe allow 4.88 or 4.9	
				Total	2 marks

Question	Working	Answer		Mark	Notes
20 (a)	$R = \frac{k}{c^2}$		3	M1	for $R = \frac{k}{c^2}$ but not for $R = \frac{1}{c^2}$
					Also award for correct equation in R , c^2 and a constant or for R = numerical value $\div c^2$
	$30 = \frac{k}{4^2}$ or $k = 480$ oe			M1	for $30 = \frac{k}{4^2}$ or for correct substitution into an equation
					which scores the first method mark (may be implied by correct evaluation of the constant)
		$R = \frac{480}{c^2}$ oe		A1	Award 3 marks if answer is $R = \frac{k}{c^2}$ but k is evaluated
					in part (b). SCB2 for correct formula for c in terms of R .
(b)	2 480 2 30 42		2	M1	M1ft for substitution and rearrangement into form
	$c^2 = \frac{480}{1920}$ or $c^2 = \frac{30}{1920} \times 4^2$				$c^2 = \frac{k}{1920}$ with their value of k substituted except for $k = 1$
		0.5oe		A1	accept ±0.5
			•		Total 5 marks

Question	Working	Answer	Mark	Notes
21 (a)		1	1	B1
		$-\frac{1}{3}$		
(b)		2.5 oe	1	B1
(c)	x+4		2	M1
	$\overline{2(x+4)-5}$			
		x+4		A1
		$\frac{x+4}{2x+3}$		
(d)	y(2x-5) = x $2xy - x = 5y$		3	M1 or $2xy - 5y = x$ or $x(2y - 5) = y$ oe M1 or $x(2y - 1) = 5y$ or $2xy - y = 5x$ oe
	2xy - x = 5y			M1 or $x(2y-1) = 5y$ or $2xy - y = 5x$ oe
		$\frac{5x}{2x-1}$		A1 $\frac{5y}{2y-1}$ is M2 only
		$\overline{2x-1}$		2y -1
				Total 7 marks

Question	Working	Answer	Mark	Notes
22 (a)	$\frac{2}{7} \times \frac{1}{6}$ or $\frac{3}{7} \times \frac{2}{6}$		3	M1 Replacement $-\frac{2}{7} \times \frac{2}{7}$ or $\frac{3}{7} \times \frac{3}{7}$
	$\frac{2}{7}$ x $\frac{1}{6}$ + $\frac{3}{7}$ x $\frac{2}{6}$			M1 Replacement $-\frac{2}{7} \times \frac{2}{7} + \frac{3}{7} \times \frac{3}{7}$
		$\frac{8}{42}$		A1 $\frac{8}{42}$ oe
(b)	$\frac{2}{7} \times \frac{3}{6}$ or $\frac{3}{7} \times \frac{2}{6}$ or $\frac{1}{7} \times \frac{1}{6}$		3	M1 Replacement – $\frac{2}{7} \times \frac{3}{7} \text{ or } \frac{3}{7} \times \frac{2}{7} \text{ or } \frac{1}{7} \times \frac{1}{7}$
	$\frac{2}{7} \times \frac{3}{6} + \frac{3}{7} \times \frac{2}{6} + \frac{1}{7} \times \frac{1}{6} + \frac{1}{7} \times \frac{1}{6}$	1.4		M1 Replacement - $\frac{2}{7} \times \frac{3}{7} + \frac{3}{7} \times \frac{2}{7} + \frac{1}{7} \times \frac{1}{7} + \frac{1}{7} \times \frac{1}{7}$ A1 14
		$\frac{14}{42}$		$\begin{array}{cc} A1 & \frac{14}{42} \text{ oe} \end{array}$
				Total 6 marks

Question	Working	Answer	Mark	Notes
23	sin 47 _ sin MLN		6	M1 Or method using a right angled triangle to find
	${13.8} - {8.5}$			length MX (MX is perpendicular to LN)
				$\sin 47 = \frac{MX}{8.5}$
	$MLN = \sin^{-1}\left(\frac{\sin 47 \times 8.5}{13.8}\right)$			M1 Or $\cos^{-1}\left(\frac{8.5\sin 47}{13.8}\right)$
	<i>MLN</i> = 26.7(73)			A1 <i>LMX</i> = 63.232
	LMN = 180 - 47 - "26.7" or			M1 $LMN = 63.232 + (180 - (90 + 47)$ or
	106(.2260622)			106(.2260622)
	$\frac{1}{2} \times 8.5 \times 13.8 \times \sin("106")$			M1
		56.3		A1 Accept an answer that rounds to 56.3 or 56.4 unless
				clearly obtained from incorrect working.
				Total 6 mark

Question	Working	Answer	Mark	Notes
24	$x^2 + (2x - 3)^2 = 41$		6	$M1 \qquad \left(\frac{y+3}{2}\right)^2 + y^2 = 41$
	$x^{2} + 4x^{2} - 6x - 6x + 9 = 41$ or $x^{2} + 4x^{2} - 12x + 9 = 41$			$\left(\frac{y^2 + 6y + 9}{4}\right) + y^2 = 41$
				or $\left(\frac{y^2 + 3y + 3y + 9}{4}\right) + y^2 = 41$
				endep) for correct expansion of $(2x-3)^2$ or $\left(\frac{y+3}{2}\right)^2$ even if
	5 2 12 22 (0)		unsimp	
	$5x^2 - 12x - 32 (= 0)$ $(5x + 8)(x - 4) (= 0)$			A1 $5y^2 + 6y - 155$ (=0) M1 $(5y + 31)(y - 5)$ (=0) oe
	$\int (3x+8)(x-4) (=0)$ or $5x(x-4)+8(x-4) (=0)$			
	or $x(5x+8) - 4(5x+8)$			or $5y(y-5) + 31(y-5) (=0)$
				or $y(5y + 31) - 5(5y + 31)$ (=0)
	or $\frac{12 \pm \sqrt{(-12)^2 - 4 \times 5 \times -32}}{2 \times 5}$			or $\frac{-6 \pm \sqrt{6^2 - 4 \times 5 \times -155}}{2 \cdot 5}$ or better
	2×5			$\frac{1}{2\times5}$ of better
	(may be partially evaluated condone			Condone omission of '=0'
	lack of brackets around negative			
	numbers) eg $\frac{12 \pm \sqrt{144+640}}{10}$ or $\frac{12\pm 28}{10}$			
	$x = -\frac{8}{5}$ or $x = 4$			A1 $y=-\frac{31}{5}$ or $y=5$ dep on all preceding method marks
		$x = -\frac{8}{5}$, $y = -\frac{31}{5}$		A1
		$x = 4, \ y = 5$		
				Total 6 marks