

Mark Scheme (Results) Updated October 2023

Summer 2023

Pearson Edexcel International GCSE In Mathematics A (4MA1) Paper 1H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2023
Question Paper Log Number P72790A
Publications Code 4MA1_1H_2306_MS
All the material in this publication is copyright
© Pearson Education Ltd 2023

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

- o M marks: method marks
- o A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- o cao correct answer only
- o ft follow through
- o isw ignore subsequent working
- o SC special case
- o oe or equivalent (and appropriate)
- o dep dependent

- o indep independent
- o awrt answer which rounds to
- o eeoo each error or omission

No working

If no working is shown, then correct answers normally score full marks.

If no working is shown, then incorrect (even though nearly correct) answers score no marks.

With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams) and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. E.g. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.

If there is no answer on the answer line, then check the working for an obvious answer.

Parts of question

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another,

International GCSE Maths

Apart from questions 8ab, 9, 11b, 15a, 19b, 20 the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method

mpij a c	office memou			
Q	Working	Answer	Mark	Notes
1	$12 \div (5-2) (= 4)$ or $2:5=8:20$ or $A=8$		3	M1 for method to find the value of one M2 for
	or S = 20 or eg $\frac{5}{15}x - \frac{2}{15}x = 12$ or $x = 60$			share or working with the ratio for Arjun or Simon or setting up an equation or for finding the total number of goals (= 60) $\frac{8}{5-2} \times 12$
	eg 8 × "4" or $8 \times \frac{8}{2}$ or $8 + 12 + 12$			M1 for a complete method
	or $8 \times \frac{20}{5}$ or $20 + 12$ or " 60 "× $\frac{8}{15}$			
	Correct answer scores full marks (unless from obvious incorrect working)	32		A1 SCB1 for $\frac{8}{15} \times 12 (= 6.4)$
				Total 3 mar

2	15 × 5 + 45 × 6 + 75 × 8 + 105 × 9 + 135 × 2 or 75 + 270 + 600 + 945 + 270 [lower bound products are: 0, 180, 480, 810, 240] [upper bound products are: 150, 360, 720, 1080, 300]		3	M2	for correct products using midpoints (allow one error or omission) with attempt to add (M1 for products using a consistent value within range and attempt to add or for at least 4 correct products without addition)
	Correct answer scores full marks (unless from obvious incorrect working)	2160		A1	(an answer of 72 loses the final A mark but gains M2)
					Total 3 marks

3	0.7 × 60 × 22 (= 924) oe or (1 – 0.7) × 60 × 19 (= 342) oe OR 0.7 × 60 × $\left(22 - \frac{780}{60}\right)$ (= 378) oe or (1 – 0.7) × 60 × $\left(19 - \frac{780}{60}\right)$ (= 108) oe		4 M1	for finding income for the 22 dirhams notebooks or the 19 dirhams notebooks OR for finding the profit for the 22 dirhams notebooks or the 19 dirhams notebooks
	$0.7 \times 60 \times 22 \ (= 924) \text{ oe } $ and $(1 - 0.7) \times 60 \times 19 \ (= 342) \text{ oe} $ $\mathbf{OR} \ 0.7 \times 60 \times \left(22 - \frac{780}{60}\right) \ (= 378) \text{ oe} $ $\mathbf{and} \ (1 - 0.7) \times 60 \times \left(19 - \frac{780}{60}\right) \ (= 108) \text{ oe} $		M1	for finding income for the 22 dirhams notebooks and the 19 dirhams notebooks OR for finding the profit for the 22 dirhams notebooks and the 19 dirhams notebooks, 1266 or 486 implies M2
	eg $\frac{"924"+"342"-780}{780} \times 100$ or $\frac{"924"+"342"}{780} \times 100 - 100$ or $\frac{"378"+"108"}{780} \times 100$ or $\frac{486}{780} \times 100$		M1	for a complete method to find percentage profit
	Correct answer scores full marks (unless from obvious incorrect working)	62.3	A1	awrt 62.3, allow 62 from correct working
				Total 4 marks

4 (a)	$eg \begin{pmatrix} 67 \\ 12 - 2 \end{pmatrix} \begin{bmatrix} = \begin{pmatrix} 13 \\ 10 \end{pmatrix} \end{bmatrix}$ $or \begin{pmatrix} -7 - 6 \\ 2 - 12 \end{pmatrix} \begin{bmatrix} = \begin{pmatrix} -13 \\ -10 \end{pmatrix} \end{bmatrix}$		3	M1	with or without brackets, allow 13 right and 10 up or (13, 10) or 13 left and 10 down or (-13, -10) or for one of $-5 + 10 = 5$ or $-3 + 10 = 7$ or $9 - 13 = -4$ for two of $-5 + 10 = 5$ or $-3 + 10 = 7$ or $-3 + 10 = 7$
	Correct answer scores full marks (unless from obvious incorrect working)	d = 5, e = 7, f = -4		A1	
(b)		Enlargement	3	B1	with no mention of any other transformation or words such as move, flip, shift
		Scale factor 3		B1	with no mention of a vector, angle of rotation or line of symmetry
		Centre (0, 2)		B1	
(c)		Correct shape with coordinates (0, 5), (1, 6), (3, 6), (1, 5)	2	B2	B1 for a correct shape with the correct orientation in the incorrect position or for 3 out of 4 vertices correct or for a correct rotation of 90° anticlockwise about (3, 5)
					Total 8 marks

5	$7.2^2 + 5.4^2 (= 81)$	4	M1	for correct first step using Pythagoras	M1 for reaching one step from the length of AB if using trig eg $(EAB =) \tan^{-1} \left(\frac{5.4}{7.2}\right) (= 36.8)$ and $\sin("36.8") = \frac{5.4}{AB}$
	$\sqrt{7.2^2 + 5.4^2}$ (= 9)		M1	for complete Pythagoras method to find length of <i>AB/DC</i> check the diagram for sight of 9, <i>DC</i> marked as 9 implies M2	M1 for complete method to find the length of AB/DC eg $\frac{5.4}{\sin("36.8")} (=9)$
	7.2 + 5.4 + 6 + "9" + 6 oe		M1	for a complete method to find the pe	rimeter
	Correct answer scores full marks (unless from obvious incorrect working)	33.6	A1	oe	
					Total 4 marks

6	(a)		$8c^{12}d^{21}$	2	B2	(B1 for 2 correct terms as part of a product)
	(b)		5	1	B1	
	(c)		$4a^2b(4b^2+5a)$	2	B2	B1 for any correct partial factorisation with at
						least 2 factors, or the correct common factor
						with no more than 1 error inside the bracket
	(d)(i)	$(x \pm 11)(x \pm 2)$		2	M1	for $(x \pm 11)(x \pm 2)$
						or for $(x + a)(x + b)$ with $ab = -22$
						or $a+b=9$
		Correct answer scores full marks (unless from	(x+11)(x-2)		A1	for correct factors
		obvious incorrect working)				
	(ii)	, , , , , , , , , , , , , , , , , , ,	-11, 2	1	B1ft	ft dep on factorising in the form
			,			(x+p)(x+q)
						Total 8 marks

7		<i>x</i> ≤ 1	4	B1 accept $x < 1$
		$y \ge -2$		B1 accept $y > -2$
	y = 2x + c or y = mx + 4			M1 allow = or \leq or \leq or \geq
	Correct answer scores full marks (unless from obvious incorrect working)	$y \le 2x + 4$		A1 oe, allow $y < 2x + 4$ oe
				SCB2 for the correct inequalities with all inequality signs the wrong way round
				Total 4 marks

8 (a)	eg $2 \times 2 \times 75$ or $3 \times 5 \times 20$ or $2 \times 3 \times 50$ or $5^2 \times 12$ or $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		2	M1	for 2 correct stages in prime factorisation with 0 incorrect stages or at least 3 stages in prime factorisation with no more than 1 incorrect stage. Each stage gives 2 factors – may be in a factor tree or a table or listed eg 2, 2, 75 (see LHS for examples of the amount of work needed for the award of this mark). Example of 3 stages with 1 incorrect stage: $300 = 100 \times 30 = 2 \times 50 \times 5 \times 6$
	Working required	$2 \times 2 \times 3 \times 5 \times 5$		A1	dep on M1, oe eg $2^2 \times 3 \times 5^2$
(b)	$(5A =) 2 \times 2 \times 2 \times 3 \times 3 \times 5 \times 5 \text{ oe } (= 1800)$ or $(5A =) 2^{3} \times 3^{2} \times 5^{2} (= 1800)$ or $(7B =) 2 \times 2 \times 3 \times 3 \times 3 \times 5 \times 7 \text{ oe } (= 3780)$ or $(7B =) 2^{2} \times 3^{3} \times 5 \times 7 (= 3780)$		2	M1	for method to find $5A$ or $7B$ as prime factors (may be seen in factor tree, table or Venn diagram) or as an integer or for listing at least 3 multiples of each number eg 1800, 3600, 5400 and 3780, 7560, 11340 or for an answer of 1080 oe eg $2^3 \times 3^3 \times 5$
	Working required	37800		A1	dep on M1, oe eg $2^3 \times 3^3 \times 5^2 \times 7$
					Total 4 marks

9	$\int_{0}^{\infty} 21x + 0y - 24$		3	M1	for a correct method to aliminate war w
9	eg 21x + 9y = 24		3	M1	for a correct method to eliminate <i>x</i> or <i>y</i> :
	2x + 9y = 14.5				
	or				multiplication of one or both equation(s)
	14x + 63y = 101.5				with correct operation selected (allow
	14x + 6y = 16				one arithmetic error) (if $+$ or $-$ is not
					shown then assume it is the operation
	(145 0,0)				that at least 2 of the 3 terms have been
	or eg $7 \times \left(\frac{14.5 - 9y}{2}\right) + 3y = 8$				_
					calculated for)
					or
					correct rearrangement of one equation
					with substitution into second
				M1	(dep on previous M1 but not on a correct
					first value) correct method to find
					second unknown – this could be a
					correct substitution into one of the
					equations given or calculated or starting
					again with the same style of working as
					for the first method mark
	Working required	x = 0.5 and $y = 1.5$		A1	oe, dep on M1
					Total 3 marks

10	Correctly identifying 15 and 25		2	M1	could be clearly shown in list (condone 19
					also being indicated)
	Correct answer scores full marks (unless from obvious incorrect working)	10		A1	
					Total 2 marks

Total 4 marks

11	(a)			2	M1	for at least 2 of $12x^2$, $2x$, -20
			$12x^2 + 2x - 20$		A1	
	(b)	$12x^2 + 2x - 20 = 4 \text{ oe}$		4	M1	ft, for equating their dy/dx to 4
		$12x^2 + 2x - 24 = 0$ or $6x^2 + x - 12 = 0$			M1	(dep on M1) ft their dy/dx in the form $ax^2 + bx$ (+ c)
		eg $(6x - 8)(2x + 3) (= 0)$ or $(3x - 4)(2x + 3) (= 0)$ or $x = \frac{-2 \pm \sqrt{(2)^2 - (4 \times 12 \times -24)}}{2 \times 12}$ Working required	$\frac{4}{3}$, $-\frac{3}{2}$		M1	for solving their three-term quadratic equation using any correct method - if factorising, allow brackets which expanded give 2 out of 3 terms correct (if using formula or completing the square allow one sign error and some simplification – allow as far as eg $\frac{-2 \pm \sqrt{4 + 1152}}{24}$ oe) (dep on M2) oe, allow 1.33(3) for $\frac{4}{3}$,
			3 2			both values – isw any attempt to find <i>y</i> coordinates
						Total 6 marks
12	(a)		28	1	B1	allow 27.5 – 28.5
	(b)		14	1	B1	cao
	(c)			2	M1	for a reading of 38 from vertical axis or 50 – (their reading from a height of 35)
		Correct answer scores full marks (unless from	12		A1	cao

obvious incorrect working)

13	eg (gradient =) $\frac{1248}{-5 - 19}$ (= -2.5) oe		3	M1	for a method to find the gradient
	eg $12 = \text{``}-2.5\text{''} \times -5 + c \text{ oe}$ y - $12 = \text{``}-2.5\text{''}(x5) \text{ oe}$			M1	ft their gradient
	Correct answer scores full marks (unless from obvious incorrect working)	y = -2.5x - 0.5		A1	oe eg $y - 12 = -2.5(x + 5)$ or $2y + 5x + 1 = 0$
					Total 3 marks

14	2(5g+3)(5g-3)	3	В3	for $2(5g+3)(5g-3)$
			B2	for $2(5g \pm 3)(5g \pm 3)$ oe eg $2(5g - 3)^2$
			B1	for $2(25g^2 - 9)$ or $(10g + 6)(5g - 3)$ or $(5g + 3)(10g - 6)$ or $(5g + 3)(5g - 3)$
				Total 3 marks

15 (a)	$\sqrt{2} = 2^{\frac{1}{2}} \text{ or } 8^3 = 2^9 \text{ or } 16^{\frac{3}{2}} = 2^6$		3	M1 for one of $\sqrt{2} = 2^{\frac{1}{2}}$ or $8^3 = 2^9$ or $16^{\frac{3}{2}} = 2^6$
				M1 for all of
				$\sqrt{2} = 2^{\frac{1}{2}}$ and $8^3 = 2^9$ and $16^{\frac{3}{2}} = 2^6$
				OR $2^{\frac{1}{2}} \div 2^3$
	Working required	-2.5		A1 oe, dep on M1
(b)	$0.04 \times 4.5 \times 10^{157}$ oe		3	M1
	$4 \times 10^{-2} \times 4.5 \times 10^{157} (= 18 \times 10^{155})$ or 0.18×10^{157} oe			M1
	Correct answer scores full marks (unless from	1.8×10^{156}		A1
	obvious incorrect working)			SCB1 for $18 \times 10^{156} = 1.8 \times 10^{157}$
				or $18 \times 10^{157} = 1.8 \times 10^{158}$
				Total 6 marks

16 (a)	6	1	B1
(b)	36	1	B1
(c)	15	1	B1
			Total 3 marks

17 (a)		2.5	1	B1 oe e.g. $2\frac{1}{2}, \frac{5}{2}$ Accept $x = 2.5$ oe and $x \neq 2.5$ oe Any response that contains 2.5 oe is also acceptable, APART FROM $x > 2.5$ oe or $x < 2.5$ oe or $x \ge 2.5$ oe or $x \le 2.5$ oe
(b)	$gh(x)=) \frac{11}{2(x^2+4)-5} (=1)$		3	M1
	$11 - 3 = 2x^{2} \text{ oe eg } x^{2} = 4$ or $2x^{2} - 8 = 0$ or $x^{2} - 4 = 0$		-	M1 correct expansion and rearrangement with <i>x</i> term on one side and number terms the other side or all terms on one side in an equation
	Correct answer scores full marks (unless from obvious incorrect working)	2		A1 cao, an answer of ±2 gains M2 only If no other marks awarded, award SCB1 for answer of 2.2 oe
				Total 4 marks

18	$140 - (23 + 18 + 14) (= 85)$ and state the area of the 2 given bars, eg 34 (1 cm) squares or 8.5 large squares or 850 small squares oe OR $23 \div 5 (= 4.6 \text{ oe})$ or $18 \div 10 (= 1.8 \text{ oe})$ or $14 \div 20 (= 0.7 \text{ oe})$		4	M1	
	Use of frequency density for the given bars eg "85" \div 34 = 2.5 [(1 cm) square = 2.5 people] or "85" \div 8.5 = 10 [1 large square = 10 people] or "85" \div 850 = 0.1 [1 small square = 0.1 people] or 10 small squares = 1 person OR 23 \div 5 (= 4.6 oe) and 18 \div 10 (= 1.8 oe) and 14 \div 20 (= 0.7 oe)			M1	or 2 correct values in the table or 2 or 3 correct bars
	Correct answer scores full marks (unless from obvious incorrect working)	$5 < t \le 15$ has frequency 25 $15 < t \le 30$ has frequency 60 Bars of 4.6, 1.8, 0.7 correctly drawn to scale		A2	(A1 for 4 of $5 < t \le 15$ has frequency 25 $15 < t \le 30$ has frequency 60 bar of 4.6, bar of 1.8, bar of 0.7)
					Total 4 marks

	T	1			
19 (a)		- 2 a + b	1	B1	oe
(b)	eg utin $OP = \mathbf{a} + y(-\mathbf{a} + 6\mathbf{b})$ and $OP = 2\mathbf{a} + x("-2\mathbf{a} + \mathbf{b}")$ u.u. $AP = -\mathbf{a} + y(-\mathbf{a} + 6\mathbf{b})$ and $AP = x("-2\mathbf{a} + \mathbf{b}")$ u.u. $AB = x("-2\mathbf{a} + \mathbf{b}") + y(-\mathbf{a} + 6\mathbf{b})$ and $AB = -2\mathbf{a} + 6\mathbf{b}$ u.u. $NP = -\mathbf{b} + \mathbf{a} + y(-\mathbf{a} + 6\mathbf{b})$ and $NP = x("2\mathbf{a} - \mathbf{b}")$ $\overrightarrow{MP} = x(-\mathbf{a} + 6\mathbf{b})$ and $\overrightarrow{MP} = \mathbf{a} + y("-2\mathbf{a} + \mathbf{b}")$		4	M2	ft from (a), for writing eg \overrightarrow{OP} or \overrightarrow{AP} or unit \overrightarrow{MP} or \overrightarrow{MP} or similar in two different ways in terms of \mathbf{a} and \mathbf{b} unit \overrightarrow{MP} or similar in one way in terms of \mathbf{a} and \mathbf{b} or \overrightarrow{MP} or similar in one way in terms of \mathbf{a} and \mathbf{b}) These may be written as eg \overrightarrow{PO} in place of \overrightarrow{OP}
	eg $x = 6y \text{ and } 2 - 2x = 1 - y \text{ (from } OP)$ $x = 6y \text{ and } -2x = -1 - y \text{ (from } AP)$ $6 = x + 6y \text{ and } -2x = -2x - y \text{ (from } AB)$ $2x = 1 - y \text{ and } -x = -1 + 6y \text{ (from } NP)$ $-x = 1 - 2y \text{ and } 6x = y \text{ (from } \overrightarrow{MP})$	6.5		M1	dep M2 for writing a pair of equations using their variables OP leads to $x = \frac{6}{11}$, $y = \frac{1}{11}$ AP leads to $x = \frac{6}{11}$, $y = \frac{1}{11}$ AB leads to $x = \frac{6}{11}$, $y = \frac{10}{11}$ NP leads to $x = \frac{5}{11}$, $y = \frac{1}{11}$ NP leads to $x = \frac{1}{11}$, $y = \frac{6}{11}$
	Vector method required	6:5		A1	dep on M2, oe eg $\frac{6}{11}$: $\frac{5}{11}$
					Total 5 marks

20	$\frac{80}{2}(2a+79d)=470$ oe		6	M1	for substituting into the sum of arithmetic series formula
	a + 74d = 14.5 oe			M1	for substituting into the nth term of arithmetic sequence formula
	correct method to find the value of a or d eg 2a + 148d = 29 2a + 79d = 11.75			M1	solve the correct equations simultaneously, eg make the coefficients of a or d the same and show the intention to subtract or rearrange one equation to make a or d the subject and substitute into the other equation
	correct values of $a = -4$ and $d = 0.25$ oe			A1	dep on M2
	$\frac{X}{2}(2 \times "-4" + (X-1)"0.25") = 171 \text{ oe}$			M1	correctly substituting the found values of <i>a</i> and <i>d</i> into a correct equation, can be their values of <i>a</i> and <i>d</i> as long as clearly stated
	Working required	57		A1	dep on M2
					Total 6 marks

21 (a)	(10, 5)	1	B1	cao	
(b)	(2, 5)	1	B1	cao	
					Total 2 marks

22	(radius of large circle =) $\frac{4}{\cos 54}$ or $\frac{4}{\sin 36}$ or $\frac{8\sin 54}{\sin 72}$ or $\sqrt{\frac{8^2}{2-2\cos 72}}$ (= 6.805) or (height of 1 triangle within pentagon =) $4\tan 54$ (=5.505) oe		6	M1	for a complete method to find the radius of the large circle or the perpendicular height of one triangle within the pentagon
	(area of large circle =) $\pi \times ("6.805")^2$ (= 145.489) oe or (area of sector =) $\frac{72}{360} \times \pi \times ("6.805")^2$ (= 29.097) oe			M1	for a complete method to find the area of the large circle or the area of a sector of the large circle
	(area of pentagon =) $5 \times \frac{1}{2} \times 8 \times \text{``}5.505\text{''} (= 80 \tan 54 = 110.11)}$ or $10 \times \frac{1}{2} \times 4 \times \text{``}5.505\text{''} (= 80 \tan 54 = 110.11)}$ or $5 \times \frac{1}{2} \times \text{``}6.805\text{''} \times \text{``}6.805\text{''} \times \sin 72 (= 110.11)}$ oe OR (area of one triangle =) $\frac{1}{2} \times 8 \times \text{``}5.505\text{''} (= 22.022)}$ or $\frac{1}{2} \times \text{``}6.805\text{''} \times \text{``}6.805\text{''} \times \sin 72 (= 22.022)}$ or $\frac{1}{2} \times \text{``}6.805\text{''} \times 8 \times \sin 54 (= 22.022)}$ oe		-	M1	for a complete method to find the area of the pentagon OR the area of one triangle eg <i>OED</i> or equivalent
	"145.489"-"110.11"+ πr^2 = "110.11"- πr^2 oe or $5 \times ("29.097"-"22.022") + \pi r^2 = 5 \times "22.022"-\pi r^2 oe$		-	M1	for a correct equation for the radius of the smaller circle
	$2\pi r^2 = 2 \times "110.11" - "145.489" (= 74.731)$ oe			M1	for a correct rearranged equation with the area of the circle the subject or better
	Correct answer scores full marks (unless from obvious incorrect working)	3.45		A1	accept 3.43 – 3.45
					Total 6 marks

23	$(39 \div 3)^2 + 39^2$ or $1521 + 169 (= 1690)$		5	M1	for summing the area of the 2 embedded in a calculation	squares – may be seen
	$\sqrt{45^2 + (39 \div 2)^2} \ (= 49.043)$ or $\sqrt{15^2 + \left(\frac{39 \div 3}{2}\right)^2} \ (= 16.347)$ oe			M1		M2 for eg $\sqrt{\left(\frac{39-13}{2}\right)^2 + (45-15)^2}$
	$\frac{2}{3} \times "49.043" \text{ or } 2 \times "16.347" (= 32.695) \text{ oe}$ $\mathbf{OR} \frac{1}{2} \times 13 \times "16.347" (= 106.260)$ $\mathbf{or} \ 4 \times \frac{1}{2} \times 13 \times "16.347" (= 425.042)$ $\mathbf{or} \ \frac{1}{2} \times 39 \times "49.043" (= 956.345)$ $\mathbf{or} \ 4 \times \frac{1}{2} \times 39 \times "49.043" (= 3825.381)$			M1	for finding the perpendicular slant height of the frustum OR the area of 1 or 4 triangular faces for either pyramid	$(=\sqrt{1069}=32.695)$
	$(39 \div 3)^2 + 39^2 + 4 \times \frac{(39 \div 3) + 39}{2} \times "32.695"$ $\mathbf{OR} (39 \div 3)^2 + 39^2 + "3825.381" - "425.042"$			M1	correct calculation for total su	urface area
	Correct answer scores full marks (unless from obvious incorrect working)	5090		A1	accept 5090 - 5091	
						Total 5 marks