

Mark Scheme (Results)

Summer 2024

Pearson Edexcel International GCSE In Mathematics A (4MA1) Paper 2F

### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.edexcel.com</a> or <a href="https://www.edexcel.com">www.btec.co.uk</a>. Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

# Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

Summer 2024
Question Paper Log Number P73992A
Publications Code 4MA1\_2F\_2406\_MS
All the material in this publication is copyright
© Pearson Education Ltd 2024

#### **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response

### Types of mark

- o M marks: method marks
- o A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

#### Abbreviations

- o cao correct answer only
- o ft follow through
- o isw ignore subsequent working
- o SC special case
- o oe or equivalent (and appropriate)
- o dep dependent
- o indep independent
- o awrt answer which rounds to
- o eeoo each error or omission

#### No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

# With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. Eg. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.

If there is no answer on the answer line then check the working for an obvious answer.

## • Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

# Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another.

### **International GCSE Maths**

Apart from questions 20 and 26 the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Values in quotation marks must come from a correct method previously seen unless clearly stated otherwise.

Q	Working	Answer	Mark	Notes
1		A fully correct bar chart	3	B2 All bars of correct height according to their scale (B1 for 3, 4 or 5 bars of the correct height or B1 for all heights marked but no bars drawn) condone gaps or no gaps between bars and also bars of different widths  B1 All labels correct (linear scale for numbers and individual labels for names)
				Total 3 marks

2 (a)		Correct congruent shape	1	B1	A shape of the same size and shape as given (can be reflected or rotated)
(b)	eg	Correct enlargement	2	B2	A shape that is an enlargement of the given shape (B1 for 2 correctly enlarged sides) Any orientation is satisfactory
(c)		correct line	1	B1	correct line with no other lines
(d)		14	1	B1	
(e)		8	1	B1	
					Total 6 marks

3	(a)		-89, -77, -6, 39, 43	1	B1	
	(b)		0.017, 0.12, 0.134, 0.145, 0.3	1	B1	Allow extra zeros eg 0.017, 0120, 0.134, 0.145, 0.300
	(c)		70	1	B1	
	(d)		0.27	1	B1	
	(e)	$1 - \frac{7}{10} \left( = \frac{3}{10} = 0.3 = 30\% \right) \text{ or } \frac{7}{10} \times 60 \ (= 42)$ oe		2	M1	
		Correct answer scores full marks (unless from obvious incorrect working)	18		A1	
						Total 6 marks

		1	T		
<b>4</b> (a)(i)		71	1	B1	
(ii)	Allow "decreasing by –7"	<b>-</b> 7	1	B1	oe eg 'take 7' or 'subtract 7' each number is going down by 7 78-7 -7n+113 $-7 \times 6+113$ If words used, please accept incorrect spelling if meaning is clear
(b)		29	1	B1	
(c)	Acceptable  1. The numbers are not in the 7 times table 2. It isn't going down by the multiples of 7 3. 8 is in the sequence but not 7 4. It starts from 1 and you keep adding on 7 5. 15 - 7 = 8 6. The sequence is the 7 times table plus 1 7. Should be 8 8. 15 - 7 does not equal 7  Not acceptable 1. Because 7 won't make the sequence correct 2. 7 isn't in the sequence 3. Umberto is wrong 4. Because if you keep going down in 7s you will get to 9 (or 6 etcie they are incorrect) 5. It will pass 7	Correct reason	1	B1	eg the sequence is $-7n + 113$ or it goes15, 8, (1) oe
					Total 4 marks

5 (a)			S	Spinner A			2	B2	All correct	
			1	1	2	3			(B1 for 5, 6, 7, 8 or 9 values completed	
		5	4	4	3	2			correctly)	
	Spinner B	7	6	6	5	4				
		8	7	7	6	5				
		9	8	8	7	6				
		11	10	10	9	8				
(b)(i)					$\frac{13}{20}$		1	B1ft	oe 0.65 or 65% or	
					20				ft from a completed table	
(ii)					6		1	B1ft	oe 0.3 or 30% or	
					20				ft from a completed table	
									penalise incorrect notation only once penalise the incorrect denominator only once (as long as denominator > 13 and is the same in b(i) and b(ii))	
									Total 4 marks	

6	19 + 32 + 3 (= 54)		3	M1 or <u>54</u>
	or 150 – 19 – 32 – 3 (= 96)			150
	150-'54' ( '96')			M1 or any correct fraction not in
	$\frac{150-'54'}{150} \left(=\frac{'96'}{150}\right)$			: 1 . 6 . 6 . 9
	` ′			simplest form or for $\frac{9}{25}$
	assumes previous M1	1.6		
	Correct answer scores full marks (unless from obvious	$\frac{16}{25}$		A1 (SCB2 for 0.64 or 64% if no other
	incorrect working)	25		marks scored, B1 for 0.36 or 36%
				if no other marks scored)
				Total 3 marks
		1		
7	350 m <i>l</i> written as 0.35 ( <i>l</i> ) or		4	B1 correct conversion (could be implied
	700  ml written as $0.7 (l)$ or			by further working)
	2.8 <i>l</i> written as 2800 (m <i>l</i> )			
	$2.8 - 2 \times \text{``}0.35\text{''} (=2.1) \text{ or ``}2800\text{''} - 2 \times 350 (=2100)$			M1 Also award for
	or			2.8-"0.35" 2800-"350"
	$2 \times 350 + 5y = 2800$ oe or $2 \times 0.35 + 5y = 2.8$ oe			$\frac{2.8 - 0.35"}{5}$ or $\frac{2800 - 350"}{5}$
	"2800"-"700" 2.8-"0.7" "2.1" "2100"			M1 or for an answer of 0.42(0)
	$\frac{"2800"-"700"}{5}$ or $\frac{2.8-"0.7"}{5}$ or $\frac{"2.1"}{5}$ or $\frac{"2100"}{5}$			
		420		
	Correct answer scores full marks (unless from obvious	420		A1
	incorrect working)			
				Total 4 marks

0	DG 20 040 60 4600			3.61	T 11 11 D 1 C 2 2
8	BC: eg 3 for 8.40, 6 for 16.80, etc (at least 2		4	M1	For working with Bargain Crafts 3
	multiples of 8.40 with number of tins bought)				for 2 offer
	or				
	(pay for) $\frac{2}{3} \times 30 (=20)$ <b>or</b>				or
	$\frac{2}{3} \times 4.20 \ (= 2.80)$ or $\frac{2}{3} \times 30 \times 4.2(0) \ (= 84)$ oe				working with 25% off offer for Art's Store
	$\frac{2}{3} \times 30 \times 4.2(0) \ (= 84) \ \text{oe}$				
	AS: eg 0.25 × 18 (= 4.5) or 0.75 × 18 (= 13.5) or				
	$\frac{18}{5} \times 0.75 (= 2.70)$ or				
	$\frac{30}{5} \times 18 \times 0.75 \ (= 81) \ \text{oe}$				
	(BC =) 84 or (AS =) 81		_	A1	For one correct amount
	"84"—"81"		1	M1	A fully correct method to find the
	(both values must come from correct working)			1711	difference.
	Correct answer scores full marks (unless from	3		A1	allow –3
	obvious incorrect working)				
					Total 4 marks

9	$\pi \times 9^2$ oe		2	M1	(use of $\pi$ , 3.14, 3.142, $\frac{22}{7}$ multiplied by radius squared)
	Correct answer scores full marks (unless from obvious incorrect working)	254		A1	254 - 255 <b>Total 2 marks</b>

10	A rectangle with	2	B2 Fo	or a correct rectangle
	area 24 cm <sup>2</sup>		eg	2 squares by 12 squares,
			3 s	squares by 8 squares,
			4 s	squares by 6 squares,
			5 s	squares by 4.8 squares etc
			,	1 for stating 24 or drawing any ctangle)
				Total 2 marks


<b>11</b> (a)	$e^5$	1	B1
(b)	3 <i>m</i>	1	B1
(c)	$6g^2$	1	B1
(d)	$a^2 + 8a$	1	B1
(e)	5(3x+4)	1	B1
(f)	T = 3d + 5h	3	B3 Allow $T = d3 + h5$ or $T = d \times 3 + h \times 5$
			(B2 for $3d + 5h$ or $T = 3d + xh$ or $T = yd + 5h$ or $T = 5d + 3h$ ) [where $x \neq 0$ and $y \neq 0$ and can be negative]  (B1 for $3d + xh$ or $yd + 5h$ [where $x \neq 0$ and $y \neq 0$ and can be negative] or $5d + 3h$ or for $T =$ an incorrect expression in $d$ and $h \in T = d + h$ , $T = d \times h$ etc or $T = 3d (+c)$ or $T = (k + 1)$
			Total 8 marks

12		$12\ 420 \div 54 (=230) \text{ or } 232 \times 54 (=1)$	2 528)				3	M1	
		232 – "230" (=2) or "12 528" – 12	2 420(=108)					M1	
		Correct answer scores full marks (a obvious incorrect working)	unless from	2 (Aus)d or 108 ruj				A1	Answer must have correct units which may be shortened eg \$ or r (allow incorrect spelling if meaning is clear)
									Total 3 marks
13				JW, JY, B HW, HY,			2	B2	B2 all correct combinations with no repeats and no incorrect combinations (B1 for at least 4 correct combinations ignoring repeats or incorrect combinations)
									Total 2 marks
14	(a)		ro	tation	2	B1			ntion of reflection, translation, nove, flip etc
			about (0	r half turn) , 0) or O or origin'		B1			largement centre origin SF – 1") erence to clockwise/anticlockwise)
	(b)	(2,-3) $(2,-5)$ $(5,-3)$ $(5,-4)$		rect shape	2	B2	line or a	correc	ect' shape reflected in any horizontal t reflection in the line $x = -1$ or for ed in $y = -1$ )
									Total 4 marks

15	13 17 14 12 B 15 18 20	3	For all 4 parts of Venn diagram correct (B2 for 2 or 3 parts correct, B1 for 1 part correct)
			Total 3 marks

16	1.63(17) or 1.43(17)		2	M1 A start to the calculation or an
	or			answer given as a fraction or a
	5258			prematurely rounded answer
	27 425			
	or			
	0.19, 0.191, 0.192, 0.1917			
	Correct answer scores full marks (unless from	0.19172(28806)		A1 at least 5 dp
	obvious incorrect working)			
				Total 2 marks

17	for $k = 18$		3	M1	For a correct value for $h$ , $j$ or $k$ or for a
					correct statement for one of these
	or				
	$(8+j) \div 2 = 10 \text{ or } (j=) 10 \times 2 - 8$				
	or $8 + j = 2 \times 10$ or $j = 12$				
	or				
	k-h=13  or "18"-h=13  or  h=5				
	W W 15 GI 16 W 15 GI W 5				
	C		-	7.61	
	for two of the above			M1	for 2 correct values from $h, j$ or $k$ or for 2
					correct statements for them
	Correct answer scores full marks (unless	h = 5		A1	All correct
	from obvious incorrect working)				
	J. 3 33 773 773 773 773 773 773 773 77	j = 12			
		J = 12			
		1 10			
		k = 18			
					Total 3 marks



						Total 3 marks
	Correct answer scores full marks (unless from obvious incorrect working)	7872		A1	SCB1 for 7675.2 if no o	ther marks awarded
	eg $820 \times "9.6"$ or $820 \times \frac{576}{60}$ or $576 \times \frac{820}{60}$ or $576 \times \frac{41}{3}$ (allow 13.7 for $\frac{41}{3}$ ) oe			M1	For use of distance = speed × time in hours (eg allow use of 9.36 for this mark)	or $\frac{34560}{60 \times 60} \times 820$ oe
19	For 9 hrs 36 mins = 9.6 (hrs) or $9\frac{36}{60}$ (hrs) or $9\frac{3}{5}$ (hrs) oe or 576 (mins)		3	M1	For a correct conversion of time into hours or into minutes	Award M2 for $820 \times 9 + \frac{820}{60} \times 36$ $(= 7380 + 492)$

20	18 28		3	M1	for correct improper fractions
	$\left[\frac{18}{7}, \frac{28}{9}\right]$				
	$\frac{18^2}{7^1} \times \frac{28^4}{9^1}  \text{or}  \frac{18}{7} \times \frac{28}{9} = \frac{504}{63}  \text{oe eg}  \frac{18^2}{7} \times \frac{28}{9^1} = \frac{56}{7}$ $\text{or}  \left(\frac{18}{7} \times \frac{28}{9}\right) = \frac{162}{63} \times \frac{196}{63} = \frac{31752}{3969}$			M1dep	for cancelling fractions fully or cancelling fractions partially and clear intention to multiply (allow arithmetic error in multiplication) or not cancelling and clear intention to multiply (allow arithmetic error in multiplication)
	eg $\frac{18^2}{7^1} \times \frac{28^4}{9^1} = 8$ or $\frac{18^2}{7^1} \times \frac{28^4}{9^1} = 2 \times 4 = 8$	Shown		A1	Dep on M2 for a correct answer from fully correct working
	eg $\frac{18}{7} \times \frac{28}{9} = \frac{504}{63} = 8$ oe or eg $\left(\frac{18}{7} \times \frac{28}{9} = \right) \frac{162}{63} \times \frac{196}{63} = \frac{31752}{3969} \left( = \frac{8}{1} \right) = 8$ working required				Candidates may show $8 = \frac{8}{1}$ (maybe under the given 8) and then they need only show the given fraction comes to $\frac{8}{1}$
					Total 3 marks

21	$\sin 34 = \frac{x}{6.5} \text{ or } \frac{x}{\sin 34} = \frac{6.5}{\sin 90}$ $6.5^{2} - (6.5 \times \cos 34)^{2} \text{ or}$ $\cos 56 = \frac{x}{6.5} \text{ oe}$		3	M1 a correct trig statement for x
	$(x =) 6.5 \times \sin 34 \text{ or } x = \frac{6.5 \times \sin 34}{\sin 90}$ or $(x =) \sqrt{6.5^2 - (6.5 \times \cos 34)^2}$ or $(x =) 6.5 \times \cos 56 \text{ oe}$			M1 a fully correct method to find x
	Correct answer scores full marks (unless from obvious incorrect working)	3.6		A1 awrt 3.6
				Total 3 marks

22	For one of $w \div 1000$ or $w \div 10^{3}$ or $w \times 10^{-3}$ or $0.001w$ oe or $(w \times 60 \times 60)$ oe or		3	M1	award this mark for $\frac{3600}{1000}$ or $\frac{18}{5}$ or 3.6 oe (without a link to w)
	$w \times 3600 \text{ or } w \div \frac{1}{3600} \text{ oe}$				
	$\frac{w \times 60 \times 60}{1000}$ oe eg $w \times \frac{3600}{1000}$			M1	For a fully correct method including w
	Correct answer scores full marks (unless from obvious incorrect working)	3.6w		A1	or $\frac{18}{5}w$ or $3\frac{3}{5}w$ allow $3.6 \times w$
					Total 3 marks

	[allow without brackets for this mark only]
or $13 \times 21$ and $0.5(15+21)y$ oe	M1 For considering the area of all parts of the shape (parts need not be added or subtracted for the whole shape)
or $21h$ and $2 \times \frac{1}{2}(3(h-13))$ oe	(where $y = \text{height of } BCDE$ )
or $13 \times 21$ and $15(h-13)$ and $2 \times \frac{1}{2}(3(h-13))$ oe or $2 \times \frac{1}{2}(3(h-13))$	(h-13) might be written as $x$ or $y$ etc: this is acceptable (even allow $h$ )
$2 \times \frac{1}{2}(13+h) \times 3$ and $15 \times h$	[correct use of brackets]
or $\frac{1}{2}(15+21) \times y = "117"$ or $273+18(h-13)=390$ or $15(h-13)+2 \times \frac{1}{2}(3(h-13))="117"$ oe or $2 \times \frac{1}{2}(13+h) \times 3+15h=390$ Typical equations here simplify to: $18y=117, \ 18h-234=117, \ 18h+39=390, \ 18h=351$	M1 A correct calculation to find height of trapezium or height of shape or a correct equation involving height of trapezium or height of shape or 6.5  (h-13) might be written as x or y etc: this is acceptable (even allow h)  [correct use of brackets]
	Aloe $\operatorname{eg} \frac{39}{2}$
incorrect working)	Total 4 marks

24	$600 \div (9+4+2) (=40)$	Tulips:		5	M1	A correct method to find one share (360 or
	or	$0.45 \times 9 \ (= 4.05)$			1121	160 or 80 seen implies this method mark)
	tulip: $0.45 \times 600 \ (= 270)$					or 45% of 600 or $\frac{5}{8}$ of 600
	or	or				8
	crocus: $\frac{5}{8} \times 600 \ (=375)$	$0.45 \times \frac{9}{15} \left( = \frac{27}{100} (= 0.27) \right)$ oe				or the fraction of the share that is for tulips
	Daffodils: "40" × 2 (=	Crocus:			M1	A correct method to find number of
	80) or $\frac{2}{15} \times 600 (= 80)$	$\frac{5}{8} \times 4 (=2.5)$ or				daffodils
	10					or
	(implies 1 <sup>st</sup> M1)	$\left[ \frac{5}{8} \times \frac{4}{15} \left( = \frac{1}{6} (= 0.16) \right) \right]$ oe				the fraction of the share that is for crocus
	Tulip:	Total of parts		-	M1	A correct method to find number of yellow
	$0.45 \times (9 \times \text{``40''})(=162)$	4.05 + 2.5 + 2 (= 8.55)				tulips
	or	or				or
	$0.45 \times 600 \times \frac{9}{15} (=162)$	$\left  \frac{27}{100} + \frac{1}{6} + \frac{2}{15} \right  = \frac{57}{100}$ oe				the total of the parts that are yellow
	(implies 1 <sup>st</sup> M1)	(implies 1 <sup>st</sup> and 2 <sup>nd</sup> M marks)				
	Crocus:				M1	A correct method to find number of yellow
		$\frac{8.55}{9+4+2} \times 600 \text{ oe}$			1111	crocuses
	$\begin{vmatrix} \frac{5}{8} \times (4 \times "40") & (= 100) \\ \text{or} \\ \frac{5}{8} \times 600 \times \frac{4}{15} & (= 100) \end{vmatrix}$	or				
	or	57				or
	$\frac{5}{5} \times 600 \times \frac{4}{5} (-100)$	$\frac{57}{100} \times 600$ oe				multiplying the total of the correct shares by
		(implies all previous M marks)				600
	(implies 1 <sup>st</sup> M1)					
	· ·	l marks (unless from obvious incorrect			<b>A</b> 1	
	working)		342			
						Total 5 marks

25	4500 × 1.024 (= 4608) oe or 4500 × 0.024 (= 108) "4608" × 1.024 (= 4718.592) and "4718.592" × 1.024 (= 4831.838) and "4831.838" × 1.024 (=4947.80)		3	M1 M1		M2 for 4500×1.024 <sup>4</sup> or 4500×1.024 <sup>5</sup>
	Correct answer scores full marks (unless from obvious incorrect working)	4948		A1	4947 – 4948 if no other mark at 4500 × 0.024 × 4 0.096 × 4500 (=4.4500 + 4500 × 1.096 (= 4.4500 × 1.096 (= 4.4500 × 4500 (= 4.4500 × 4500 (= 4.4500 × 1.024³ (= 483))	32) or 024 × 4 ( = 4932) 4932) 392) or 068) or 4083) or
						Total 3 marks

26	6x + 4y = 1   30x + 20y = 5		3	M1	A correct method to eliminate x or y –
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				multiplying one or both equations so that one value can be eliminated <b>and</b> the correct
	(6y = 15)   (18x = -27)				operation to eliminate which can be shown by 2
	(8 2)				out of 3 terms correct for subtraction or addition
	or eg $6x + 4\left(\frac{8-3x}{5}\right) = 1$ or $3\left(\frac{1-4y}{6}\right) + 5y = 8$				(allow one arithmetic error in multiplying)
					or
					for a correct substitution of one variable into
					the other equation.
					NB: the mark is for the method and not for the
					result of the method – although if the correct
					result is seen, this means the mark is awarded
				M1dep	A correct method to calculate the value of the
					other letter (dep on M1) eg substitution of
					found variable into an equation (equation does
					not need to be solved) or starting again with
					elimination or substitution
	working required	x = -1.5,	=	Aloe	dep on M1
		y = 2.5			Must be a vulgar fraction or mixed number or a
					decimal
					(eg do not allow $y = \frac{12.5}{5}$ )
					Total 3 marks

<b>27</b> (i)	$(x\pm 2)(x\pm 11)$		2	M1 or $(x + a)(x + b)$ where $ab = -22$ or $a + b = 9$
	Correct answer scores full marks (unless from obvious incorrect working)	(x-2)(x+11)		A1
(ii)		2, -11	1	B1ft Must ft from their factors in (i)
				Total 3 marks

28	4 × 11 800 (= 47 200) or 3 × 13 207 (= 39 621) or 86 821		3	M1	for one correct product or for the sum of the products
	$\frac{"47\ 200" + "39\ 621"}{7} \left( = \frac{86821}{7} \right)$			M1	for a fully correct method to find the mean for the 7 days
	Correct answer scores full marks (unless from obvious incorrect working)	12 403		A1	
					Total 3 marks