



Mark Scheme (Results)

Summer 2015

Pearson Edexcel International GCSE
Mathematics B (4MB0)
Paper 01R

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2015

Publications Code UG042096

All the material in this publication is copyright

© Pearson Education Ltd 2015

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the **candidate's response is not worthy of credit according to the mark scheme.**
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark **scheme to a candidate's response, the team leader must be consulted.**
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
 - M marks: method marks
 - A marks: accuracy marks
 - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
 - cao – correct answer only
 - ft – follow through
 - isw – ignore subsequent working
 - SC - special case
 - oe – or equivalent (and appropriate)
 - dep – dependent
 - indep – independent
 - eeo – each error or omission
 - awrt – answer which rounds to

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.



It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Question	Working	Marks	
1	$\frac{22.5}{60} \times 100$ $37.5(\%)$	M1 A1 cao [2]	
2	$\frac{1}{2}x = 1 - 1.25$	$2x = 4 \times 1 - 5$	M1
	$-\frac{1}{2} \text{ oe}$		A1 [2]
3	Either 3600 or 0.075 seen 48 : 1 or $m = 48$	B1 B1 [2]	
4	$\frac{4 \times 2 + 3 \times 3 - 5}{6a} \text{ (o.e.)}$ $\frac{2}{a} \text{ oe}$	M1 A1 [2]	
5	$y = \frac{x-4}{3}$	$\frac{-1-0}{4-1} \text{ (o.e.)}$	M1
	Note: allow one error for method $m = \frac{1}{3}$		A1 [2]
6	$f(-1)=4$ and $f(0)=0$ and $f(1)=-2$ $\{ 4, 0, -2 \}$ (in any order)	B1 B1 [2]	
7	Attempt to factorise quadratic $(2x-3)(x+5)$	M1 A1 [2]	

8	<p>(a)</p>  <p>(b)</p> 	<p>B1</p> <p>B1</p> <p>[2]</p>
9	<p>(-3, 5)</p>	<p>B1, B1</p> <p>[2]</p>
10	<p>(a) 2</p> <p>(b) 4 (or -4)</p>	<p>B1</p> <p>B1</p> <p>[2]</p>
11	<p>1 hour 42 mins or 102 mins</p> <p>$\frac{2}{3} \times "102"$ (68min)</p> <p>9:44 (pm)</p>	<p>B1</p> <p>M1ft</p> <p>A1</p> <p>[3]</p>
12	<p>any one of $3\sqrt{3}$ or $4\sqrt{3}$ or $5\sqrt{3}$</p> <p>$\frac{3\sqrt{3} + 4\sqrt{3}}{5\sqrt{3}}$</p> <p>$7/5$ or 1.4 or $1\frac{2}{5}$</p>	<p>B1</p> <p>M1</p> <p>A1 cao</p> <p>[3]</p>

13	<p>(a) $\frac{2}{5}$ oe (accept decimal or % equivalent)</p> <p>(b) $\frac{17}{20}$ or 0.85 or "$\frac{2}{5}$" - $\frac{1}{4}$ or $1 - (\frac{3}{5} + \frac{1}{4})$</p> <p>0.15 or $\frac{3}{20}$ or 15%</p>	<p>B1</p> <p>M1ft</p> <p>A1</p> <p>[3]</p>
14	<p>$\frac{\frac{1}{2}BC}{12} = \sin 21^\circ$ (o.e.)</p> <p>Note: Accept x for $\frac{1}{2}BC$</p> <p>$\frac{1}{2}BC = 12 \times \sin 21$</p> <p>8.60 (cm) (accept awrt 8.6)</p>	<p>M1</p> <p>M1 dep</p> <p>A1</p> <p>[3]</p>
15	<p>(a) $x^2 + 2 + \frac{1}{x^2}$, $\frac{x^4 + 2x^2 + 1}{x^2}$</p> <p>Note: allow one of the three terms to be incorrect for method</p> <p>$x^2 + 2 + \frac{1}{x^2}$ (fully correct)</p> <p>(b) 7</p>	<p>M1</p> <p>A1</p> <p>B1 cao</p> <p>[3]</p>
16	<p>42.195×1000, $2 \times 60 \times 60 + 3 \times 60 + 23$ (o.e.)</p> <p>$\frac{42.195 \times 1000}{2 \times 3600 + 3 \times 60 + 23}$ (o.e.)</p> <p>5.70 (m/s) (Accept awrt 5.7)</p>	<p>B1, B1</p> <p>M1</p> <p>A1</p> <p>[3]</p>

17	(a) (i) 5	B1
	(ii) 4.5	B1
	(b) $\frac{1+2 \times 2+3+4+3 \times 5+6+x}{10} = 3 \times "5" - "4.5"$	M1ft
	72	A1
		[4]

18	Rearranging ONE side of the inequalities (ignoring equality/inequality sign)	M1
	$2-3 \leq 2x$ (oe) eg $-\frac{1}{2} \leq x$ AND $2x < 9-3$	M1 dep
	Note: For M marks, accept 0 instead of $-\frac{1}{2}$	
	0,1,2	A2 (-1 eoo)
Note: A marks dependent on first M mark		
		[4]

19	(a) $\angle CAD = 90^\circ$, $\angle ACD = 28^\circ$	B1, B1
	Note: Accept angles marked on the diagram	
	$\angle CDA = 62^\circ$	B1
	(b) $\angle CBA = 180 - 62$ OR $90 + 28 = 118$ NB: Not ft	B1 ft
		[4]

20	$DC = \sqrt{12^2 + 5^2}$	M1
	$DC = 13$ ($\sqrt{12^2 + 5^2}$) (13 cm)	A1
	Area = "13" × "13" × sin 60°	M1 dep
	146 (cm ²) (awrt)	A1
		[4]

21	<p>(a) 20, 6, 16</p> <p>(b) numerator = "20"+18+"6"</p> <p>Or denominator = "20"+18+"6"+"16"</p> <p>$\frac{44}{60}, \frac{22}{30}, \frac{11}{15}$ (0.733...) ,73.3%</p>	<p>B1, B1, B1</p> <p>M1ft</p> <p>A1</p> <p>[5]</p>
22	<p>(a) 125 (m)</p> <p>(b) $125 - 5t^2 = 0$</p> <p>$t = 5$</p> <p>(c) $(v =) -10 \times 2$</p> <p>-20 (accept 20)</p>	<p>B1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>[5]</p>
23	<p>Note: Penalise incorrect rounding once only in the question, the first time it occurs.</p> <p>(a) $\frac{75}{360} \times r^2 \times \pi = 180$</p> <p>$r = 16.6$ (cm)</p> <p>(b) $\frac{75}{360} \times 2 \times \pi \times "16.6"$</p> <p>+2 × "16.6"</p> <p>54.9 (cm)</p>	<p>M1</p> <p>A1</p> <p>M1</p> <p>M1 dep</p> <p>A1</p> <p>[5]</p>

24	<p>(a) $x^2 = y^2 - 3y - 3y + 9$</p> <p>$z^2 = y^2 + 2y + 2y + 4$ or $3z^2 = 3y^2 + 6y + 6y + 12$</p> <p>$x^2 + 3z^2 - 4y^2 = 6y + 21$</p> <p>(b) "6y + 21" = 291</p> <p>45</p>	<p>M1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>[5]</p>
25	<p>(a) $\frac{1}{3}h(x+4)(x-2) = 120$</p> <p>$h = \frac{360}{(x+4)(x-2)}, \frac{360}{x^2 + 2x - 8}$</p> <p>(b) $(x+4)(x-2) = 72$ or $5(x+4)(x-2) = 360$</p> <p>$x^2 + 2x - 80 = 0$ or $5x^2 + 10x - 400 = 0$</p> <p>Attempt to solve a quadratic</p> <p>$x = 8$</p>	<p>M1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>[6]</p>
26	<p>(a) $1^3 - 3 \times 1^2 + k + 24 = 0$</p> <p>$k = -22$</p> <p>(b) A quotient beginning $x^2 - 2x \dots$</p> <p>Quotient of $x^2 - 2x - 24$</p> <p>Attempt to factorise quadratic</p> <p>$(x-1)(x+4)(x-6)$</p>	<p>M1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>A1 cao</p> <p>[6]</p>

27	<p>(a) $(-1, -1)$</p> <p>(b) $\begin{pmatrix} -3 & -5 & -6 \\ 1 & 4 & 2 \end{pmatrix}$</p> <p>(c) $A'B'C'$ drawn</p> <p>(d) Reflection, $x = -1$ (one of these for M1, both for A1)</p>	<p>B1</p> <p>B2(-1 eeo)</p> <p>B2 ft</p> <p>M1, A1</p> <p style="text-align: right;">[7]</p>
28	<p>(a) $3y + x = 180$ OR $4x + 2y = 180$ OR $y = 3x$ (any ONE of these equations)</p> <p>(b) ANOTHER of the above equations</p> <p>(c) Either: Balancing equations Eliminating x/y Or: Making x/y the subject Substituting for x (or y) $x = 18, y = 54$</p>	<p>B1</p> <p>B1</p> <p>M1</p> <p>M1 dep</p> <p>A1, A1</p> <p style="text-align: right;">[6]</p>

