Tiease check the examination of	letails below before entering you	r candidate information
Candidate surname	Other n	ames
Pearson Edexcel International GCSE	Centre Number	Candidate Number
Monday 17	lune 2019	
Afternoon (Time: 2 hours)	Paper Referenc	e 4PM1/01
Further Pure N Paper 1	Nathematics	

Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You must **NOT** write anything on the formulae page. Anything you write on the formulae page will gain NO credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶





International GCSE in Further Pure Mathematics Formulae sheet

Mensuration

Surface area of sphere = $4\pi r^2$

Curved surface area of cone = $\pi r \times \text{slant height}$

Volume of sphere = $\frac{4}{3}\pi r^3$

Series

Arithmetic series

Sum to *n* terms, $S_n = \frac{n}{2} [2a + (n-1)d]$

Geometric series

Sum to *n* terms,
$$S_n = \frac{a(1-r^n)}{(1-r)}$$

Sum to infinity, $S_{\infty} = \frac{a}{1-r} |r| < 1$

Binomial series

$$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \dots + \frac{n(n-1)\dots(n-r+1)}{r!}x^r + \dots$$
 for $|x| < 1, n \in \mathbb{Q}$

Calculus

Quotient rule (differentiation)

$$\frac{\mathrm{d}}{\mathrm{d}x} \left(\frac{\mathrm{f}(x)}{\mathrm{g}(x)} \right) = \frac{\mathrm{f}'(x)\mathrm{g}(x) - \mathrm{f}(x)\mathrm{g}'(x)}{\left[\mathrm{g}(x)\right]^2}$$

Trigonometry

Cosine rule

In triangle *ABC*: $a^2 = b^2 + c^2 - 2bc \cos A$

$$\tan \theta = \frac{\sin \theta}{\cos \theta}$$

$$\sin(A+B) = \sin A \cos B + \cos A \sin B$$

$$\sin(A - B) = \sin A \cos B - \cos A \sin B$$

$$\cos(A+B) = \cos A \cos B - \sin A \sin B$$

$$\cos(A - B) = \cos A \cos B + \sin A \sin B$$

$$\tan(A+B) = \frac{\tan A + \tan B}{1 - \tan A \tan B}$$

$$\tan(A - B) = \frac{\tan A - \tan B}{1 + \tan A \tan B}$$

Logarithms

$$\log_a x = \frac{\log_b x}{\log_b a}$$

1

Answer all ELEVEN questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

$$f(x) = x^3 + 2x^2 - 5x - 6$$

(a) Factorise $x^2 - x - 2$

(1)

(b) Hence, or otherwise, show that $(x^2 - x - 2)$ is a factor of f(x).

(3)

(Total for Question 1 is 4 marks)



2	Given that	$\frac{4+2\sqrt{3}}{5-2\sqrt{3}}$	can be writ	ten in the f	form $\frac{a+b}{c}$	$\frac{\sqrt{3}}{}$ when	e a and b a	are integers	
	and c is prin	me, find th	e value of a	, the value	of b and th	e value of	c.		
	Show your	working o	clearly.						
									(3)

Question 2 continued		



3	In triangle ABC , $AC = 7$ cm, $BC = 10$ cm and angle $BAC = 65^{\circ}$	
	(a) Find, to the nearest 0.1° , the size of angle ABC.	(3)
	(b) Find, in cm ² to 3 significant figures, the area of triangle <i>ABC</i> .	(3)

Question 3 continued	
(T	otal for Question 3 is 6 marks)



4




Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows a sector OAB of a circle where angle $AOB = \theta$ radians. The circle has centre O and radius 15 cm. The point C divides OA in the ratio 2:1 and the point D divides OB in the ratio 2:1

The area of the region ABDC, shown shaded in Figure 1, is 100 cm²

Find

(a)	tne	varue	ΟI	θ,	

(3)

1	h)	the	perimeter	of the	region	ARDC
1	U	uie	perimeter	or me	region	ADDC

(3)

|
 |
|------|------|------|------|------|------|------|------|------|------|------|
|
 |
|
 |
|
 |
|
 |
|
 |
| | | | | | | | | | | |

Questio	n 4 continu	ed			
Questio	ii i continu				



$f(x) = 3x^2 - 9x + 5$			
	Given that $f(x)$ can be written in the form $a(x-b)^2 + c$, where a, b and c are constant	ts,	
	find		
	(a) the value of a , the value of b and the value of c .	(2)	
	(b) Hanga yyrita dayyn	(3)	
	(b) Hence write down(i) the minimum value of f(x),		
	(i) the minimum value of T(x),(ii) the value of x at which this minimum occurs.		
	(ii) the value of x at which this illiminum occurs.	(2)	

Question 5 continu	ued		

6




Diagram **NOT** accurately drawn

Figure 2

Figure 2 shows a lawn ABCDEF, where ABDE is a rectangle of length y metres and width 2x metres. Each end of the lawn is a semicircle of radius x metres. The lawn has perimeter 90 m and area S m²

(a) Show that S can be written in the form

$$S = kx - \pi x^2$$

where k is a constant.

State the value of *k*.

(4)

(b) Use calculus to find, to 4 significant figures, the value of x for which S is a maximum, justifying that this value of x gives a maximum value of S.

(5)

(c) Find, to the nearest whole number, the maximum value of S.

(2)

Question 6 continued		

Question 6 continued	

Question 6 continued	
	(Total for Question 6 is 11 marks)



7 (a) Solve, in degrees to one decimal place,

$$(3\cos\theta + 5)(5\sin\theta - 3) = 0 \quad \text{for } 0 \leqslant \theta < 180^{\circ}$$

(2)

(b) Show that the equation

$$8\sin(x-\alpha) = 3\sin(x+\alpha)$$

can be written in the form

$$5 \tan x = 11 \tan \alpha$$

(5)

(c) Hence solve, to one decimal place,

$$8\sin(2y - 30^\circ) = 3\sin(2y + 30^\circ)$$
 for $0 \le y < 180^\circ$

(5)

Quest	ion 7 continu	ued				

			 ************************	***************************************	 	

Question 7 continued	

Question 7 continued	
(Tot	al for Question 7 is 12 marks)



8 (a) Solve $5p^2 - 9p + 4 = 0$

(2)

(b) Hence solve $5^{2x+1} - 9(5^x) + 4 = 0$

Give your answers to 3 significant figures where appropriate.

(4)

The curve with equation $y = 5^{2x+1} + 5^x$ intersects the curve with equation $y = 2(5^{x+1}) - 4$ at two points.

(c) Find the coordinates of each of these two points.

Give your answers to 3 significant figures where appropriate.

(4)

Question 8 continued



Question 8 continued

Question 8 continued

(Total for Question & is 10 marks)
(Total for Question 8 is 10 marks)



9	(a) Solve the equation $2\log_p 9 + 3\log_3 p = 8$	(6)
	Given that $\log_2 3 = \log_4 3^k$	
	(b) find the value of k	(2)
	(c) Show that	
	$6x\log_4 x - 3x\log_2 3 - 5\log_4 x + 10\log_2 3 = \log_4 \left(\frac{x^{6x-5}}{3^{6x-20}}\right)$	(4)

Question 9 continued



Question 9 continued	

			4	
4	Ė	á	ø	
Е	S	J	ĸ.	
	7	7	9	
H	1	۲	я	
в	4	ķ	a	
~	7	₹	7.	
ø	۹	ú	ø	
ъ	4	Ľ	_	
	5	₹	7	
2		á	ø	
悜		1		
z	7	9	•	
			7	
ĸ.		G	۵	
£	a	ø	э	
٩	ø	۲,	1	
植		i		
5	7	7	7	
ш			=	
	Я	ŀ		
ш	ø	h	-	
эń				
Ъ	ú	ì	×	
41				
7	Š		2	
Š	ė	2	Z	
ж	۹	F	2	
ж		F	2	
ж	۹	F	2	
ж	۹	F	2	
ж	۹	F	2	
51	۹	F	2	
	۹	F	2	
	۹	F		
51				
		F		

Question 9 continued	
	(Total for Question 9 is 12 marks)



10 (a) Expand $(1+2x^2)^{-\frac{1}{3}}$ in ascending powers of x up to and including the term in x^6 , expressing each coefficient as an exact fraction in its lowest terms.

(3)

(b) State the range of values of x for which your expansion is valid.

(1)

$$f(x) = \frac{2 + kx^2}{(1 + 2x^2)^{\frac{1}{3}}}$$
 where $k \neq 0$

(c) Obtain a series expansion for f(x) in ascending powers of x up to and including the term in x^6

Give each coefficient in terms of k where appropriate.

(3)

Given that the coefficient of x^4 in the series expansion of f(x) is zero

(d) find the value of k.

(2)

(e) Hence use algebraic integration to obtain an estimate, to 4 decimal places, of

$$\int_0^{0.5} \mathbf{f}(x) \, \mathrm{d}x$$

(5)

|
 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|
 |
|
 |
|
 |
|
 |
|
 |
|
 |

	Question 10 continued
А	
THIS AREA	
TE IN	
DO NOT WRITE	
NO.	
DO	
REA	
HS A	
T N	
NOT WRITE IN THIS AREA	
OT W	
DO N	
AREA	
HIS	
N	
VRITI	
DO NOT WRITE IN THIS AREA	
00	



Question 10 continued	

Question 10 continued
(Total for Question 10 is 14 marks)
` ` ` ` ` '



11	The curve C has equation $3y = x^2 + 2$	
	The point P lies on C and has x coordinate 4	
	The line k is the tangent to C at P .	
	(a) Find an equation for k , giving your answer in the form $ay = bx + c$ where a , b and c are integers.	(6)
	The line l is the normal to C at P .	(0)
	(b) Find an equation for l , giving your answer in the form $dy = ex + f$ where d , e and f are integers.	
		(2)
	(c) Find the area of the triangle bounded by the line k , the line l and the x -axis.	(3)
	The finite region bounded by C , the line l , the x -axis and the y -axis is rotated through 360° about the x -axis.	
	(d) Use algebraic integration to find, to the nearest whole number, the volume of the solid generated.	
	2-2-3 8 -2-2-3-2	(6)



	Question 11 continued
EA	
THIS AREA	
TEIN	
r WRI	
DO NOT WRITE IN	
DO	
EA	
IS AF	
NTH	
NOT WRITE IN THIS AREA	
T WF	
ON O	
Ō	
3EA	
IS AI	
N TH	
RITE	
T W	
DO NOT WRITE IN THIS AREA	



Question 11 continued	
	• • •

Question 11			



uestion 11 continued					
	(Total for Question 11 is 17 marks)				
	TOTAL FOR PAPER IS 100 MARKS				