

Please check the examination details below before entering your candidate information

Candidate surname					Other names				
Centre Number					Candidate Number				

Pearson Edexcel International GCSE

Tuesday 10 June 2025

Afternoon (Time: 2 hours)

Paper reference **4PM1/02**

Further Pure Mathematics

PAPER 2



Calculators may be used.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You must **NOT** write anything on the formulae page.
Anything you write on the formulae page will gain NO credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ►

P72867A

©2025 Pearson Education Ltd.
Y:1/1/1/1/1/1/




Pearson

International GCSE in Further Pure Mathematics Formulae sheet

Mensuration

Surface area of sphere $= 4\pi r^2$

Curved surface area of cone $= \pi r \times \text{slant height}$

Volume of sphere $= \frac{4}{3}\pi r^3$

Series**Arithmetic series**

Sum to n terms, $S_n = \frac{n}{2}[2a + (n-1)d]$

Geometric series

Sum to n terms, $S_n = \frac{a(1-r^n)}{(1-r)}$

Sum to infinity, $S_\infty = \frac{a}{1-r} \quad |r| < 1$

Binomial series

$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \dots + \frac{n(n-1)\dots(n-r+1)}{r!}x^r + \dots \quad \text{for } |x| < 1, n \in \mathbb{Q}$

Calculus**Quotient rule (differentiation)**

$$\frac{d}{dx} \left(\frac{f(x)}{g(x)} \right) = \frac{f'(x)g(x) - f(x)g'(x)}{[g(x)]^2}$$

Trigonometry**Cosine rule**

In triangle ABC : $a^2 = b^2 + c^2 - 2bc \cos A$

$$\tan \theta = \frac{\sin \theta}{\cos \theta}$$

$$\sin(A+B) = \sin A \cos B + \cos A \sin B$$

$$\cos(A+B) = \cos A \cos B - \sin A \sin B$$

$$\tan(A+B) = \frac{\tan A + \tan B}{1 - \tan A \tan B}$$

$$\sin(A-B) = \sin A \cos B - \cos A \sin B$$

$$\cos(A-B) = \cos A \cos B + \sin A \sin B$$

$$\tan(A-B) = \frac{\tan A - \tan B}{1 + \tan A \tan B}$$

Logarithms

$$\log_a x = \frac{\log_b x}{\log_b a}$$

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Answer all ELEVEN questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Solve the equation

$$\sqrt{3} \tan A = 2 \sin A \quad \text{for } 0^\circ \leq A \leq 360^\circ$$

(5)

(Total for Question 1 is 5 marks)



2 Find the set of values for x for which

(a) $9 - 3x > 11x + 2$

(1)

(b) $10x^2 + 7x < 12$

(3)

(c) **both** $9 - 3x > 11x + 2$ **and** $10x^2 + 7x < 12$

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 2 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 2 is 5 marks)

3 Given that $\frac{a+b\sqrt{5}}{6-2\sqrt{5}} = \frac{9+4\sqrt{5}}{c}$ where a , b and c are prime numbers,

find the value of a , the value of b and the value of c

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 3 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 3 is 5 marks)

4 A geometric series G has first term a and common ratio r

The third term of G is 10 and the seventh term of G is 40

Given that the second term of G is negative,

(a) find

(i) the exact value of r

(ii) the value of a

(5)

(b) Explain why G does not have a sum to infinity.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 4 is 6 marks)

5 In triangle ABC , $AC = 12$ cm, $BC = 14$ cm, $AB = x$ cm and angle $ABC = 30^\circ$

(a) Show that $x = P\sqrt{3} \pm \sqrt{95}$ where P is a prime number.

(5)

(b) Hence or otherwise, find in cm^2 , the difference between the two possible areas of triangle ABC

Give your answer in the form $m\sqrt{n}$ where m is a prime number and n is an integer.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 5 is 8 marks)

6




Diagram **NOT**
accurately drawn

Figure 1

Figure 1 shows a solid right circular cylinder with radius r cm and height h cm

The total surface area of the cylinder is $700\pi \text{ cm}^2$

The volume of the cylinder is $V \text{ cm}^3$

- (a) Show that $V = \pi r(350 - r^2)$ (4)

Given that r can vary and using calculus,

- (b) find, in cm to 3 significant figures, the value of r for which V is a maximum.
Justify that this value of r gives a maximum value of V (5)

- (c) Find, to 3 significant figures, the height h cm for which V is a maximum. (1)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



Question 6 continued

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 6 is 10 marks)

- (6)

Question 7 continued



Turn over for a spare grid if you need to redraw your graph.



Question 7 continued

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 7 continued

Only use this grid if you need to redraw your graph.



(Total for Question 7 is 10 marks)



Diagram **NOT**
accurately drawn




Figure 2

Figure 2 shows triangle OAB with

$$\vec{OA} = 3\mathbf{u} + \mathbf{v} \quad \vec{OB} = -\mathbf{u} + 2\mathbf{v}$$

- (a) Find $\vec{AB}$ as a simplified expression in terms of $\mathbf{u}$ and $\mathbf{v}$

(2)

Point C is such that AC is parallel to OB

Given that $\vec{OC} = \mu\mathbf{v}$

- (b) find the value of μ

(4)

The lines OC and AB intersect at point X

Point D lies on $\vec{OC}$ such that

$$\text{area of triangle } BOX : \text{area of triangle } BXD = 2 : 3$$

Using a vector method,

- (c) find $\vec{BD}$ as a simplified expression in terms of $\mathbf{u}$ and $\mathbf{v}$

(5)

.....

.....

.....

.....

.....

.....



Question 8 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 8 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 8 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 8 is 11 marks)

P 7 2 8 6 7 A 0 2 1 3 2

9

$$y = e^{-4t} \cos 2t$$

(a) Show that $2e^{-4t} \sin 2t = -\frac{dy}{dt} - 4y$ (3)

Given that $\frac{d^2y}{dt^2} + M \frac{dy}{dt} + Ny = 0$ where M and N are integers

(b) find the value of M and the value of N (5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 9 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



Question 9 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 9 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 9 is 8 marks)

10 A curve C has equation

$$y = \frac{7-x}{2x+3} \quad x \neq -\frac{3}{2}$$

(a) Write down an equation of the asymptote to C that is

(i) parallel to the y -axis

(ii) parallel to the x -axis

(2)

(b) Find the coordinates of the points of intersection of C with the coordinate axes.

(2)

(c) Using the axes on the opposite page, sketch C , showing clearly the asymptotes and the coordinates of the points where C crosses the coordinate axes.

(3)

C passes through the point A with coordinates $\left(\frac{1}{2}, \frac{13}{8}\right)$

(d) Show that the gradient of C at A is $-\frac{17}{16}$

(3)

C also passes through the point P

Given that the tangent to C at P is parallel to the tangent to C at A

(e) find an equation of the tangent to C at P

Give your answer in the form $ax + by + c = 0$ where a , b and c are integers.

(7)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 10 continued



Area for working or answer, consisting of 15 horizontal dotted lines.



Question 10 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 10 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 10 is 17 marks)

11 (a) Show that $\cos^4 \theta - \sin^4 \theta = \cos 2\theta$

(4)

(b) Hence, or otherwise, solve the equation

$$8\cos^2\left(2\theta + \frac{\pi}{4}\right) - 3 = 2\cos^4\left(\theta + \frac{\pi}{8}\right) - 2\sin^4\left(\theta + \frac{\pi}{8}\right) \quad \text{for } 0 \leq \theta < \pi$$

Give your solutions to 2 decimal places.

(7)

(c) Using calculus, find the exact value of $\int_{\frac{\pi}{16}}^{\frac{\pi}{8}} (\cos^4 2x - \sin^4 2x - 8\sin 4x) dx$

Give your answer in the form $a - b\sqrt{2}$ where a and b are rational numbers.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 11 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



Question 11 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 11 is 15 marks)**TOTAL FOR PAPER IS 100 MARKS**