

# Mark Scheme (Results)

November 2023

Pearson Edexcel GCSE In Mathematics (1MA1) Foundation (Non-Calculator) Paper 1F

### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.btec.co.uk</a>. Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

# Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2023
Question Paper Log Number P69525A
Publications Code 1MA1\_1F\_2311\_MS
All the material in this publication is copyright
© Pearson Education Ltd 2023

## General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first. Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.
- All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.

Questions that specifically require working: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

3 Crossed out work

This should be marked unless the candidate has replaced it with an alternative response.

4 Choice of method

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line. If no answer appears on the answer line, mark both methods then award the lower number of marks.

5 Incorrect method

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

6 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

#### 7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

#### 8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

#### 9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

#### 10 Range of answers

Unless otherwise stated, when an answer is given as a range (eg 3.5 – 4.2) then this is inclusive of the end points (eg 3.5, 4.2) and all numbers within the range

#### 11 Number in brackets after a calculation

Where there is a number in brackets after a calculation eg  $2 \times 6$  (=12) then the mark can be awarded either for the correct method, implied by the calculation or for the correct answer to the calculation.

#### 12 Use of inverted commas

Some numbers in the mark scheme will appear inside inverted commas eg "12" × 50; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

## 13 Word in square brackets

Where a word is used in square brackets eg [area]  $\times$  1.5 : the value used for [area] does not have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

#### 14 Misread

If a candidate misreads a number from the question, eg uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

| Guida | nce on the use of abbreviations within this mark scheme  |
|-------|--|
| М     | method mark awarded for a correct method or partial method   |
| Р     | process mark awarded for a correct process as part of a problem solving question   |
| А     | accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details) |
| С     | communication mark awarded for a fully correct statement(s) with no contradiction or ambiguity   |
| В     | unconditional accuracy mark (no method needed)   |
| oe    | or equivalent  |
| cao   | correct answer only  |
| ft    | follow through (when appropriate as per mark scheme)   |
| SC    | special case   |
| dep   | dependent (on a previous mark)   |
| indep | independent  |
| awrt  | answer which rounds to   |
| isw   | ignore subsequent working  |

| Paper: 1MA | Paper: 1MA1/1F |      |  |   |  |  |
|------------|----------------|------|--|---|--|--|
| Question   | Answer         | Mark | Mark scheme  | Additional guidance   |  |  |
| 1          | 6              | B1   | cao  |   |  |  |
| 2          | 31             | B1   | cao  |   |  |  |
| 3          | 12 <i>a</i>    | B1   |  |   |  |  |
| 4          | 40             | B1   | accept answer in the range 38 to 42  |   |  |  |
| 5          | 60             | B1   | cao  |   |  |  |
| 6          | 2300           | P1   | for converting to millilitres or litres eg $3 \times 1000 (= 3000)$ or $700 \div 1000 (= 0.7)$ | Process marks may be awarded in either order  |  |  |
|            |                | P1   | for finding the difference eg $[3000] - 700$ or $3 - [0.7] (= 2.3)$                            | [3000] comes from 3 × 1000 or can be 30 or 300 or 30000 [0.7] comes from 700 ÷ 1000 or can be 7 or 70 |  |  |
|            |                | A1   | accept 2.3 litres  |   |  |  |
| 7 (a)      | 15             | B1   | cao  |   |  |  |
| (b)        | 4              | B1   | cao  |   |  |  |

| Paper: 1MA1 | /1 <b>F</b>     |      |  |  |
|-------------|-----------------|------|--|--|
| Question    | Answer          | Mark | Mark scheme  | Additional guidance  |
| 8 (a)       | 11, 7, 6        | B2   | for all frequencies correct  | Any discrepancy mark frequencies   |
|             |                 | (B1  | for two tallies or two frequencies correct)  |  |
| (b)         | Castle          | B1   | Castle or ft their tallies or frequencies  | Any discrepancy ft frequencies   |
| (c)         | Bar chart       | B1   | for correct place labels or a linear scale   | Accept key in place of labels Accept unambiguous abbreviations for         |
|             |                 | M1   | for at least two correct bars ft their table in (a)  | labels eg C, F, M Condone bars of varying widths                           |
|             |                 | A1   | for a fully correct bar chart with linear scale of numbers on the vertical axis and a set of place labels on the horizontal axis | Condone no gaps or inconsistent gaps Bars must be unambiguously correct    |
|             |                 |      | (ft from their frequencies or tallies in (a))  | for their scale  |
| 9 (i)       | $\frac{9}{22}$  | B1   | oe   | If incorrect notation used in both (i) and (ii), penalise once only in (i) |
| (ii)        | $\frac{14}{22}$ | B1   | oe eg $\frac{7}{11}$   |  |
| (iii)       | 0               | B1   |  |  |
|             |                 |      |  |  |
|             |                 |      |  |  |
|             |                 |      |  |  |
|             |                 |      |  |  |

| Paper: 1MA1 | /1F         |      |  |   |
|-------------|-------------|------|--|---|
| Question    | Answer      | Mark | Mark scheme  | Additional guidance                                 |
| 10          | Yes and 750 | P1   | for beginning to work with proportion eg $60 \div 20 = 3$ or $900 - 250 = 650$ or $250 \div 20 = 12.5$ oe) or $900 \div 60 = 15$   | Sugar = 600 (g) or Small eggs = 6 (eggs) implies P1 |
|             |             | P1   | for a complete process to see if there is enough peanut butter eg "3" × 250 (= 750) or 900 ÷ "3" (= 300) or "650" – 250 – 250 (= 150) oe or "12.5" × 60 (= 750)                        | Sight of 750 gains P2                               |
|             |             |      | or for a complete process to work out how many cookies he can make eg 900 ÷ "12.5" (= 72)  |   |
|             |             |      | or for process to work out how much peanut butter is needed for one cookie and how much peanut butter he can use per cookie eg $250 \div 20$ (= $12.5$ oe) and $900 \div 60$ (= $15$ ) |   |
|             |             | C1   | Yes <b>and</b> accurate figure to compare eg 750 (g needed) <b>or</b> 150 (g over) <b>or</b> 300 (g per batch available)   |   |
|             |             |      | or 72 (cookies can be made)  |   |
|             |             |      | or 12.5 (g peanut butter per cookie needed) and 15 (g peanut butter per cookie available)  |   |
| 11          | Diagram     | M1   | for a correct base length (6 cm) drawn or correct height (9 cm) drawn  |   |
|             |             |      | <b>or</b> a fully correct enlargement of a scale factor not equal to 3   |   |
|             |             | A1   | fully correct enlargement  |   |
|             |             |      |  |   |
|             |             |      |  |   |

| Paper: 1MA1 | /1F    |      |  |   |
|-------------|--------|------|--|---|
| Question    | Answer | Mark | Mark scheme  | Additional guidance   |
| 12 (a)(i)   | 26     | M1   | for substitution eg $2 \times 3 + 4 \times 5$ or $6 + 20$  |   |
|             |        | A1   | cao  |   |
| (ii)        | 13     | M1   | for substitution eg $38 = 2g + 4 \times 3$   |   |
|             |        |      | <b>or</b> a complete numerical method eg $(38 - 4 \times 3) \div 2$  |   |
|             |        |      | or for a correct first step to rearrange eg $P - 4h = 2g$ or $\frac{P}{2} = g + \frac{4h}{2}$ oe   |   |
|             |        | A1   | cao  |   |
| (b)         | -11    | M1   | for $3 \times -3 = -9$ oe  | Condone absence of brackets                                 |
|             |        |      | <b>or</b> a full substitution eg $(3 \times -3) - 2$   |   |
| 12          | 22     | A1   |  |   |
| 13          | 23     | P1   | for finding the number of scrunchies possible eg $100 \div 5 (= 20)$<br>or the cost of 1 g of wool eg $300 \div 100 (= 3)$   |   |
|             |        | P1   | for working out the cost of wool per scrunchie eg $3 \div "20"$ (= 0.15) or $300 \div "20"$ (= 15) or "3" × 5 (= 15) or the cost of all hair bands eg "20" × 8 (= 160) or "20" × 0.08 (= 1.6(0)) | Award of this mark implies the previous mark 460 implies P2 |
|             |        | P1   | for complete process eg ("0.15" + 0.08) × 100 or "15" + 8<br>or (300 + "160") ÷ "20" or (3 + "1.6(0)") ÷ "20" × 100  |   |
|             |        | A1   | accept £0.23   |   |

| Paper: 1MA1 | /1F         |      |   |   |
|-------------|-------------|------|---|---|
| Question    | Answer      | Mark | Mark scheme   | Additional guidance   |
| 14          | Graph drawn | В3   | for a correct line between $x = -2$ and $x = 2$   | Accept freehand line drawn  |
|             |             | (B2  | for a correct straight-line segment through at least 3 of $(-2, -9)$ , $(-1, -5)$ , $(0, -1)$ , $(1, 3)$ , $(2, 7)$   | Ignore any incorrect points.  |
|             |             |      | or for all these points plotted but not joined  | Table of values $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$   |
|             |             |      | <b>or</b> for a line drawn with a positive gradient through $(0, -1)$ <b>and</b> clear intention to use a gradient of 4, eg line through $(0, -1)$ and $(1, 3)$ )   |   |
|             |             | (B1  | for at least 2 correct points stated or plotted   | Ignore any incorrect points. Coordinates may be in a table or   |
|             |             |      | <b>or</b> for a line drawn with a positive gradient through $(0, -1)$   | working. Do not accept $y = -1$ drawn   |
| 15          | 450         | 7.1  | or a line with gradient 4)  |   |
| 15          | 450         | P1   | for working with percentage eg $12000 \times 25 \div 100$ (= 3000) oe <b>OR</b> for splitting the cost of the car over 20 months eg $12000 \div 20$ (= 600)   |   |
|             |             | P1   | for finding the amount to pay in instalments eg $12000 - [deposit] = 9000$ )  OR for splitting the cost of the deposit over 20 months eg [deposit] $\div 20 = 150$ )  OR for finding 25% of the monthly cost eg "600" $\times 25 \div 100 = 150$ ) oe | [deposit] can be 3000 or any figure that is identified by them as the deposit or 25% of 12000 calculated incorrectly. |
|             |             | P1   | for finding the amount required eg "9000" ÷ 20 <b>or</b> (12000 – [deposit]) ÷ 20 <b>OR</b> "600" – "150"   |   |
|             |             | A1   | cao   |   |
|             |             |      |   |   |

| Paper: 1MA1 | /1F                     |      |   |  |
|-------------|-------------------------|------|---|--|
| Question    | Answer                  | Mark | Mark scheme   | Additional guidance  |
| 16          | Explanation (supported) | M1   | for method to find comparable figures eg $60 \times 70 \div 100$ or $45 \div 60 \times 100$ or $0.7$ or $0.75$          |  |
|             |                         | C1   | for conclusion eg shows 42 (marks) or 75 (%) or 0.7 and 0.75  | Figures need not be supported by words but must not be contradicted. |
| 17          | $3\frac{3}{5}$          | M1   | for inverting to give $\frac{3}{5} \times 6$ oe   |  |
|             |                         | M1   | <b>OR</b> for two correct fractions with a common denominator eg $\frac{18}{30} \div \frac{5}{30}$                      |  |
|             |                         | M1   | for method to calculate eg $\frac{3\times6}{5}$ or $\frac{3\times30}{5\times5}$ or $\frac{18}{5}$ or $\frac{90}{25}$ oe |  |
|             |                         | A1   | for $3\frac{3}{5}$ or any other equivalent mixed number eg $3\frac{15}{25}$   |  |
|             |                         |      |   |  |
|             |                         |      |   |  |
|             |                         |      |   |  |
|             |                         |      |   |  |

| Paper: 1MA1 | /1 <b>F</b>    |      |   |  |
|-------------|----------------|------|---|--|
| Question    | Answer         | Mark | Mark scheme   | Additional guidance  |
| 18          | 15.12          | M1   | for a complete method with relative place value correct including an intention to add all the appropriate elements of the calculation | 252<br>1260<br>1512  |
|             |                |      |   | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$   |
|             |                |      |   | $ \begin{array}{ c c c c c } \hline  & 60 & 3 \\ \hline  & 20 & 1200 & 60 \\ \hline  & 4 & 240 & 12 \\ \hline  & 1200 + 60 + 240 + 12 = 1512 \end{array} $ |
|             |                | A1   | for digits 1512   |  |
|             |                | A1   | (dep on M1) for correct placement of the decimal point into their final answer  |  |
| 19 (a)(i)   | 1              | B1   | cao   |  |
| (ii)        | $\frac{1}{25}$ | B1   | oe  |  |
| (b)         | $2^6$          | M1   | for a correct first step using a rule of indices,<br>eg $2^{5+4} (= 2^9)$ or $2^{5-3} (= 2^2)$ or $2^{4-3} (= 2^1)$                   |  |
|             |                |      | or for $2 \times 2 \times 2 \times 2 \times 2 \times 2$ or 64   |  |
|             |                | A1   | for 2 <sup>6</sup>  | Accept $n = 6$   |

| Paper: 1MA1 | /1 <b>F</b>              |      |  |  |
|-------------|--------------------------|------|--|--|
| Question    | Answer                   | Mark | Mark scheme  | Additional guidance  |
| 20 (a)      | $2^2 \times 3 \times 13$ | M1   | for a complete method to find prime factors; could be shown in a complete factor tree with no more than one error <b>or</b> by division by prime factors with no more than one error <b>or</b> for 2, 2, 3, 13 (1) | Condone the inclusion of 1 for this mark                                   |
|             |                          | A1   | $2^2 \times 3 \times 13$ or $2 \times 2 \times 3 \times 13$ oe   |  |
| (b)         | 26                       | M1   | for a correct factor tree for 130 (or 156 if not credited in part (a)) with no more than one arithmetic error  | Condone the inclusion of 1 for this mark                                   |
|             |                          |      | <b>or</b> for listing factors of 156 or 130, at least 4 correct for either (with no more than 1 incorrect in either list), could be in factor pairs  | 1, 2, 3, 4, 6, 12, 13, 26, 39, 52, 78, 156<br>1, 2, 5, 10, 13, 26, 65, 130 |
|             |                          |      | or for the prime factors of 130 (2, 5, 13) (or 156 if not credited in part (a)).   |  |
|             |                          |      | or identifies a common factor other than 1 (2 or 13)   |  |
|             |                          | A1   | cao  |  |
|             |                          |      |  |  |
|             |                          |      |  |  |
|             |                          |      |  |  |
|             |                          |      |  |  |

| Paper: 1MA1 | /1 <b>F</b>       |           |   |  |
|-------------|-------------------|-----------|---|--|
| Question    | Answer            | Mark      | Mark scheme   | Additional guidance  |
| 21 (a)      | 3.5               | P1        | for a process to find the total length of the 5 sticks, eg $4.2 \times 5$ (= 21)<br>or for forming an equation, eg $\frac{7+4x}{5} = 4.2$   |  |
|             |                   | P1        | for complete process to find the mean eg ("21" – 7) $\div$ 4  |  |
|             |                   | A1        | oe  |  |
| (b)         | Explanation       | C1        | for explanation  Acceptable examples it reduced the mean my answer will be less the answer will be 1 it will be 2.5 less  Not acceptable examples the mean will be more my answer will change it would decrease the lengths of the other sticks | If figures are given as part of the answer they must be correct, but can allow ft. |
| 22          | Angle constructed | C2<br>(C1 | for fully correct construction with all arcs drawn  for line drawn within guidelines with no (or incorrect) construction arcs or correct arcs drawn and no line seen)   | Full marks cannot be awarded if no construction lines are seen                     |


| Paper: 1MA1 | Paper: 1MA1/1F |      |   |  |  |  |
|-------------|----------------|------|---|--|--|--|
| Question    | Answer         | Mark | Mark scheme   | Additional guidance                                |  |  |
| 23          | 144            | P1   | for using the ratio,<br>eg $x = 2y$ or $2y + 2y + y$ (= 180) or $2 + 2 + 1$ (= 5 (parts))   | The first two marks may be awarded in either order |  |  |
|             |                | P1   | for using angle facts to give an equation,<br>eg $x + x + y = 180$ or $2y + 2y + y = 180$ or $y + w = 180$ or $5x \div 2 = 180$ oe<br>or $w = 2x$ | Award P2 for $x = 72$ or $y = 36$                  |  |  |
|             |                |      | <b>or</b> for $180 \div 5 (= 36)$   |  |  |  |
|             |                | P1   | for a complete process eg $180 - (180 \div 5)$  |  |  |  |
|             |                | A1   | cao   |  |  |  |
| 24          | 2400           | P1   | for setting up an equation in $x$<br>eg $x + (3x + 1) + (2x - 5) = 44$ or $6x - 4 = 44$ or $x = 48 \div 6 (= 8)$                                  |  |  |  |
|             |                | P1   | for substituting "8" into either $(3x + 1)$ or $(2x - 5)$ eg $3 \times$ "8" + 1 (= 25) or $2 \times$ "8" - 5 (= 11)                               |  |  |  |
|             |                | P1   | for finding the mass of one book eg $7500 \div "25" (= 300)$  |  |  |  |
|             |                | P1   | for finding the mass of the books on shelf $\bf A$ eg "300" × "8"   |  |  |  |
|             |                | A1   | cao   |  |  |  |
| 25          | 2.7            | M1   | for use of density = mass $\div$ volume eg 27 $\div$ 10   |  |  |  |
|             |                | A1   | oe  |  |  |  |
|             |                |      |   |  |  |  |

| Paper: 1MA1 | Paper: 1MA1/1F    |      |  |  |  |  |
|-------------|-------------------|------|--|--|--|--|
| Question    | Answer            | Mark | Mark scheme  | Additional guidance  |  |  |
| 26          | 160 to 200        | M1   | rounds one figure appropriately (6, 8, 0.25 or 0.3)  | Do not award any marks for an accurate calculation if then rounded                           |  |  |
|             |                   | M1   | (dep) for carrying out an accurate calculation using $0.25$ or $0.3$ eg $6 \div 0.3 = 20$ , $8 \div 0.25 = 32$ , $6 \div 0.25 = 24$ or digits $16$ |  |  |  |
|             |                   | A1   | Answer in the range 160 to 200 from appropriate rounding   |  |  |  |
| 27 (a)      | $6x^2 - 11x - 10$ | M1   | for expanding bracket to obtain 4 terms with all 4 correct without considering signs or for 3 terms out of 4 correct with correct signs            | NB $6x^2 - 11x$ or $-11x - 10$ can be considered 3 terms out of 4 correct with correct signs |  |  |
|             |                   | A1   | cao  |  |  |  |
| (b)         | (x-4)(x+4)        | B1   | oe   |  |  |  |

Qu 8a

| Place  | Tally    | Frequency |
|--------|----------|-----------|
| castle | JHTJHT I | 11        |
| farm   | JHT 11   | 7         |
| museum | JHT I    | 6         |

Qu 11



# Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 1F

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: ±5°

Measurements of length: ±5 mm

| PAPER: 1MA1_1F |       |  |  |  |
|----------------|-------|--|--|--|
| Ques           | stion | Modification   | Mark scheme notes  |  |
| 1              |       | Wording added 'five  | Standard mark scheme   |  |
| 3              |       | Letter 'a' changed to 'p'.   | Standard mark scheme but note change of letter   |  |
| 4              |       | Wording added 'Look at the diagram for Question 4 in the Diagram Booklet. It shows an angle marked x.' Diagram enlarged. Angle rotated so the bottom line is horizontal. Angle moved outside of the angle arc and angle arc made smaller.  | Standard mark scheme   |  |
| 7              |       | "m" changed to "metres"  | Standard mark scheme   |  |
| 8              |       | Wording added 'Look at the information for Question 8 in the Diagram Booklet.' Wording 'Here are the results' removed and replaced with 'The results are shown in the Diagram Booklet.' Words replaced with single capital letters. Key added                                      | Standard mark scheme   |  |
| 8              | (a)   | Wording added 'below. There are six spaces to fill.' Table enlarged. Wording added to the table '(C)', '(F)' and '(M)'.  | Standard mark scheme   |  |
| 8              | (c)   | Wording added 'Look at the diagram for Question 8(c) in the Diagram Booklet. It shows a grid.' Wording added 'on the grid in the Diagram Booklet.' Diagram enlarged. Grid lines made black. Top two rows and right column removed. Braille: left and right vertical axis labelled. | Standard mark scheme but for Braille the B1 for labels to be awarded only for correct place labels on the horizontal axis. |  |
| 9              |       | Wording added 'Look at the information for Question 9 in the Diagram Booklet. Selina has a bag of 22 counters.' Information moved to the Diagram Booklet.  | Standard mark scheme   |  |
| 10             |       | Wording added 'Look at the information for Question 10 in the Diagram Booklet. It shows'. Wording removed 'Here are'. Frame removed.   | Standard mark scheme   |  |

| PAPER: 1MA1_1F |   |  |  |  |
|----------------|---|--|--|--|
| Question       | Modification  | Mark scheme notes  |  |  |
| 11             | Wording added 'Look at the diagram for Question 11 in the Diagram Booklet. It shows triangle P and triangle Q on a grid. Describe the transformation that maps triangle P onto triangle Q. Two cut out shapes may be available if you wish to use them.' Wording removed 'On the grid, draw an enlargement of the triangle with a scale factor of 3.' Triangle Q added to the diagram. Triangle P labelled. Diagram enlarged. Shading removed. Cut out shapes provided. | B1 for "Enlargement" B1 for "Scale factor 3" Award no marks if more than one transformation is given |  |  |
| 12             | In (a) wording added 'Given that'. Letter 'g' changed to 'm'. Letter 'h' changed to 'n'. In (b) wording added 'Given that'.   | Standard mark scheme but note change of letter.  |  |  |
| 14             | Wording added 'Look at the diagram for Question 14 in the Diagram Booklet. It shows a grid.' Diagram enlarged. For Braille: a (blank) table of values added with the words "You may use the table below if you wish". Axis labels moved to the top of the vertical axis and to the right of the horizontal axis.  | Standard mark scheme.  |  |  |
| 22             | Wording added 'Look at the diagram for Question 22 in the Diagram Booklet. It shows'. Wording removed 'The'. Wording removed 'lies'. Diagram enlarged. Cross changed to a dot.  | Standard mark scheme   |  |  |
| 23             | Wording added 'Look at the diagram for Question 23 in the Diagram Booklet. It'.  Wording removed 'The diagram'. Diagram enlarged.  Diagram rotated such that ABC is horizontal.  Angles moved outside of the angle arcs and angle arcs made smaller.  Wording added 'Angle DAB = x° Angle DBA = y° Angle DBC = w°'  | Standard mark scheme   |  |  |
| 24             | Letter 'x' changed to 'y'.  | Standard mark scheme but note change of letter   |  |  |
| 27             | Letter 'xchanged to 'y'.  | Standard mark scheme but note change of letter   |  |  |