



Pearson

# Mark Scheme (Results)

November 2024

Pearson Edexcel GCSE

In Mathematics (1MA1)

Foundation (Non-Calculator) Paper 1F

## Edexcel and BTEC Qualifications

**Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body.** We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

Pearson: helping people progress, everywhere

**Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress** in their lives through education. We believe in every kind of learning, for all kinds of people, **wherever they are in the world. We've been involved in education** for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

November 2024

Question Paper Log Number P75157A

Publications Code 1MA1\_1F\_2411\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2024

## General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1 All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.

Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners **are in doubt regarding the application of the mark scheme to a candidate's response**, the response should be sent to review.

- 2 All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be **prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme**. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.

Questions that specifically require working: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

- 3 Crossed out work  
This should be marked unless the candidate has replaced it with an alternative response.

- 4 Choice of method  
If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.

If no answer appears on the answer line, mark both methods then award the lower number of marks.

- 5 Incorrect method  
**If it is clear from the working that the "correct" answer has been obtained from incorrect working**, award 0 marks. Send the response to review for your Team Leader to check.

- 6 Follow through marks  
Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.  
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

- 7 Ignoring subsequent work  
It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg. an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).  
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).
- 8 Probability  
Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).  
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.  
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.
- 9 Linear equations  
Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).
- 10 Range of answers  
Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and all numbers within the range.
- 11 Number in brackets after a calculation  
Where there is a number in brackets after a calculation E.g.  $2 \times 6 (=12)$  then the mark can be awarded either for the correct method, implied by the calculation or for the correct answer to the calculation.
- 12 Use of inverted commas  
**Some numbers in the mark scheme will appear inside inverted commas E.g. "12"  $\times$  50 ; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.**
- 13 Word in square brackets  
Where a word is used in square brackets E.g. [area]  $\times$  1.5 : the value used for [area] does not have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.
- 14 Misread  
If a candidate misreads a number from the question. Eg. uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

### Guidance on the use of abbreviations within this mark scheme

M	method mark awarded for a correct method or partial method
P	process mark awarded for a correct process as part of a problem solving question
A	accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
C	communication mark awarded for a fully correct statement(s) with no contradiction or ambiguity
B	unconditional accuracy mark (no method needed)
oe	or equivalent
cao	correct answer only
ft	follow through (when appropriate as per mark scheme)
sc	special case
dep	dependent (on a previous mark)
indep	independent
awrt	answer which rounds to
isw	ignore subsequent working

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
1	0.25	B1	cao	
2	20	B1	cao	
3	150	B1	cao	
4	27	B1	cao	
5	645	B1	cao	
6	20	P1 P1 A1	for $30 + 45 \times 10 (= 480)$ or $50 \times 10 - 45 \times 10 (= 50)$ or $50 \times 10 - 30 (= 470)$  for $50 \times 10 - "480"$  cao  SCB1 for answer 250 or $-250$ if P0 scored.	P1P1 for $500 - 450 - 30$ may be seen in stages
7	(a) 9.5 (b) acute (c) 32	B1 C1 B1	for answer in the range 9.3 to 9.7  for acute  for answer in the range 30 to 34	Accept answer on the diagram  Accept interior angle Do not accept co-interior angle  Accept answer on the diagram
8	(a) (3, 1) (b) <i>B</i> at (3, - 4) (c) (0, 2)	B1 B1 B1	cao cao cao	Accept a cross without label as long as unambiguous. Accept letter B or dot in place of cross.

Paper: 1MA1/1F					
Question	Answer	Mark	Mark scheme	Additional guidance	
9	(a)	bar at 11 for cricket	M1	for reading from graph of 12 <b>or</b> 17	<p>Where [12] and [17] are their attempt at reading from the graph. May be implied by bar of height <math>40 - ([12]+[17])</math></p> <p>Condone bar of different width to those given or freehand bar. Shading not required. Bar of height 11 drawn implies M1M1C1 Accept other equivalent fractions. Do not accept equivalent decimals or percentages</p> <p>Accept <math>n = 1.25</math> Do not accept 1.25 alone or <math>n : 1.25</math></p>
			M1	(dep) for $40 - ([12]+[17]) (=11)$	
			C1	for bar drawn at 11 for cricket	
	(b)	$\frac{3}{10}$	M1	for $\frac{12}{40}$ or $\frac{6}{20}$	
		A1	cao		
	(c)	$\frac{5}{9}$	B1	for $\frac{5}{9}$ or equivalent fraction	
	(d)	1.25 : 1	B1	for 1.25 : 1 or $\frac{5}{4} : 1$ or $1\frac{1}{4} : 1$	
10	(a)	reflection	B2 (B1	for a fully correct reflection for a correct reflection in any single mirror line <b>or</b> for at least two correct reflected lines)	
	(b)	$y = 1$	B1	$y = 1$ oe	

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
11	(a) 110 70 100 280 90 80 50 220 200 150 150 <b>500</b>	C3 (C2 (C1	for a fully correct table for 6 or 7 or 8 or 9 or 10 correct entries) for 3 or 4 or 5 correct entries)	100:500 scores M1A0  For M1 ft their table this is for $\frac{\text{their value of adult action from table}}{c}$ where $\text{their value of action adult} < c \leq 500$  For A1 ft their table is for $\frac{\text{their value of adult action from table}}{500}$
	(b) $\frac{100}{500}$	M1	for $\frac{a}{500}$ where $0 < a < 500$ <b>or</b> for $\frac{100}{b}$ where $100 < b \leq 500$ <b>or</b> ft their table	
		A1	for $\frac{100}{500}$ oe or ft their table	
12	explanation	C1	for explanation <b>Acceptable examples</b> he should have multiplied first multiplication should be done before subtraction he should have done $3 \times 4$ first he didn't use BIDMAS/BODMAS/PEMDAS $5 - 12 = -7$  <b>Not acceptable examples</b> he was correct the answer is $-7$ Olly's method gives the wrong answer BIDMAS/BODMAS/PEMDAS he should multiply first so $3 \times 4 = 12$ then $12 - 5 = 7$ he should have done $3 \times 4 = 12$ then $12 - 5 = 7$ he should have done $2 \times 4$ first	

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
13	(a)	8	M1 A1 for $11 + 5 (= 16)$ cao	
	(b)	$-3$ or $\times 0.7$	P1 for $28 \div 4 (= 7)$ <b>or</b> $10 - 3 (= 7)$ <b>or</b> $10 \times 0.7 (= 7)$  A1 cao	7 may be seen next to function machine or embedded within a calculation  Accept $+ - 3$ or $\times \frac{7}{10}$
14	(a)	5	P1 for a start of a method to find the height, eg $10 \times 4 (= 40)$ <b>or</b> $200 \div 10 (= 20)$ <b>or</b> $200 \div 4 (= 50)$  or for forming a correct equation $10 \times 4 \times h = 200$  A1 cao	
	(b)	126	M1 for a start to find the area of at least one face, eg $6 \times 3 (= 18)$ <b>or</b> $5 \times 3 (= 15)$ <b>or</b> $6 \times 5 (= 30)$  M1 for combining the area of at least three of the correct faces eg " $18$ " + " $15$ " + " $30$ " ( $= 63$ ) <b>or</b> $2 \times "18" + "15"$  A1 cao	Do not award first M if multiplied by a third length (ie volume calculation)  May be part of a larger addition including incorrect areas. Do not award if more than 6 areas added.

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
15 (a)	$3(2a + 5)$	B1		
(b)	2	M1	for correct expansion of brackets, ie $12y + 4$  <b>or</b> dividing throughout by 4 as a first step to solve equation, eg $3y + 1 = 28 \div 4$	For M marks step must be carried out not just intention shown.  For example, if you see $\begin{array}{r} 4(3y + 1) = 28 \\ \div 4 \qquad \qquad \div 4 \end{array}$ Award M1 for: $3y + 1 = k$ with $k \neq 28$ or 112
		M1	for isolating terms in y, eg $12y = 28 - 4$ <b>or</b> $3y = 7 - 1$	ft their equation of the form $ay \pm b = c$  For example, if you see $\begin{array}{r} 12y + 4 = 28 \\ -4 \qquad \qquad -4 \end{array}$ Award M1 for:
		A1	cao	$12y = k$ with $k \neq 28$ or 32

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
16	15.5(0)	P1	for a correct process to find the cost of some teas only <b>or</b> some coffees only eg (2 teas =) $8.50 - 4.50 (= 4)$ <b>or</b> (2 coffees =) $3 \times 4.50 - 8.50 (= 5)$	Use of simultaneous equations – marks awarded at the stages shown in the scheme.
		P1	for a process to find the cost of one tea or four teas, eg (1 tea =) $"4" \div 2 (= 2)$ <b>or</b> (4 teas =) $"4" \times 2 (= 8)$	
		P1	for a process to find cost of one coffee or three coffees, eg (1 coffee =) $4.50 - "2" (= 2.50)$ <b>or</b> $8.50 - "2" \times 3 (= 2.50)$ <b>or</b> $1.5 \times "5" (= 7.50)$	
		P1	for a complete process, eg $"2" \times 4 + "2.50" \times 3$	
		A1	cao	



Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
19 (a)	75	P1	for process to find sum of unknown probabilities eg $1 - (0.10 + 0.30 + 0.05 + 0.25) (= 0.3)$ oe  or for process to find number of times dice lands on 3, 4, 5 or 6 eg $(0.10 + 0.30 + 0.05 + 0.25) \times 500 (= 350)$ oe	Award mark for any two probabilities that sum to 0.3 eg in the table or probability of 2 = 0.15
		P1	for a complete process, eg $(“0.3” \div 2) \times 500$ oe  or $(500 - “350”) \div 2$ oe	P1P1A0 for answer of 75:500 or $\frac{75}{500}$
		A1	cao	
(b)	Answer to part (a) will be greater	C1	for an explanation that the answer will be greater  <b>Acceptable examples</b> It makes the answer an underestimate The number will be higher The answer will increase / will go up The number of 2's will increase It would be more than [75]  <b>Not acceptable examples</b> My answer will change My answer is incorrect The calculation will change The probability will change It would make the probability of 2 go up My answer won't change	Where [75] is their answer to (a)

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
20 (a)	$2\frac{1}{3}$	M1	for a method to subtract by writing both fractions with a common denominator with at least one correct numerator, eg. $3\frac{3}{6} - 1\frac{1}{6}$ <b>or</b> $\frac{3}{6} - \frac{1}{6} (= \frac{2}{6})$ <b>or</b> $\frac{21}{6} - \frac{7}{6} (= \frac{14}{6})$ <b>or</b> $\frac{42}{12} - \frac{14}{12} (= \frac{28}{12})$	
		A1	for $2\frac{1}{3}$ or an equivalent mixed number	Do not ISW incorrect further work from correct equivalent mixed number
(b)	Shown	M1	for conversion to improper fractions, eg. $\frac{21}{4}$ <b>or</b> $\frac{7}{3}$ <b>or</b> $\frac{9}{4}$	
		M1	(dep) for method to divide by a fraction, eg. $\frac{21}{4} \times \frac{3}{7}$ <b>or</b> $\frac{63}{12} \div \frac{28}{12}$	
		C1	for complete work showing each stage as far as $\frac{9}{4}$ <b>or</b> $2\frac{7}{28}$	Must see an intermediate step, eg $\frac{63}{28}$ must be seen and then cancelled or correct cancelling seen before multiplication

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
21	$180 - 4e$ and reason	M1  A1  C1	for angle $ACD = e$  <b>or</b> for angle $ADC + \text{angle } BAD = 180$  <b>or</b> for angle $BAX = 3e$ (where $X$ lies on $DA$ extended)  for $180 - 4e$ oe  (dep M1) for an appropriate reason relating to parallel lines from <u>alternate</u> angles are equal or <u>allied</u> angles / <u>co-interior</u> angles add up to 180 or for <u>corresponding</u> angles are equal	Angles must be clearly labelled on the diagram or otherwise identified  May be unsimplified  Underlined words need to be shown Reason needs to be linked to their method, which can be implied from correctly identified angles (stated or written on the diagram)
22	(a) Estimated time	P1  P1  A1	for rounding of distance = 5 (miles) or speed = 30 (mph)  (dep) for using time = distance / speed eg $5 \div 30$  <b>or</b> for a complete process, eg $30 \div 60 (= 0.5)$ <b>and</b> $5 \div "0.5"$ or $30 \div 5 (= 6)$ <b>and</b> $60 \div "6"$ or $4.96 \times \frac{60}{30}$	
	(b) Overestimate with reason	C1	ft from (a) for decision with correct reasoning, eg overestimate as dividing a larger number by a smaller number or overestimate as miles rounded up and speed rounded down	Ft the rounding and process from (a) Must relate to estimation and not rounding of their final answer and they must have a final answer to part (a)

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
23	55	P1  P1  P1  A1	<p>for process to find the sum of the interior angles of a pentagon, eg. <math>180 \times (5 - 2) (= 540)</math> oe</p> <p>for the start to a process of giving each angle in a common form, eg. <math>d = 3c</math> <b>or</b> <math>e = 2c</math> <b>or</b> <math>x, 3x, 2x</math></p> <p>for process to find the value of <math>c</math>, eg <math>([540] - 155) \div 7</math> oe</p> <p>or for a correct equation in one variable, eg <math>c + 155 + c + 3c + 2c = [540]</math> oe</p> <p>cao</p>	<p>Can be implied by the shape correctly divided into triangle and quadrilateral or three triangles with correct angle sums marked.</p> <p>Can be implied by division by 7 <b>or 1, 1, 3, 2 given in a ratio eg 1 : 2 : 1: 3</b></p> <p>Where [540] is what they believe to be the angle sum of the pentagon.</p>
24	Rate of change of volume	C1	<p>for a correct explanation</p> <p><b>Acceptable examples</b> The rate of water poured Speed of pouring water out from the tank How fast the water is being used (in the tank over time) Amount of water decreasing in the tank each second</p> <p><b>Not acceptable examples</b> Negative correlation / negative gradient Amount of water decreasing in the tank in seconds As time increases the volume of water in the tank decreases It is negative, the volume of litres is going down It represents the deceleration or changing speed</p>	<p>Allow amount of water increasing in the tank each second</p>

Paper: 1MA1/1F				
Question	Answer	Mark	Mark scheme	Additional guidance
25	$w = \frac{y+10}{3}$	M1 A1	for $y + 10 = 3w$ <b>or</b> $\frac{y}{3} = w - \frac{10}{3}$ for $w = \frac{y+10}{3}$ oe	Accept $w = \frac{-y-10}{-3}$ for M1A1
26	$x = 5, x = -3$	M1  M1 A1	for factorisation eg $(x \pm 3)(x \pm 5)$ or $(x + a)(x + b)$ where $ab = -15$ or $a + b = -2$  <b>or</b> for substitution into quadratic formula eg $\frac{-2 \pm \sqrt{(-2)^2 - 4 \times 1 \times -15}}{2 \times 1}$ oe  for $(x + 3)(x - 5)$ or for $\frac{2 \pm \sqrt{64}}{2}$	Condone one sign error in substitution into quadratic formula.
			cao	

## Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 1F

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles:  $\pm 5^\circ$

Measurements of length:  $\pm 5$  mm

---

PAPER: 1MA1_1F		
Question	Modification	Mark scheme notes
7	<p>Wording changed: ‘Look at the diagram for Question 7 in the Diagram Booklet. It shows an accurately drawn triangle, PQR Angle PQR is marked x’</p> <p>Diagram enlarged. Wording added above the diagram: Diagram IS accurately drawn Angle moved outside of angle arc and angle arc made smaller. Point R labelled. Line PQ changed to be exactly 11.5cm Angle x changed to be exactly 35°</p>	<p>(a) B1 for answer in the range 11 to 12</p> <p>(b) Standard mark scheme</p> <p>(c) B1 for answer in the range 30 to 40</p>
8	<p>Wording added: ‘Look at the diagram for Question 8 in the Diagram Booklet. It shows point A and point C on a grid.’</p> <p>Diagram enlarged. Crosses changed to dots.</p> <p>(b) Wording changed: On the grid in the Diagram Booklet, mark the point (3, – 4) Label this point B</p> <p>For Braille: sentence added ‘Bumpsons are provided if you wish to use them.’</p>	Standard mark scheme
9	<p>Wording added: ‘Look at the diagram for Question 9(a) and 9(b) in the Diagram Booklet. It shows an incomplete bar chart.’</p> <p>Diagram enlarged. Vertical axis cut at 12. Tennis players value changed to 9. Football players value changed to 11. Shading changed. Additional column on the grid added.</p> <p>(a) Value ‘40’ removed and replaced with ‘30’. Wording added: in the Diagram Booklet For Braille: sentence added ‘Bumpsons and drawing film are provided if you wish to use them.’</p> <p>(b) Value ‘40’ removed and replaced with ‘30’.</p>	<p>M1 for reading from graph of 9 <b>or</b> 11 M1 for 30 – (“9” + “11”) C1 for bar drawn at 10 for cricket</p> <p>M1 for <math>\frac{9}{30}</math> A1 for <math>\frac{3}{10}</math></p>

<b>PAPER: 1MA1_1F</b>			
<b>Question</b>	<b>Modification</b>	<b>Mark scheme notes</b>	
10	<p>Wording added: Look at the diagram for Question 10 in the Diagram Booklet. It shows a shaded shape on a grid.</p> <p>Diagram enlarged. Vertical axis changed to go from <math>-2</math> to <math>8</math>.</p> <p>Mirror line changed to <math>y = 4</math> and shape moved up three squares.</p> <p>Shading changed. Mirror line labelled on the left and right. Cutout shape provided.</p> <p>For Braille: sentence added 'Bumpons, drawing film and an accurate cutout shape are provided if you wish to use them.'</p>	<p>(a) Standard mark scheme but note change in position</p> <p>(b) B1 for <math>y = 4</math></p>	
11	<p>Look at the table for Question 11 in the Diagram Booklet. It shows an incomplete two-way table.</p> <p>Wording added: in the Diagram Booklet. There are eleven spaces to fill.</p>	Standard mark scheme	
13	(a)	<p>Wording changed:</p> <p>Look at the diagram for Question 13(a) in the Diagram Booklet. It shows a number machine.</p> <p>Diagram enlarged. Open headed arrows.</p>	Standard mark scheme
	(b)	<p>Wording changed: Look at the diagram for Question 13(b) in the Diagram Booklet. It shows a different number machine.</p> <p>Diagram enlarged. Open headed arrows.</p>	Standard mark scheme
14	(a)	<p>Wording changed: Look at Diagram 1, Diagram 2 and Diagram 3 for Question 14(a) in the Diagram Booklet. You may be provided with a model. It is NOT accurate. Diagram 1 and the model show a cuboid. It has length <math>10</math> cm and width <math>4</math> cm. Diagram 2 shows the front of the cuboid. Diagram 3 shows the side of the cuboid.</p> <p>Model provided.</p> <p>Diagram enlarged. 2 new 2D views added.</p>	Standard mark scheme
	(b)	<p>Wording changed: Look at Diagram 1, Diagram 2 and Diagram 3 for Question 14(b) in the Diagram Booklet. You may be provided with a model. It is NOT accurate. Diagram 1 and the model show a different cuboid. It has height <math>3</math> cm, length <math>6</math> cm and width <math>5</math> cm. Diagram 2 shows the front of the cuboid. Diagram 3 shows the side of the cuboid.</p> <p>Model provided.</p> <p>Diagram enlarged. 2 new 2D views added.</p>	Standard mark scheme

<b>PAPER: 1MA1_1F</b>			
<b>Question</b>		<b>Modification</b>	<b>Mark scheme notes</b>
15	(a)	Letter 'a' changed to 'p'.	Standard mark scheme but note change of letter
19		Wording changed: Look at the table for Question 19 in the Diagram Booklet. It shows ... Table turned vertically and enlarged.	Standard mark scheme
21		Wording changed: Look at the diagram for Question 21 in the Diagram Booklet. It shows parallelogram ABCD. Angle BAC is marked p. Angle ADC is marked 3p. Letter 'e' changed to 'p'. Diagram enlarged. Angles moved outside of angle arcs and angle arcs made smaller.	Standard mark scheme but note change of letter
23		Wording changed: Look at the diagram for Question 23 in the Diagram Booklet. It shows a pentagon. Angles p, q, r, s and t are marked. Letters changed: 'a' changed to 'p', 'b' changed to 'q', 'c' changed to 'r', 'd' changed to 's', 'e' changed to 't'. Diagram enlarged. Angles moved outside angle arcs and angle arcs made smaller.	Standard mark scheme but note change of letters
24		Wording changed: Look at the diagram for Question 24 in the Diagram Booklet. It is a graph showing the volume of water, V litres, in a tank at time t seconds. Diagram enlarged. Open headed arrows.	Standard mark scheme

