Please check the examination details below before entering your candidate information					
Candidate surname			Other names		
Pearson Edexcel Level 1/Level 2 GCSE (9–1)	Centre	e Number		Candidate Number	
Tuesday 6 November 2018					
Morning (Time: 1 hour 30 minutes)		Paper Reference <b>1MA1/1H</b>			
Mathematics Paper 1 (Non-Calculator) Higher Tier					
You must have: Ruler graduated in centimetres and millimetres, protractor, pair of compasses, pen, HB pencil, eraser.  Tracing paper may be used.					

## Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided - there may be more space than you need.
- You must **show all your working**.
- Diagrams are NOT accurately drawn, unless otherwise indicated.
- Calculators may not be used.

## Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## **Advice**

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶









## Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Work out the value of

$$\frac{3^{3} \times 3^{-2}}{3^{3}} = \frac{3^{3-2}}{3^{3}} \longrightarrow 3^{5-3}$$

$$= \frac{3^{5}}{3^{3}} \longrightarrow 9$$

$$\frac{\alpha^{x}}{\alpha^{y}} = \alpha^{x-y}$$

(Total for Question 1 is 2 marks)

2  $v^2 = u^2 + 2as$ 

$$u = 12$$
  $a = -3$   $s = 18$ 

(a) Work out a value of v.

$$V^{2} = (12)^{2} + 2(-3)(18)$$

$$V^{2} = 144 + 2(-54)$$

$$V^{2} = 144 - 108$$

$$V^{2} = 36$$

$$V = 56$$

± 6 /

(b) Make s the subject of  $v^2 = u^2 + 2as$ 

$$V^{2} = u^{2} + 2as$$
 $(-u^{2})$ 
 $(-u^{2})$ 
 $(-u^{2})$ 
 $(-u^{2})$ 
 $(-u^{2})$ 
 $(-u^{2})$ 
 $(-u^{2})$ 
 $(-u^{2})$ 
 $(-u^{2})$ 
 $(-2a)$ 
 $(-2a)$ 
 $(-2a)$ 
 $(-2a)$ 
 $(-2a)$ 
 $(-2a)$ 

$$S = \frac{V^2 - u^2}{2a}$$

(Total for Question 2 is 4 marks)

A bonus of £2100 is shared by 10 people who work for a company. 40% of the bonus is shared equally between 3 managers. The rest of the bonus is shared equally between 7 salesmen.

One of the salesmen says,

"If the bonus is shared equally between all 10 people I will get 25% more money."

Is the salesman correct?

You must show how you get your answer.

Amount per soverman is £180

$$2100 \div 10 = 210$$
 $1257. = 1007. + 257.$ 
 $= 180 + 45$ 
 $= £225$ 

No, because when spir eveny, each salesman gets £210, but 25% extra from £180 is £225/

(Total for Question 3 is 5 marks)



- 4 It would take 120 minutes to fill a swimming pool using water from 5 taps.
  - (a) How many minutes will it take to fill the pool if only 3 of the taps are used?

200 minutes

(b) State one assumption you made in working out your answer to part (a).

Each top full up pool at the same rate.

(1)

(Total for Question 4 is 3 marks)

- 5 A plane travels at a speed of 213 miles per hour.
  - (a) Work out an estimate for the number of seconds the plane takes to travel 1 mile.

200 miles per 1 nour

200 miles per 60 minutes

200 miles per 3600 seconds

1:200

1:200

1 mile per 18 seconds

seconds (3)

(b) Is your answer to part (a) an underestimate or an overestimate? Give a reason for your answer.

Overestimate, because we rounded the speed down

(1)

(Total for Question 5 is 4 marks)



6 Solve the simultaneous equations

$$0 \times 3$$

$$6x + y = 21$$

$$\sqrt{\times 3} \quad \sqrt{\times 3}$$

$$3 \cdot 18x + 3y = 63$$

2 + 3  

$$x - 3y = 9$$
  
 $16x + 3y = 63 + 16x + 3y = 63 + 16x + 3y = 63 + 16x + 1$ 


$$x - 3y = 9$$
  
When  $x = 4.6$ 

$$4.6-3y=9$$
 $+3y+3y$ 
 $-9-9$ 
 $-4.6=3y$ 
 $+3y+3y$ 
 $-9-9$ 
 $-4.6=3y$ 
 $-3+3$ 
 $-1.5=y$ 

$$x = \frac{4 \cdot 5}{y} = -1 \cdot 6$$

(Total for Question 6 is 3 marks)

7 The diagram shows a square *ABCD* with sides of length 20 cm. It also shows a semicircle and an arc of a circle.



AB is the diameter of the semicircle. AC is an arc of a circle with centre B.

$$\frac{\text{area of shaded region}}{\text{area of square}} = \frac{\pi}{8}$$

Area of ACB = 
$$\frac{\pi(20)^2}{4}$$

Area of semi-circle = 
$$\frac{\pi(10)^2}{2}$$

$$= \frac{\pi \times 100}{2}$$

$$=\frac{6\pi}{40}$$


(Total for Question 7 is 4 marks)



8 (a) Write down the exact value of tan 45°



Here is a right-angled triangle.



 $\cos 60^{\circ} = 0.5$ 

(b) Work out the value of *x*.

$$\cos x = \frac{a}{n}$$

$$\cos 60 = \frac{4}{x}$$

$$\frac{4}{x} = 0.5$$

$$(xx) (xx)$$

$$4 = 0.5x$$

$$(÷0.5) (÷0.5)$$


$$8 = x$$



(Total for Question 8 is 3 marks)

9 The times that 48 trains left a station on Monday were recorded.

The cumulative frequency graph gives information about the numbers of minutes the trains were delayed, correct to the nearest minute.




Median > 10 0a > 20Highest > 42

Loupest >0


The shortest delay was 0 minutes. The longest delay was 42 minutes.

(a) On the grid below, draw a box plot for the information about the delays on Monday.



48 trains left the station on Tuesday.

The box plot below gives information about the delays on Tuesday.



(b) Compare the distribution of the delays on Monday with the distribution of the delays on Tuesday.

MedianMedianseof spread

The median on Monday is greater than on tuesday

**(2)** 

Mary says,

"The longest delay on Tuesday was 33 minutes.

This means that there must be some delays of between 25 minutes and 30 minutes."

(c) Is Mary right?
You must give a reason for your answer.

No, because the upper 25% of trains may be delayed petween 17 and 25 mins or 30 and 33 mins

. . .

(Total for Question 9 is 6 marks)

**10** (a) Simplify 
$$\frac{x-1}{5(x-1)^2}$$

$$\frac{x-1}{5(x-1)^2} \div \frac{(x-1)}{(x-1)} = \frac{1}{5(x-1)}$$

5(x-1) 1

(b) Factorise fully 
$$50 - 2y^2$$
  
 $2(15 - 4^2)$   
 $2(5 - 4)(5 + 4)$ 

(Total for Question 10 is 3 marks)



11 Jack and Sadia work for a company that sells boxes of breakfast cereal.

The company wants to have a special offer.

Here is Jack's idea for the special offer.

Put 25% more cereal into each box and do not change the price.

Here is Sadia's idea.

Reduce the price and do not change the amount of cereal in each box.

Sadia wants her idea to give the same value for money as Jack's idea.

By what percentage does she need to reduce the price?

M

cost c

mass 1.25m

$$\frac{c}{1.25m} = \frac{xc}{m}$$
(xm)

$$\frac{c}{1.25} = xc$$

$$(\times 1.25) \quad (\times 1.25)$$

$$1 = 1.25 \infty$$
  
 $(\div 1.25) (\div 1.25)$ 

$$x = \sqrt{1.25}$$


= 807.

Reduction of 20%.

20 / %

(Total for Question 11 is 3 marks)

12



A, B and C are points on the circumference of a circle, centre O. DAE is the tangent to the circle at A.


Angle  $BAE = 56^{\circ}$ Angle  $CBO = 35^{\circ}$ 

Work out the size of angle *CAO*. You must show all your working.



(Total for Question 12 is 3 marks)

13



Describe fully the single transformation that maps triangle A onto triangle B.

Enlargement Scale factor  $-\frac{1}{3}$  at centre (2,2)

(Total for Question 13 is 2 marks)

The exercise the value of 
$$\left(\frac{16}{81}\right)^4$$

$$= \left(\left(\frac{16}{81}\right)^{\frac{1}{4}}\right)^3$$

$$= \left(\frac{16}{81}\right)^3$$

$$= \left(\frac{2}{3}\right)^3 = \frac{2}{3^3} = \frac{8}{17}$$

$$\frac{16}{81} = \frac{2 \times 2 \times 2 \times 2}{3 \times 3 \times 3 \times 3}$$

$$3^a = \frac{1}{9}$$

$$3^b = 9\sqrt{3}$$

$$3^a = \frac{1}{9}$$
  $3^b = 9\sqrt{3}$   $3^c = \frac{1}{\sqrt{3}}$ 

(b) Work out the value of a + b + c


$$3^{\alpha} = \frac{1}{9} = \frac{1}{3^2} = 3^{-2}$$
  $\alpha = -2$ 

$$3^{6} = 9\sqrt{3} = 3^{2} \times 3^{2} = 3^{2.5}$$
  $b = 2.5$ 

$$3^{\circ} = 9\sqrt{3} = 3 \times 3^{-\frac{1}{2}}$$

$$3^{\circ} = \frac{1}{\sqrt{3}} = \frac{1}{3^{\frac{1}{2}}} = 3^{-\frac{1}{2}}$$

$$c = -0.5$$




(Total for Question 14 is 4 marks)


15 Three solid shapes A, B and C are similar.

The surface area of shape **A** is  $4 \text{ cm}^2$ The surface area of shape **B** is  $25 \text{ cm}^2$ 

The ratio of the volume of shape **B** to the volume of shape **C** is 27:64

Work out the ratio of the height of shape A to the height of shape C. Give your answer in its simplest form.





3:10

(Total for Question 15 is 4 marks)

16 Prove algebraically that  $0.2\dot{5}\dot{6}$  can be written as  $\frac{127}{495}$ 

Let 
$$x = 0.256$$

$$x = 0.2565656...$$

$$10x = 25.656565...$$

$$1000x = 25.656565...$$

$$1000x = 10x = 990x$$

$$256.56 - 2.56 = 254$$

$$(.990) (.990)$$


$$x = 254$$

$$990$$

$$x = 254$$

(Total for Question 16 is 3 marks)

17 Here is a sketch of a curve.



The equation of the curve is  $y = x^2 + ax + b$  where a and b are integers.

The points (0, -5) and (5, 0) lie on the curve.

Find the coordinates of the turning point of the curve.

$$x = 0$$
  
 $y = -5$   
 $-5 = (0)^{2} + (0)a + b$   
 $-5 = b$ 

$$x = 5$$

$$y = 0$$

$$b = -5$$

$$0 = (5)^{2} + (5)a - 5$$

$$0 = 20 + 5a$$

$$-20 = 5a$$

$$-4 = 0$$

$$y = 3c^{2} - 43c - 6$$

$$y = (3c - 2)^{2} - (-2)^{2} - 6$$

$$y = (3c - 2)^{2} - 4 - 6$$

$$y = (3c - 2)^{2} - 9$$

$$y = (3c - 2)^{2} - 9$$


$$y = 0^{2} - 9$$

$$y = -9$$

$$(2, -9)$$

$$y = \left(x + \frac{a}{2}\right)^{2} - \left(\frac{a}{2}\right)^{2} + b$$
Where  $y = x^{2} + ax + b$ 


(Total for Question 17 is 4 marks)



Inside pracuets > do opposite of what is expected on x-axis

(a) On the grid above, sketch the graph of y = f(x - 2)

(1)



On the grid, graph A has been reflected to give graph B.

The equation of graph **A** is y = g(x)

$$y = g(-\infty)$$

(b) Write down the equation of graph **B**.

(Total for Question 18 is 2 marks)

DO NOT WRITE IN THIS AREA

19 For all values of x

$$f(x) = (x + 1)^2$$
 and  $g(x) = 2(x - 1)$ 

(a) Show that gf(x) = 2x(x + 2)

$$\partial t(x) = \partial(t(x))$$

$$f(x) = (x+1)^{2}$$

$$g(x) = ((x+1)^{2}) = 2((x+1)^{2} - 1)$$

$$= 2(x^{2} + 2x + 1 - 1)$$


$$= 2(x^{2} + 2x)$$

$$= 2x(x+2)$$

**(2)** 


(b) Find  $g^{-1}(7)$ 

$$g(\infty) = \lambda(\infty - 1)$$
  
=  $\lambda \propto -2$ 



$$g^{-1}(7) = \frac{(7) + 2}{2}$$

$$= \frac{9}{2}$$



(Total for Question 19 is 4 marks)

 $\frac{(\sqrt{18} + \sqrt{2})^2}{\sqrt{8} - 2}$  can be written in the form  $a(b + \sqrt{2})$  where a and b are integers. 20 Show that

$$\frac{(\sqrt{18}+\sqrt{2})^2}{\sqrt{8}-2}\times\frac{\sqrt{8}+2}{\sqrt{8}+2}$$

$$=\frac{(\sqrt{18}+\sqrt{2})^{2}(\sqrt{18}+2)}{(\sqrt{18}-2)(\sqrt{18}+2)}$$

$$=\frac{(4\sqrt{2})^2(\sqrt{8}+2)}{8+2\sqrt{8}-2\sqrt{8}-4}$$


$$\sqrt{18} = \sqrt{2} \times \sqrt{9}$$

$$(4\sqrt{2})^2 = 4^2 \times \sqrt{2}^2$$
  
= 16 \times 2  
= 32

$$\sqrt{8} = \sqrt{4} \times \sqrt{2}$$
$$= 2\sqrt{2}$$

(Total for Question 20 is 3 marks)

21



OAB is a triangle.

*OPM* and *APN* are straight lines.

M is the midpoint of AB.

$$\overrightarrow{OA} = \mathbf{a}$$
  $\overrightarrow{OB} = \mathbf{b}$ 

OP:PM = 3:2

Work out the ratio ON:NB

$$\overrightarrow{AB} = -\overrightarrow{OA} + \overrightarrow{OB}$$

$$= - \overrightarrow{OA} + \overrightarrow{OB}$$

$$\overrightarrow{AM} = \overrightarrow{MB} = \frac{1}{2}(-\alpha+b)$$
$$= -\frac{1}{2}\alpha+\frac{1}{2}b$$

$$\overrightarrow{OM} = \overrightarrow{OA} + \overrightarrow{AM}$$

$$= A - \frac{1}{2}A + \frac{1}{2}b$$

$$= \frac{1}{2}A + \frac{1}{2}b$$

$$\overrightarrow{OP} = \frac{3}{6}\overrightarrow{OM}$$

$$= \frac{3}{3}(\frac{1}{2}A + \frac{1}{2}b)$$

$$=\frac{3}{10}$$
 a +  $\frac{3}{10}$  b

$$\vec{AP} = -\vec{OA} + \vec{OP}$$

$$= -\vec{OA} + \vec{OP}$$

$$= -\vec{OA} + \vec{OA} + \vec{OA}$$

$$\overrightarrow{AN} = x \overrightarrow{AP}$$

$$= x \left( -\frac{7}{10} \alpha + \frac{3}{10} b \right)$$

$$-\frac{7}{10}$$
 xa +  $\frac{3}{10}$ xb = -a + 4b

$$-\frac{7}{10}x = -1$$

$$x = \frac{10}{7}$$

$$\frac{3}{10} \propto = 4$$

$$\frac{3}{10} \times \frac{10}{7} = 4$$

$$\frac{3}{7} = 4$$

(Total for Question 21 is 5 marks)

22 There are only green pens and blue pens in a box.

There are three more blue pens than green pens in the box.

There are more than 12 pens in the box.

Simon is going to take at random two pens from the box.

The probability that Simon will take two pens of the same colour is  $\frac{27}{55}$ 

Work out the number of green pens in the box.

Let 
$$x$$
 be the number of green pens

$$green = x$$

$$blue = x+3$$

$$botol = 2x+3$$

$$P(12 green) = \frac{x}{2x+3} \times \frac{x-1}{2x+2} = \frac{x(x-1)}{(2x+3)(2x+2)}$$

$$P(12 blue) = \frac{x}{2x+3} \times \frac{x+2}{2x+2} = \frac{(x+3)(x+2)}{(2x+3)(2x+2)}$$

P(2 green) + P(2 buse) = 
$$\frac{27}{65}$$
  
 $\frac{x(x-1)}{(2x+3)(2x+2)} + \frac{(x+3)(x+2)}{(2x+3)(2x+2)} = \frac{27}{65}$   
 $\frac{x(x-1) + (x+3)(x+2)}{(2x+3)(2x+2)} = \frac{27}{55}$   
 $\frac{2x^2 + 4x + 6}{4x^2 + 10x + 6} = \frac{27}{56}$   
 $\frac{x^2 + 2x + 3}{2x^2 + 5x + 3} = \frac{27}{56}$   
 $\frac{x^2 + 2x + 3}{2x^2 + 6x + 3} = \frac{27}{56}$   
 $\frac{x^65(2x^2 + 6x + 3)}{55(x^2 + 12x + 3)} = 27(2x^2 + 6x + 3)$   
 $\frac{x^2 - 25x + 84 = 0}{(x-4)(x-21)} = 0$ 

X > 12

(Total for Question 22 is 6 marks)

: x = 21

**TOTAL FOR PAPER IS 80 MARKS**