Please check the examination details belo	w before ente	ering your candidate information
Candidate surname		Other names
Pearson Edexcel Level		rel 2 GCSE (9–1)
Monday 10 June 202	24	
Morning (Time: 1 hour 30 minutes)	Paper reference	• 1MA1/3H
Mathematics PAPER 3 (Calculator) Higher Tier		
You must have: Ruler graduated in ce protractor, pair of compasses, pen, HB calculator, Formulae Sheet (enclosed).	or B pencil	il, eraser,

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You must show all your working.
- Diagrams are **NOT** accurately drawn, unless otherwise indicated.
- Calculators may be used.
- If your calculator does not have a π button, take the value of π to be 3.142 unless the question instructs otherwise.

Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶








Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Find the highest common factor (HCF) of 63 and 105



5 (21) (1) 7 3

or

21




(Total for Question 1 is 2 marks)

2 (a) (i) Write 5.3×10^4 as an ordinary number.

$$5.3 \times 10^4 = 53000$$

 5.3000



(ii) Write 7.4×10^{-5} as an ordinary number.

$$0.00074 \times 10^{-5} = 0.000074$$




(b) Calculate the value of $9.7 \times 10^6 + 2.45 \times 10^7$ Give your answer in standard form.

$$= 9.7 \times 10^{6} + 2.45 \times 10^{7}$$

$$= 0.97 \times 10^{7} + 2.45 \times 10^{7}$$


$$= (0.97 + 2.45) \times 10^{7} \rightarrow \text{ integers can be added}$$

$$= 3.42 \times 10^{7} \rightarrow \text{ standard form}$$




(Total for Question 2 is 4 marks)

The diagram shows a solid triangular prism.



Rana is trying to draw the side elevation of the solid prism from the direction of the arrow.

Here is her answer on a centimetre grid.



(a) Explain why Rana's side elevation is not correct.


The height is not 4 cm. It should be 17



Using Pythagoras' Theorem

(1)

(b) On the centimetre grid below, draw a plan of the solid prism.



(2)

(Total for Question 3 is 3 marks)

A company has 25 000 workers.

The number of workers increases at a rate of 6% per year for 3 years.

Calculate the total number of workers at the end of the 3 years.

Alternative working:





(Total for Question 4 is 4 marks)

5 Habib has two identical tins.

He puts 600 grams of flour into one of the tins.

The flour fills the tin completely.

The density of the flour is $0.6 \,\mathrm{g/cm^3}$

Habib puts 600 grams of salt into the other tin.

The salt does **not** fill the tin completely.

The volume of the space in the tin that is **not** filled with salt is 700 cm³

Work out the density of the salt.

You must show all your working.

Density of satt =
$$\frac{600}{300}$$
 (1)
= 2 g/cm^3

2 ()

 g/cm^3


(Total for Question 5 is 4 marks)

6

6 Tim has two biased coins, coin A and coin B. He is going to throw both coins.

The probability that coin \mathbf{A} will land on heads is 0.6 The probability that coin \mathbf{B} will land on heads is 0.55

(a) Complete the probability tree diagram.



Tim throws coin A once and he throws coin B once.


(b) Work out the probability that both coins land on heads.

0.33

(2)

(Total for Question 6 is 4 marks)

7 A paddling pool is in the shape of a cylinder.



The pool has radius 100 cm.

The pool has depth 30 cm.

The pool is empty.

It is then filled with water at a rate of 250 cm³ per second.

Work out the number of minutes it takes to fill the pool completely.

Give your answer correct to the nearest minute.

You must show all your working.


nearest minutes



$$\mathbf{8} \quad \mathbf{a} = \begin{pmatrix} 3 \\ 2 \end{pmatrix} \qquad \mathbf{b} = \begin{pmatrix} -1 \\ 4 \end{pmatrix}$$

On the grid below, draw and label the vector $2\mathbf{a} + \mathbf{b}$


$$2\alpha + b = 2 \begin{pmatrix} 3 \\ 2 \end{pmatrix} + \begin{pmatrix} -1 \\ 4 \end{pmatrix} = \begin{pmatrix} 6 \\ 4 \end{pmatrix} + \begin{pmatrix} -1 \\ 4 \end{pmatrix} = \begin{pmatrix} 5 \\ 8 \end{pmatrix} \begin{pmatrix} \chi \\ \psi \end{pmatrix}$$




1 box = lunit

(Total for Question 8 is 3 marks)

9 The diagram shows a cube and a square-based pyramid.





The volume of the cube is equal to the volume of the pyramid.

Work out the perpendicular height, $h \, \text{cm}$, of the pyramid.

Volume of cube =
$$l^3$$

Volume of pyramid = $\frac{1}{3} l^2 h$
Volume of cube = Volume of pyramid
 $6 \times 6 \times 6$ = $\frac{1}{3} \times (8 \times 8) \times h$
(1) $216 = 64 h$
 $h = 216 \times 3$ (1)
 $h = 10.125$ (1)

10·125

(Total for Question 9 is 3 marks)

10 There are only red counters and yellow counters in bag A.

number of red counters: number of yellow counters = 3:5

There are only green counters and blue counters in bag **B**.

The number of counters in bag $\bf B$ is half the number of counters in bag $\bf A$.

Given that there are x red counters in bag A,

use algebra to show that the total number of counters in bag **A** and bag **B** is 4x

Yellow counters =
$$\frac{5\pi}{3}$$

Total counters in bag $A = x + \frac{5\pi}{3} = \frac{3x + 5\pi}{3} = \frac{8\pi}{3}$ (1)

Total counters in bag B =
$$\frac{8x}{3} \times \frac{1}{2} = \frac{8x}{6} = \frac{4x}{3}$$

Total counters in both bags =
$$\frac{8x}{3} + \frac{4x}{3}$$

= $\frac{12x}{3}$
= $4x$ (shown)

(Total for Question 10 is 3 marks)

11 Mina records the speeds, in mph, of some cars on a road on Friday. She uses her results to work out the information in this table.

Upper quartile:

Upper quartile:

35+12 = 47


Q1 + IQR

	Speed (mph)
Lowest speed	25
Lower quartile	35
Median	40
Interquartile range	12
Range	37

Highest value = Lowest value t Range


Highest speed = 25+37

(a) On the grid, draw a box plot to show the information in the table.



(3)

Mina also records the speeds of some cars on the same road on Sunday. She uses her results to draw this box plot.



(b) Compare the distribution of the speeds on Friday with the distribution of the speeds on Sunday.


The median speed for Sunday was greater than the median speed for Friday. The interquartile range of the speeds on Sunday is greater than the interquartile range of speeds on Friday.

(2)

(Total for Question 11 is 5 marks)



12 The diagram shows triangle T drawn on a grid.



Enlarge triangle T by scale factor –2 with centre of enlargement (0, 0)

(Total for Question 12 is 2 marks)

13 There are 30 students in a class.

A teacher is going to choose at random 2 of the students.

Work out the number of different pairs of students that the teacher can choose.

$$\frac{30 \times 29}{2} \bigcirc = 435$$

divided by 2 because choosing student A then B is the same as choosing student B then A, because they're the same pair (Total for Question 13 is 2 marks)



14 At the start of 2022 Kim invested some money in a savings account.

The account paid 3.5% compound interest each year.

At the end of 2022

interest was added to the account then Kim took £750 from the account.

At the end of 2023

interest was added to the account then Kim took £1000 from the account.

There was then £2937.14 in the account.

Work out how much money Kim invested at the start of 2022 You must show all your working.

At the end of 2022 after withdrawal =
$$\pi \times 1.035 - 750$$
 (1)
At the end of 2023 after withdrawal = $(1.035 \times -750) \times 1.035 - 1000$
 $(1.035 \times -750) \times 1.035 - 1000 = 2937.14$ (1)
 $(1.035)^2 \times -776.25 - 1000 = 2937.14$
 $1.071225 \times -1776.25 = 2937.14$
 $1.071225 \times = 2937.14 + 1776.25$ (1)
 $\times = 4713.39$
 1.071225
= 4400 (1)

(Total for Question 14 is 4 marks)



15 (a) Simplify fully $\frac{(a-3)^2}{5(a-3)}$

$$\frac{\left(a-3\right)^{2}}{5\left(a-3\right)} = \frac{\left(a-3\right)\left(a-3\right)}{5\left(a-3\right)}$$

$$= \frac{a-3}{5}$$

 $\frac{a-3}{5}$

(1)

(b) Factorise $3k^2 + 11k - 4$

$$= 3k^{2} + 11k - 4$$

$$= 3k^{2} - k + 12k - 4$$

$$= k(3k-1) + 4(3k-1)$$

$$= (3k-1)(k+4)$$

(3k-1)(k+4)

(2)

(c) Simplify fully $\frac{4-x^2}{x^2+3x} \div \frac{x+2}{x+3}$

$$= \frac{4-\chi^2}{\chi^2+3\chi} \div \frac{\chi+2}{\chi+3}$$

$$= \underbrace{\frac{4-x^2}{x^2+3x}}_{\chi^2+3\chi} \times \underbrace{\frac{x+3}{x+2}}_{\chi+2}$$

$$= \frac{(2-x)(x+2)}{x(x+3)} \times \frac{(x+3)}{(x+2)}$$

$$= \frac{(2-1)(2+2)}{2(2+3)} \times \frac{(2+3)}{(2+2)}$$

$$=\frac{2-\pi}{\pi}$$

 $\frac{2-\chi}{2}$

(3)

(Total for Question 15 is 6 marks)

16 The functions f and g are given by

$$f(x) = \frac{12}{x+1}$$
 and $g(x) = 5 - 3x$

(a) Find f(-3)

$$f(x) = \frac{12}{x+1}$$

$$f(-3) = \frac{12}{(-3)+1}$$
 substitute $x = -3$
= $\frac{12}{-2} = -6$

(1)

(b) Find fg(1)

Find fg(1)

$$fg(x) = \frac{12}{(5-3x)+1}$$
Substitute g(x) into x

$$= \frac{12}{6-3x}$$

fg(1) =
$$\frac{12}{6-3(1)}$$
 Substitute $x = 1$
= $\frac{12}{3}$
= 4 (1)

(2)

(c) Find $g^{-1}(4)$

$$3x = 5-9$$

$$x = \frac{5-y}{3}$$
 Make x the subject

$$g^{-1}(x) = \frac{5-x}{3}$$
 Change y to x

$$g^{-1}(4) = \frac{5-4}{3}$$
 Substitute $x = 4$

$$= \frac{1}{3}$$

(Total for Question 16 is 5 marks)

17 A ball is thrown upwards and reaches a maximum height. The ball then falls and bounces repeatedly.

After the *n*th bounce, the ball reaches a height of h_n After the next bounce, the ball reaches a height given by $h_{n+1} = 0.55h_n$

After the 1st bounce, the ball reaches a height of 8 metres.

What height does the ball reach after the 4th bounce?

$$n = h_n$$

1st bounce = 8 $\rightarrow h_1 = 8$

2nd bounce = $h_1 = h_2$

= 0.55 x 8

= 4.4 (1)

3rd bounce = 0.55 x 4.4

= 2.42 (1)

4th bounce = 0.55 x 2.42

= 1.331


31 (



metres

(Total for Question 17 is 3 marks)

18 *ABCD* is a quadrilateral.



Area of $=\frac{1}{2} \times ab \sin C$ triangle

The area of triangle ABC is 54 cm²

Calculate the area of triangle ACD.

Give your answer correct to 3 significant figures.

Area of ABC =
$$\frac{1}{2} \times 17 \times AC \times 5 \text{ in } 35^{\circ}$$

 $54 = \frac{1}{2} \times 17 \times AC \times 5 \text{ in } 35^{\circ}$
 $AC = \frac{2 \times 54}{17 \cdot 5 \text{ in } 35^{\circ}}$
= $11 \cdot 0.76 \dots Cm$

Find AD :

$$\frac{40}{\sin 48^{\circ}} = \frac{11.076 \text{ m}}{\sin 57^{\circ}}$$

$$AD = \frac{11.076}{5in 57} \times sin 48^{\circ} = 9.8144 \dots$$

Find area of ADC:

Area of ADC =
$$\frac{1}{2} \times 9.8144 \times 11.076 \times \sin 75^{\circ}$$

= 52.500

52.5

(Total for Question 18 is 5 marks)

$$19 \quad R = \frac{P}{Q}$$

 $P = 5.88 \times 10^8$ correct to 3 significant figures. $Q = 3.6 \times 10^5$ correct to 2 significant figures.

Work out the lower bound for *R*.

Give your answer as an ordinary number correct to the nearest integer.

You must show all your working.

$$P = 5.875 \times 10^8$$
 or 5.885×10^8 (1)
 $Q = 3.55 \times 10^5$ or 3.65×10^5

lower bound
$$R = \frac{\text{lower bound P}}{\text{upper bound Q}}$$

$$= \frac{5.875 \times 10^8}{3.65 \times 10^5}$$

$$= 1609.589...$$

$$\approx 1610 \text{ O}$$

1610

(Total for Question 19 is 3 marks)

20 x-4, x+2 and 3x+1 are three consecutive terms of an arithmetic sequence.

(a) Find the value of x.

The difference between two consecutive terms are the same

$$(n+2) - (n-4) = (3n+1) - (n+2)$$

 $n+2-n+4 = 3n+1-x-2$
 $6 = 2n-1$ (1)
 $2x = 7$
 $x = 3.5$ (1)

$$x =$$
 (2)

y-4, y+2 and 3y+1 are three consecutive terms of a geometric sequence.

(b) Find the possible values of y.

$$r(y-4) = y+2 \qquad \text{and} \quad r(y+2) = 3y+1 \qquad 1$$

$$r = \frac{y+2}{y-4} \qquad r = \frac{3y+1}{y+2}$$

$$\frac{y+2}{y-4} = \frac{3y+1}{y+2} \qquad \longleftarrow \qquad \text{Equate value of } r$$

$$(y+2)(y+2) = (3y+1)(y-4)$$

$$y^{2}+4y+4 = 3y^{2}-12y+y-4$$

$$y^{2}+4y+4 = 3y^{2}-11y-4$$

$$0 = 3y^{2}-y^{2}-11y-4y-4-4$$

$$0 = 2y^{2}-15y-8$$

$$(2y+1)(y-8) = 0$$


$$y = -\frac{1}{2}, 8$$
1

-0.5,8

(5)

(Total for Question 20 is 7 marks)

21 The diagram shows a circle, radius r cm and two regular hexagons.



 $3 < \pi < 2\sqrt{3}$

Each side of the larger hexagon *ABCDEF* is a tangent to the circle. Each side of the smaller hexagon *PQRSTU* is a chord of the circle.

By considering perimeters, show that

$$r \sin 30^\circ = \frac{1}{2}QR$$

$$r \left(\frac{1}{2}\right) = \frac{1}{2}QR$$

$$r = QR$$
Perimeter small hexagon = 6r (1)
$$r \tan 30^\circ = \frac{1}{2}AF$$

$$r \left(\frac{\sqrt{3}}{3}\right) = \frac{1}{2}AF$$

$$AF = \frac{2r\sqrt{3}}{3}$$
Perimeter large hexagon = $\frac{2r\sqrt{3}}{3} \times 6$

(Total for Question 21 is 4 marks)

TOTAL FOR PAPER IS 80 MARKS



= 453 r (1

BLANK PAGE



BLANK PAGE



BLANK PAGE

