



**GCSE**

**Mathematics**

Unit **J560/03**: Foundation Tier Paper 3

General Certificate of Secondary Education

**Mark Scheme for November 2017**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

## 1. Annotations used in the detailed Mark Scheme.

Annotation	Meaning
✓	Correct
✗	Incorrect
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working (after correct answer obtained), provided method has been completed
M0	Method mark awarded 0
M1	Method mark awarded 1
M2	Method mark awarded 2
A1	Accuracy mark awarded 1
B1	Independent mark awarded 1
B2	Independent mark awarded 2
MR	Misread
SC	Special case
^	Omission sign

These should be used whenever appropriate during your marking.

The **M**, **A**, **B** etc annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks.

It is vital that you annotate these scripts to show how the marks have been awarded.

It is not mandatory to use annotations for any other marking, though you may wish to use them in some circumstances.

### Subject-Specific Marking Instructions

- M** marks are for using a correct method and are not lost for purely numerical errors.  
**A** marks are for an accurate answer and depend on preceding **M** (method) marks. Therefore **M0 A1** cannot be awarded.  
**B** marks are independent of **M** (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.  
**SC** marks are for special cases that are worthy of some credit.
- Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is not from wrong working **full marks** should be awarded.

Do not award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen and the correct answer clearly follows from it.

4. Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct.

Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, eg FT  $180 \times (\textit{their} '37' + 16)$ , or FT  $300 - \sqrt{(\textit{their} '5^2 + 7^2')}$ . Answers to part questions which are being followed through are indicated by eg FT  $3 \times \textit{their} (a)$ .

For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

5. Where dependent (**dep**) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
6. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
- **cao** means **correct answer only**.
  - **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
  - **isw** means **ignore subsequent working** (after correct answer obtained).
  - **nfw** means **not from wrong working**.
  - **oe** means **or equivalent**.
  - **rot** means **rounded or truncated**.
  - **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
  - **soi** means **seen or implied**.
7. Make no deductions for wrong work after an acceptable answer unless the mark scheme says otherwise, indicated for example by the instruction 'mark final answer'.
8. As a general principle, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered, mark the poorer (poorest).
9. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the **MR** annotation. **M** marks are not deducted for misreads.

10. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
11. If the correct answer is seen in the body and the answer given in the answer space is a clear transcription error allow full marks unless the mark scheme says 'mark final answer' or 'cao'. Place the annotation ✓ next to the correct answer.  
  
If the answer space is blank but the correct answer is seen in the body allow full marks. Place the annotation ✓ next to the correct answer.  
  
If the correct answer is seen in the working but a completely different answer is seen in the answer space, then accuracy marks for the answer are lost. Method marks would still be awarded. Use the M0, M1, M2 annotations as appropriate and place the annotation ✗ next to the wrong answer.
12. Ranges of answers given in the mark scheme are always inclusive.
13. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
14. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

J560/03

Mark Scheme

November 2017

Question			Answer	Marks	Part marks and guidance	
1	(a)		edges	1	Any clear indication, Eg ringed, others deleted	Condone poor spelling
	(b)		Accept any clear indication	1	Expect arc or mark (eg cross) at CAB	
	(c)		[a] straight line	1	Any clear indication, Eg ringed, others deleted	Condone poor spelling or line
2	(a)		$\frac{3}{7}$ oe	1	Accept equivalent eg $\frac{6}{14}$ , $\frac{21}{49}$ or 0.428 to 0.429 or 42.8% to 42.9%	
	(b)		5, 6 and 7 cao	2	<b>B1</b> for $\frac{4}{16}$ or $\frac{8}{16}$ seen or At least one from 5, 6 or 7 (condone 4 and/or 8 included)	Allow $\frac{5}{16}$ , $\frac{6}{16}$ , $\frac{7}{16}$ for <b>B1</b>
3	(a)		48	2	<b>M1</b> for $6 \times 2 \times 4$	May be in stages
	(b)		8	3	<b>M2</b> for $\sqrt{\frac{320}{5}}$ or <b>M1</b> for $\frac{320}{5}$ soi 64 or $5k^2 = 320$	
4	(a)	(i)	-12	1		
		(ii)	256	1		
	(b)		10.35 cao	1		
5			-20 2                      5	3	<b>B1</b> for each If 0 scored <b>SC1</b> for $-4 \times$ their 5 correct	Middle right box

J560/03

Mark Scheme

November 2017

Question		Answer	Marks	Part marks and guidance		
6	(a)	5 : 2	2	<b>B1</b> for 30 [:] 12 oe If 0 scored <b>SC1</b> for 5 : 7 or 2 : 5	Condone same units in ratios <b>B1</b> for 15 : 6 or 10 : 4 or 2.5 : 1 or 1 : [0].4 may miss ratio signs	
	(b)	[0].28	2	<b>B1</b> for 250 or [0].7 seen or 2500 and 700 or figs 28 in answer If 0 scored <b>SC1</b> for [1: ] 3.57[1...]	Condone answer 1 : [0].28 for <b>B2</b>	
	(c)	(i)	5000	1		
		(ii)	50	2	<b>M1</b> for <i>their</i> 5000 ÷ 2 ÷ 50 oe	
7	(a)	15 15 90 20 10	4	<b>B3</b> for 4 correct or <b>B2</b> for 3 correct or <b>B1</b> for 2 correct  If 0 scored <b>SC1</b> for <i>their</i> apple = 2 × <i>their</i> grapefruit		
	(b)	(i)	80	1		
		(ii)	Orange juice might have run out or 50 is a small sample oe [so may not be representative] These are different men so may make different choices oe Scaling may not produce the exact number	1	Any valid practical reason. Eg running out, (others) being promoted.  Any valid statistical reason Eg Choices may be in different proportion [in this group]. Expectation so may be different	Do not accept any suggestion that men may have changed their mind.  Mark the best part of the statement and ignore any non-contradictory parts

J560/03

Mark Scheme

November 2017

Question		Answer	Marks	Part marks and guidance	
8	(a)	(Men's average + women's average) ÷ 2 oe	1	Accept half way between the two masses/averages oe or (84 + 70) ÷ 2 oe or (84 – 70) ÷ 2 + 70 oe	Allow half way between them or midpoint or added the two and halved May be in stages. Condone missing brackets
	(b)	Correct reason involving distribution of men/women or not all average  Correct example supporting their reason with result ≥ 630	1  2	Saying he is correct scores 0 for reason mark but may score example marks Some may be overweight  8 men [0 women] 7 men 1 woman 6 men and 2 women  <b>M1</b> for correct calculation supporting their reason wrongly evaluated or correct value ≥ 630 supporting their reason for their example without working or A correct calculation involving a mass and a number of people.	Can carry 9 women is not enough  May be a combination of both  8 × 84 = 672 7 × 84 + 1 × 70 = 658 6 × 84 + 2 × 70 = 644  Eg 8 men weigh 672 kg  Multiplication or division Eg 84 × 8 = 672 or 630 ÷ 84 = 7.5 or 630 ÷ 70 = 9
9	(a)	(Line 2) [0].25 seen  (Line 3) [ $\frac{1}{4}$ ] ÷ 2 or × [0].5 oe  (Line 4) [0].25 + [0].125 = [0].375	1  1  1		Ignore anything on line 1.  Ignore extras in all lines if not wrong or contradictory    No FT from <b>wrong</b> values above



J560/03

Mark Scheme

November 2017

Question		Answer	Marks	Part marks and guidance	
	(b)	5	2	M1 for $1 \div [0].05 [\times 200]$ oe or B1 for 250 or $[0].25$ or $\times 20$ or figs 4 or 5 in answer	Condone 250 on answer line
10	(a)	$7^4$	1		Condone $7^4 = 2401$ on answer line
	(b)	$\times 4$ $2 \times 2 \times 2$ [=] $2^6$	2	B1 for one line correct	
	(c)	$1.02 \times 10^3$ , $3 \times 10^2$ , $8.1 \times 10^{[1]}$ , $9.83 \times 10^{-2}$	1	Accept 1020, 300, 81, $[0].0983$	Condone error in writing 0.0983 if order correct.
11	(a)	4 points plotted and a ruled line joining	2	B1 for 3 points correctly plotted	Line at least between (0, 100) and (150, 25) Use overlay as guide. $\frac{1}{2}$ square accuracy
	(b)	(i) 198 to 202	1	Do not FT their line	
		(ii) Battery usage remains the same or Battery can be used right to 0% or Trend or pattern continues	1	Accept For every 50 km it uses 25%	
	(c)	(i) $-\frac{1}{2}$ oe or $-[0].5$	1		Ignore units
		(ii) 100	1	Accept 0, 100	
	(d)	$-\frac{1}{2}d + 100$	1	FT <i>their (c)(i)d + their (c)(ii)</i>	Accept any letter for $d$ (except $c$ )
	(e)	(i) $-5$	2	FT <i>their (d)</i> if linear in $d$ . B1 for correct substitution of 210	Expect $-\frac{1}{2} \times 210 + 100$ Accept any letter for $d$ (except $c$ )

J560/03

Mark Scheme

November 2017

Question		Answer	Marks	Part marks and guidance	
	(ii)	Impossible [as battery cannot have negative charge] oe	1	FT <i>their (i)</i> only if <i>their</i> equation gives negative outcome	
12	(a)	(0, 1)	2	B1 for (0, ..g..) $g \neq 1$ or M1 for $y = 2x + 1$ or $y - 2 \times 0 = 1$	
	(b)	4	3	B1 for $c = -2$ or M1 for $y = 3k - 2$ $k \neq 0$ And M1 for $10 = 3k - 2$	B1 soi $3x - 2$ or $3 \times \text{number} - 2$ Allow x for k
13	(a)	42	2	M1 for $\frac{1.47 \times 10^7}{3.5 \times 10^5}$ oe  If 0 scored <b>SC1</b> for figs 42 in answer	Eg. $\frac{14\,700\,000}{350\,000}$
	(b)	$4.2[3\dots] \times 10^9$	3	B2 for 4 233 600 000 oe as answer or M1 for <i>their</i> $1.47 \times 10^7 \times 288$  If 0 scored <b>SC1</b> for figs 423[...] in answer	Eg. $423.[36] \times 10^7$  <i>their</i> $1.47 \times 10^7$ converted from info in (a)
	(c) (i)	6450	3	B2 for 6447 to 6448 or M1 for $\frac{1.47 \times 10^7}{(152 \times 15)}$ oe or figs 6447 in answer	May be in stages. NB: $152 \times 15 = 2280$

J560/03

Mark Scheme

November 2017

Question		Answer	Marks	Part marks and guidance	
	(ii)	Each machine makes the same amount of sweets. or There are no breakdowns oe or Machines running at same rate oe or All machines run <b>for</b> the same time oe	1		
14	(a)	5.34	4	<b>B1</b> for 1.5, 4.5, 7.5, 10.5, 13.5  <b>M1FT</b> for 1.5×6 4.5×10 7.5×6 10.5×2 13.5×1 soi 9, 45, 45, 21, 13.5 or 133.5  <b>M1</b> for <i>their</i> 133.5 ÷ 25	At least 4 midpoints correct  FT midpoints or either end of range values consistently used Allow one numerical error Four correct products or 133.5 imply <b>B1</b> and <b>M1</b>
	(b)	Exact times for each customer are not recorded oe	1		Do not accept, "Because the midpoint is used" or comments on the method used.
15		1500 × 2 ÷ 100 oe  1500 + 30 = 1530  1530 × 1.05 oe leading to 1606.5[0]  OR  <u>Alternative marking</u> 2% of 1500 = 30 1500 + 30 = 1530 5% of 1530 = 76.5[0] 1530 + 76.5[0] = 1606.5[0]	<b>M1</b>  <b>B2</b>  <b>M1</b>    <b>B1</b> <b>B1</b> <b>B1</b> <b>B1</b>	Follow method if <b>calculations</b> seen Allow 1500 × [0].02  <b>B1</b> for 30 or 1530 (no addition shown)  or (1606.50 – 1530) ÷ 1530 × 100 [= 5] or 76.50 ÷ 1530 × 100 [= 5]  Follow method if <b>explanation</b> seen	<b>Mark by ONE method only</b> 1500 × 1.02 = 1530 scores <b>M1 B2</b>  30 or 1530 (no working) scores <b>M0B1</b>  May be seen in stages Non-calculator method must be complete to score <b>M1</b> 1% → 1530 ÷ 100 = 15.3 5% → 15.3 × 5 = 76.5 1530 + 76.5 [= 1606.5]

Question			Answer	Marks	Part marks and guidance																												
16	(a)	(i)	$\frac{1}{5}$ of Bag A's counters [are red] or The ratio of red to yellow in Bag B is 1:3	1	Accept $1 : 4 = \frac{1}{5}$  Accept $\frac{1}{4} = 1 : 3$	Equivalents may be percentages or decimals Eg. Bag A: 20% red, Bag B: 25% red.																											
		(ii)	Correct answer is any integer multiple of this. <table border="1" style="margin-left: 20px;"> <thead> <tr> <th></th> <th>Red</th> <th>Yellow</th> </tr> </thead> <tbody> <tr> <td>Bag A</td> <td>4</td> <td>16</td> </tr> <tr> <td>Bag B</td> <td>5</td> <td>15</td> </tr> </tbody> </table>		Red	Yellow	Bag A	4	16	Bag B	5	15	3	<b>B1</b> for (Bag A) yellow = 4 × red and A total = B total  <b>B1</b> for (Bag B) yellow = 3 × red  If 0 scored <b>SC2</b> for correct figures but transposed horizontally	Eg <table style="display: inline-table; vertical-align: middle;"> <tr> <td>×2</td> <td>×3</td> </tr> <tr> <td>8 32</td> <td>12 48</td> </tr> <tr> <td>10 30</td> <td>15 45</td> </tr> </table> <table style="display: inline-table; vertical-align: middle;"> <tr> <td>×4</td> <td>×5</td> </tr> <tr> <td>16 64</td> <td>20 80</td> </tr> <tr> <td>20 60</td> <td>25 75</td> </tr> </table> <table style="display: inline-table; vertical-align: middle;"> <tr> <td>×6</td> <td>×10</td> </tr> <tr> <td>24 96</td> <td>40 160</td> </tr> <tr> <td>30 90</td> <td>50 150</td> </tr> </table>	×2	×3	8 32	12 48	10 30	15 45	×4	×5	16 64	20 80	20 60	25 75	×6	×10	24 96	40 160	30 90	50 150
	Red	Yellow																															
Bag A	4	16																															
Bag B	5	15																															
×2	×3																																
8 32	12 48																																
10 30	15 45																																
×4	×5																																
16 64	20 80																																
20 60	25 75																																
×6	×10																																
24 96	40 160																																
30 90	50 150																																
	(b)		20 nfw	3	<b>B1</b> for two ratios equivalent to 3:4  <b>M1</b> for <i>their</i> 15:20 reduced to (15-3):20  <u>Alternative approach</u>  <b>B1</b> for two fractions equivalent to $\frac{3}{7}$  <b>M1</b> for <i>their</i> $\frac{15}{35}$ reduced to $\frac{15-3}{32}$	6:8, 9:12, 12:16, 15:20,...  <i>their</i> 15:20 any ratio <b>but not</b> 3:4  using equivalent fractions:  Eg $\frac{6}{14}$ or $\frac{9}{21}$ or $\frac{12}{28}$ or $\frac{15}{35}$  <i>their</i> $\frac{15}{35}$ any fraction but not $\frac{3}{7}$																											

J560/03

Mark Scheme

November 2017

Question		Answer	Marks	Part marks and guidance		
17		3 : 8 cao	4	<p><u>Using fractions</u></p> <p><b>M1</b> for <math>\frac{1}{4}</math> [+] <math>\frac{1}{4}</math> [+] <math>\frac{1}{8}</math></p> <p><b>M1</b> for 1 – <i>their</i> <math>\frac{5}{8}</math></p> <p><b>B1</b> for <i>their</i> <math>\frac{3}{8} : \frac{8}{8}</math></p> <p><u>Using Areas</u></p> <p><b>M1</b> for un-shaded area = <math>2 \times 2 \times 1 \div 2 + 1 \times 1 \div 2</math> (=2.5) oe</p> <p><b>M1</b> shaded area = <i>their</i> 4 – <i>their</i> 2.5</p> <p><b>B1</b> for <i>their</i> (1.5 : 4)</p>	<p>May be on diagram</p> <p>Any side length allowed eg</p> <p>1 → 0.625 (1)    5 → 15.625 (25)</p> <p>2 → 2.5 (4)    6 → 22.5 (36)</p> <p>3 → 5.625 (9)    7 → 30.625 (49)</p> <p>4 → 10 (16)    8 → 40 (64)</p>	
18	(a)	Correct ruled line reaching AB and two pairs of correct arcs	2	<b>B1</b> for correct ruled line reaching AB without all arcs or correct ruled line with arcs but short	Tolerance $\pm 2^\circ$	
	(b)	(i)	Correct ruled line reaching AD through E and two pairs of correct arcs	2	<b>B1</b> for correct ruled line reaching AD without all arcs or correct ruled line with arcs but short or perpendicular ruled line from BC to another side	Tolerance $\pm 2^\circ$
		(ii)	118 to 122	2	<p><b>Strict FT</b> for all marks.</p> <p>Follow through <i>their</i> straight line in <b>(b)(i)</b> from entrance to another side</p> <p><b>B1</b> for <i>their</i> 11.8 to 12.2 [cm]</p>	Use ruler and measure to 2 mm accuracy

J560/03

Mark Scheme

November 2017

Question		Answer	Marks	Part marks and guidance	
19		$a + b = 110$ oe	1	Accept $2a + b = 180$	Ignore units
		$4a + 2b = 360$ oe	1		
		$a = 70$	1		
		$b = 40$	1		
20		$2a - 1$ [ $+ 2a +$ ] $2a + 1$	1	Not from $a + 2a + 3a$	First two numerical steps may be in reverse order and other sums may be seen (ignore)
		$6a = 250$	1		
		$250 \div 6 = 41.6[\dots]$ oe or $250 \div 6$ is not an integer	1		
		Alternative			
		$81 + 82 + 83 = 246$	1		
		$83 + 84 + 85 = 252$	1		
	$82.3[3\dots] + 83.3[3\dots] + 84.3[3\dots]$ oe and impossible as not integer oe	1	If 0 scored <b>SC1</b> for one of $2a - 1$ or $2a + 1$ or $41.6[\dots]$ or $83.3[\dots]$ seen		

**OCR (Oxford Cambridge and RSA Examinations)**  
1 Hills Road  
Cambridge  
CB1 2EU

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; 1 Hills Road, Cambridge, CB1 2EU  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2017

 **Cambridge  
Assessment**

