

Higher

GCSE

Mathematics - Paper 6

J560/06: Paper 6 (Higher tier)

General Certificate of Secondary Education

Mark Scheme for June 2025

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2025

MARKING INSTRUCTIONS**PREPARATION FOR MARKING
RM ASSESSOR**

1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *RM Assessor Online Training: OCR Essential Guide to Marking*.
2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are available in RM Assessor
3. Log-in to RM Assessor and mark the **required number** of practice responses (“scripts”) and the **required number** of standardisation responses.

MARKING

1. Mark strictly to the mark scheme.
2. Marks awarded must relate directly to the marking criteria.
3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 40% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the RM Assessor messaging system.
5. **Crossed-Out Responses**
Where a candidate has crossed out a response and provided a clear alternative then the crossed-out response is not marked. Where no alternative response has been provided, examiners may give candidates the benefit of the doubt and mark the crossed-out response where legible.

Rubric Error Responses – Optional Questions

Where candidates have a choice of question across a whole paper or a whole section and have provided more answers than required, then all responses are marked and the highest mark allowable within the rubric is given. Enter a mark for each question answered into RM Assessor, which will select the highest mark from those awarded. *(The underlying assumption is that the candidate has penalised themselves by attempting more questions than necessary in the time allowed.)*

Multiple-Choice Question Responses

When a multiple-choice question has only a single, correct response and a candidate provides two responses (even if one of these responses is correct), then no mark should be awarded (as it is not possible to determine which was the first response selected by the candidate).

When a question requires candidates to select more than one option/multiple options, then local marking arrangements need to ensure consistency of approach.

Contradictory Responses

When a candidate provides contradictory responses, then no mark should be awarded, even if one of the answers is correct.

Short Answer Questions (requiring only a list by way of a response, usually worth only one mark per response)

Where candidates are required to provide a set number of short answer responses then only the set number of responses should be marked. The response space should be marked from left to right on each line and then line by line until the required number of responses have been considered. The remaining responses should not then be marked. Examiners will have to apply judgement as to whether a 'second response' on a line is a development of the 'first response', rather than a separate, discrete response. *(The underlying assumption is that the candidate is attempting to hedge their bets and therefore getting undue benefit rather than engaging with the question and giving the most relevant/correct responses.)*

Short Answer Questions (requiring a more developed response, worth two or more marks)

If the candidates are required to provide a description of, say, three items or factors and four items or factors are provided, then mark on a similar basis – that is downwards (as it is unlikely in this situation that a candidate will provide more than one response in each section of the response space).

Longer Answer Questions (requiring a developed response)

Where candidates have provided two (or more) responses to a medium or high tariff question which only required a single (developed) response and not crossed out the first response, then only the first response should be marked. Examiners will need to apply professional judgement as to whether the second (or a subsequent) response is a 'new start' or simply a poorly expressed continuation of the first response.

6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there, then add the annotation 'SEEN' to confirm that the work has been seen and mark any responses using the annotations in section 11.
7. There is a NR (**No Response**) option. Award NR (No Response):
 - if there is nothing written at all in the answer space
 - OR if there is a comment which does not in any way relate to the question (e.g., 'can't do', 'don't know')

- OR if there is a mark (e.g., a dash, a question mark) which is not an attempt at the question.

Note: Award 0 marks – for an attempt that earns no credit (including copying out the question).

- The RM Assessor **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**
- Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.
- For answers marked by levels of response: Not applicable in F501
To determine the level – start at the highest level and work down until you reach the level that matches the answer
To determine the mark within the level, consider the following

Descriptor	Award mark
On the borderline of this level and the one below	At bottom of level
Just enough achievement on balance for this level	Above bottom and either below middle or at middle of level (depending on number of marks available)
Meets the criteria but with some slight inconsistency	Above middle and either below top of level or at middle of level (depending on number of marks available)
Consistently meets the criteria for this level	At top of level

11. Annotations available in RM Assessor. These **must** be used whenever appropriate during your marking.

Annotation	Meaning
	Correct
	Incorrect
	Benefit of doubt
	Follow through
	Ignore subsequent working (after correct answer obtained), provided method has been completed
	Method mark awarded 0
	Method mark awarded 1
	Method mark awarded 2
	Accuracy mark awarded 1
	Independent mark awarded 1
	Independent mark awarded 2
	Misread
	Special case
	Omission sign
	Blank page
	Seen

For a response awarded zero (or full) marks a single appropriate annotation (cross, tick, M0 or ^) is sufficient, but not required.

J560/06**Mark Scheme****June 2025**

For responses that are not awarded either 0 or full marks, you must make it clear how you have arrived at the mark you have awarded, and all responses must have enough annotation for a reviewer to decide if the mark awarded is correct without having to mark it independently.

It is vital that you annotate standardisation scripts fully to show how the marks have been awarded.

Subject-Specific Marking Instructions

- i. **M** marks are for using a correct method and are not lost for purely numerical errors.
A marks are for an accurate answer and depend on preceding **M** (method) marks. Therefore, **M0 A1** cannot be awarded.
B marks are independent of **M** (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.
SC marks are for special cases that are worthy of some credit.
- ii. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
 - **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point e.g. 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
 - **isw** means **ignore subsequent working** after correct answer obtained and applies as a default.
 - **nfw** means **not from wrong working**.
 - **oe** means **or equivalent**.
 - **rot** means **rounded or truncated**.
 - **soi** means **seen or implied**.
 - **dep** means that the marks are **dependent** on the marks indicated. You must check that the candidate has met all the criteria specified for the mark to be awarded.
 - **with correct working** means that full marks **must not** be awarded without some working. The required minimum amount of working will be defined in the guidance column and **SC** marks given for unsupported answers.
3. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.
4. Unless the command word requires that working is shown and the working required is stated in the mark scheme, then if the correct answer is clearly given and is not from wrong working **full marks** should be awarded.

 Do not award the marks if the answer was obtained from an incorrect method, i.e., incorrect working is seen and the correct answer clearly follows from it.
5. Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct. For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

 Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, e.g. FT $180 \times (\text{their } '37' + 16)$, or FT $300 - \sqrt{(\text{their } '52' + 72)}$. Answers to part questions which are being followed through are indicated by e.g., FT $3 \times \text{their (a)}$.
6. In questions **with no final answer line**, make no deductions for wrong work after an acceptable answer (i.e., **isw**) unless the mark scheme says otherwise, indicated by the instruction 'mark final answer'.

7. In questions **with a final answer line and incorrect answer given**:

- (i) If the correct answer is seen in the body of working and the answer given on the answer line is a clear transcription error allow full marks unless the mark scheme says 'mark final answer'. Place the annotation ✓ next to the correct answer.
- (ii) If the correct answer is seen in the body of working but the answer line is blank, allow full marks. Place the annotation ✓ next to the correct answer.
- (iii) If the correct answer is seen in the body of working but a completely different answer is seen on the answer line, then accuracy marks for the answer are lost. Method marks could still be awarded if there is no other method leading to the incorrect answer. Use the **M0**, **M1**, **M2** annotations as appropriate and place the annotation ✕ next to the wrong answer.

8. In questions **with a final answer line**:

- (i) If one answer is provided on the answer line, mark the method that leads to that answer. A correct step, value or statement that is not part of the method that leads to the given answer should be awarded **M0** and/or **B0**.
- (ii) If more than one answer is provided on the answer line and there is a single method provided, award method marks only.
- (iii) If more than one answer is provided on the answer line and there is more than one method provided, award marks for the poorer response unless the candidate has clearly indicated which method is to be marked.


9. In questions with **no final answer line**:

- (i) If a single response is provided, mark as usual.
- (ii) If more than one response is provided, award marks for the poorer response unless the candidate has clearly indicated which response is to be marked.

When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the **MR** annotation. **M** marks are not deducted for misreads. If a candidate corrects the misread in a later part, do not continue to follow through, but award **A** and **B** marks for the correct answer only.

10. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.

11. Ranges of answers given in the mark scheme are always inclusive.
12. For methods not described in the mark scheme, such as visual representations like bar models, ratio tables, give equivalent marks for equivalent work. If in doubt, consult your Team Leader.
13. If in any case the mark scheme operates with considerable unfairness consult your Team Leader.

Question			Answer	Marks	Part Marks and Guidance																										
1	(a)		<table><tr><td>×</td><td>3</td><td>4</td><td>5</td><td>6</td></tr><tr><td>3</td><td>9</td><td>12</td><td>15</td><td>18</td></tr><tr><td>4</td><td>12</td><td>16</td><td>20</td><td>24</td></tr><tr><td>5</td><td>15</td><td>20</td><td>25</td><td>30</td></tr><tr><td>6</td><td>18</td><td>24</td><td>30</td><td>36</td></tr></table>	×	3	4	5	6	3	9	12	15	18	4	12	16	20	24	5	15	20	25	30	6	18	24	30	36	1		
			×	3	4	5	6																								
			3	9	12	15	18																								
			4	12	16	20	24																								
			5	15	20	25	30																								
6	18	24	30	36																											
	(b)		$\frac{3}{16}$ oe	2FT	Strict FT <i>their</i> table for multiples of 8 M1 for 16 and both 24s and any FT multiples of 8 identified with no extras or omissions or for $\frac{\text{their } 3}{n}$ where $n \geq 13$	Do not accept ratio or words Accept 0.187[5], 0.188, 18.7[5]% or 18.8% If scoring fraction seen in body isw attempt to change form or cancel to final answer Note: If (a) is NR (b) $\frac{3}{16}$ scores 2 marks and $\frac{3}{n}$ where $n \geq 13$ scores 1 mark																									
2			Correct translation 	2	B1 for a translation $\begin{pmatrix} 3 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -2 \end{pmatrix}$ or three correct points not joined or three joined points one just out of tolerance	k can be 0 Mark intent (vertices within ± 2 mm of correct position by eye) Ignore “counting” dots, intermediate position dots and dots on perimeter To be considered for the mark one point would need to be less than half way to the next gridline and the others in tolerance																									

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
3	(a)		15	3	M2 for $(1 - \frac{382.5[0]}{450}) [\times 100]$ oe or $\frac{450 - 382.5[0]}{450} [\times 100]$ oe or $\frac{382.5[0] - 450}{450} [\times 100]$ oe or M1 for $\frac{382.5[0]}{450} [\times 100]$ oe	Condone -15 for 3 marks M2 may be implied by ± 0.15 or $\pm \frac{67.5}{450}$ or $\pm \frac{3}{20}$ M1 may be implied by 0.85 or 85 or $\frac{17}{20}$ Non-calculator methods score 3 for correct answer or M2 when equivalent to main scheme e.g. (second M2 method) $100(\%) = 450$ $10(\%) = 45$ $1(\%) = 4.5$ M2 $(450 - 382.5[0]) \div 4.5$
	(b)		Vertical axis doesn't start from 0 oe or Jan price looks [less than] half Dec price oe or the difference between 382[.50] and 450 looks much bigger than it really is oe	1		Ignore - any reference to the horizontal axis - any insufficient reason that does not contradict the correct reason (if two reasons given) BUT, if two reasons offered and one reason clearly incorrect, mark the worst See Appendix

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
4			One rectangle 8 cm by 4 cm	2	B1 for one rectangle 8 by n or m by 4	Accept in any orientation, good freehand, tolerance for length ± 2 mm by eye Additional shapes/lines or a net score 0 Other shapes/lines must be clearly deleted to allow 1 or 2 marks
5			They have ignored the [negative] powers of 10^{-2} or 0.01 or $\frac{1}{100}$	1 1		See Appendix
6	(a)		69.5 $[\leq w <]$ 70.5	2	B1 for each If 0 scored SC1 for • correct but reversed or • 69.50 $[\leq w <]$ 70.50	
	(b)		Accept any correctly matched pair of values in which space < fridge from these ranges 69.5 $\leq$ space < 69.55 e.g. s = 69.5 and and 69.5 < fridge < 69.55 f = 69.54	2	B1 for one value for space or fridge where 69.5 $\leq$ space < 69.55 e.g. s = 69.5 or 69.5 < fridge < 69.55 e.g. f = 69.51	Error interval (e.g. ... $\leq$ space < ...) alone scores 0 Only mark candidate's chosen value(s) Measurements used must be clearly associated with space and/or fridge Space < fridge does not need to be stated For B1 if one or multiple values for fridge/space seen and no clear choice all must be in correct ranges

J560/06

Mark Scheme

June 2025

7		250 with correct working	6 M2 for $\frac{100-16}{9+5} \times 9$ oe or $\frac{100-16}{9+5} \times 5$ oe or M1 for $\frac{100-16}{9+5}$ oe may be implied by 6 AND B1 for 54 and 30 AND M2 for (54 and 30 and 16) $\times \frac{95}{54-16}$ oe or for $\frac{95}{54-16} \times 100$ oe or M1 for $\frac{95}{54-16}$ oe may be implied by 2.5, 135, 75 or 40 If 0 or 1 scored, instead award SC2 for 250 with no or insufficient working If 0 scored, instead award SC1 for 54 or 30 with no or insufficient working	Correct working requires evidence of at least M1 or B1 AND M1 Where there is a choice of method, mark the one that is progressed furthest May be seen with + signs, as a ratio, or as three separate products <u>Alternative second stage by trials</u> (in addition to any marks received for the first stage) M2 for 135 : 75 : 40 or M1 for 108 : 60 : 32 and 162 : 90 : 48 <u>Algebra in terms of juniors j</u> M1 for $a = \frac{5}{9}j$ oe M1 for $s = j - 95$ oe AND M1 for $j - 95 = \frac{16}{100}(j - 95 + j + \frac{5}{9}j)$ oe or better A1 for $j = 135$ M1 for $s = 135 - 95$ implied by 40 and $a = \frac{5}{9} \times 135$ implied by 75
---	--	--------------------------	--	---

J560/06

Mark Scheme


June 2025

				<u>Starting from ratio $j : a$ is $9x : 5x$</u> M2 for $9x - 95 = 0.16(9x + 5x + 9x - 95)$ oe or better A1 for $x = 15$ or M1 for $s = 9x - 95$ or $s = 0.16(9x + 5x + 9x - 95)$ oe or better AND M2 for $23 \times 15 - 95$ oe or M1 for $a = 5 \times 15$ implied by 75 or $j = 9 \times 15$ implied by 135 or $s = 9 \times 15 - 95$ implied by 40 If 0 or 1 scored, instead award SC2 for 250 with no or insufficient working If 0 scored, instead award SC1 for 15 with no or insufficient working <u>Algebra in terms of total t</u> M1 for $s = 0.16t$ M1 for $j = 0.16t + 95$ M1 for $a = \frac{5}{9}(0.16t + 95)$ AND M2 for $t = 0.16t + 0.16t + 95 + \frac{5}{9}(0.16t + 95)$ oe or better	<u>Algebra in terms of adults a</u> M1 for $j = \frac{9}{5}a$ oe M1 for $s = \frac{9}{5}a - 95$ oe AND M1 for $\frac{9}{5}a - 95 = \frac{16}{100}(a + \frac{9}{5}a + \frac{9}{5}a - 95)$ oe or better A1 for $a = 75$ M1 for $j = \frac{9}{5} \times 75$ implied by 135 and $s = \frac{9}{5} \times 75 - 95$ implied by 40 <u>Algebra in terms of seniors s</u> M1 for $j = s + 95$ oe M1 for $a = \frac{5}{9}(s + 95)$ oe AND M1 for $s = \frac{16}{100}(s + s + 95 + \frac{5}{9}(s + 95))$ oe or better A1 for $s = 40$ M1 for $j = 40 + 95$ implied by 135 and $a = \frac{5}{9}(40 + 95)$ implied by 75
--	--	--	--	---	--

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
8			Ruled line through P and perpendicular to AB constructed with correct arcs (one pair intersecting AB)	2	B1 for correct arcs (one pair intersecting AB) only or for correct ruled line but no, or incomplete, construction arcs 	Condone dotted lines Set protractor to 90° and check 88° to 92° at AB Correct construction arcs as shown (may be two pairs of arcs used to draw line through P) Ignore other arcs if correct arcs clearly used to construct line Condone perpendicular extending beyond AB but must pass through P and reach AB (no daylight) Alternative (eg constructing a kite) Arc centred on A length AP and arc centred on B length BP meeting below AB (may also pass through P). Candidates may use points on AB other than A and B for this construction. In such cases check radii of arcs using on-line ruler to judge See appendix for exemplars
9	(a)		7	3	M2 for $8x - 6x = 3 + 11$ oe OR M1 for $2x - 11 = 3$ or for $2x = k$ or for $8x = 14 + 6x$ or for $kx = 14$ M1 for $x = \frac{b}{a}$ FT <i>their</i> $ax = b$ seen	Embedded 7 scores M2 e.g. $8 \times 7 - 11 = 6 \times 7 + 3$ [= 45] identified as final working or written on answer line eg $2x = -8$ and answer line -4 with no other working scores M1 and M1FT

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
	(b)		$(x + 16)(x - 1)$ -16 and 1	M2 B1FT	M1 for $(x + a)(x + b)$ where $ab = -16$ or $a + b = 15$ or $x(x + 16) - [1](x + 16)$ or $x(x - 1) + 16(x - 1)$ For correct solutions from their quadratic factors If 0 scored, instead award SC1 for answers ± 16 and ± 1	Condone final bracket missing Accept $x + 16 = 0$ and $x - 1 = 0$ for M2 Allow correctly completed grid for M1 $(x - 16)(x + 1)$ with answers -16 and 1 scores M1B0

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
10			$\sqrt{6\pi}$ or 4.34... with correct working	5	B2 for 36π or 113 to 113.143 or M1 for $4\pi 3^2$ oe AND M2 for $\sqrt{\frac{\text{their } 4\pi 3^2}{6}}$ or M1 for $6x^2$ may be implied by div by 6 <u>and</u> square root If 0, 1 or 2 scored, instead award SC3 for $\sqrt{6\pi}$ or 4.34... with no or insufficient working <u>Alternative method:</u> M4 for $\sqrt{\frac{4\pi 3^2}{6}}$ or better or M3 for $\sqrt{\frac{4\pi r^2}{6}}$ or better or M2 for $\frac{4\pi r^2}{6}$ or better or M1 for $6x^2$	Correct working requires evidence of at least M1 or B2 AND M1 or alternative method M2 <i>Their</i> value must come from correct substitution into sphere formula $\sqrt{\frac{\text{a positive value}}{6}}$ implies M1 $\sqrt[3]{\frac{\text{a positive value}}{6}}$ implies M0 After B2 scored, correct final answer from trials scores full marks Note: $x^3 = 36\pi$ gives answer $x = 4.84$ (similar to correct answer 4.34)

J560/06

Mark Scheme


June 2025

Question			Answer	Marks	Part Marks and Guidance	
11			1250 nfw	4	M3 for $\frac{1352}{1.04^2}$ oe or M2 for $\frac{1352}{1.04}$ may be implied by 1300 or B1 for 1.04 oe may be implied by 1.0816 or for 104[%] associated with 1352 or for $1352 = P(1 + \frac{4}{100})^2$	May be performed in stages Continuing to find the interest (1352 – 1250 = 102) scores M3 eg $\frac{104}{100}$ but not just $1 + \frac{4}{100}$ For B1 allow fraction but not just 104% Note: $1352 \div 1.08 = 1251.85\dots$ corrected to 3 sf = 1250, scores 0
12			39	4	B2 for $[a =] 1.5$ oe or M1 for $11 = 2 + 6a$ or better M1 for $2 \times 6 + \frac{1}{2} \times \text{their } a \times 6^2$ or better	<i>their a</i> must come from use of $v = u + at$
13			20	3	M2 for $\frac{8 \times 17.5}{5}$ oe may be implied by 28 or M1 for $\frac{17.5}{5}$ oe or $\frac{8}{5}$ oe or for AC : 8 = 17.5 : 5	May be in stages Equivalents include 3.5, 1.6 etc
14			$2^6 \times 5^6 \times 7^5$	3	B1 for 7^5 in answer B1 for $[7^5 \times] 2^k \times 5^k$ in answer, where k is a positive integer	Accept written in full without indices B1B1 for $7^5 \times (2 \times 5)^6$

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
15	(a)		$\frac{3}{5}$ and $\frac{2}{5}$ oe correct on top branch	1		
			$\frac{4}{5}$ and $\frac{1}{5}$ oe correct on second branch	1		
	(b)		$\frac{7}{15}$ oe or 0.466 to 0.467	3	M2FT for $\left(\frac{4}{6} \times \frac{3}{5}\right) + \left(\frac{2}{6} \times \frac{1}{5}\right)$ oe or better or M1FT for $\left(\frac{4}{6} \times \frac{3}{5}\right)$ oe or $\left(\frac{2}{6} \times \frac{1}{5}\right)$ oe may be implied by $\frac{12}{30}$ oe or by $\frac{2}{30}$ oe	FT their probabilities from (a) Working may be seen next to diagram If answers to products seen, then + may be implied by final answer
16	(a)		Correct shape and orientation, reasonable symmetry in y-axis, intent to pass through origin 	2	M1 attempt at correct curve shape and orientation not necessarily through the origin	See Appendix Should be a single smooth curve that appears symmetrical by eye For M1 condone translation in any direction, minor feathering and curvature errors Plots should be curved and not straight-line segments

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
	(b)		$[y =] [k] \tan x$ where $k > 0$	1		Condone $[y =][k] \tan x^\circ$, $\tan \theta$ etc Do not accept $[y =][k] \tan$, $\tan y$, $\tan \frac{o}{a}$, $\tan(\text{a number})$ etc Ignore attempts at domain
17	(a)		75	1		
	(b)		11K and medians 15 and 15.5	2	B1 for 11K with decision clearly supported by an attempted use of medians or for both medians correct	See Appendix For 2 marks, accept “average” and condone “mean” for median For 1 mark, use of “average/mean” must also have one correct median value Credit median values written on diagram only if referenced in their reason For 2 marks and B1 , ignore mention of min/max/quartiles/IQR/range with correct or no values, as long as not an incorrect interpretation. If the interpretation is incorrect, or incorrect values are given, award 0 marks.

J560/06

Mark Scheme


June 2025

Question			Answer	Marks	Part Marks and Guidance	
18			2520	4	M3 for $(10 \times 9 \times 8 \times 7) \div 2$ oe or M2 for $10 \times 9 \times 8 \times 7$ oe may be implied by 5040 or M1 for $\frac{a}{10} \times \frac{b}{9} \times \frac{c}{8} \times \frac{d}{7}$ may be implied by $\frac{k}{5040}$ or $\frac{10}{a} \times \frac{9}{b} \times \frac{8}{c} \times \frac{7}{d}$ may be implied by $\frac{5040}{k}$ where a, b, c, d and $k \neq 1$ If 0 scored, instead award SC1 for $(10 \times 10 \times 10 \times 10) \div 2$ oe or for $9 \times 8 \times 7 \times 6 [\div 2]$ oe or for $9 \times 9 \times 8 \times 7 [\div 2]$ oe or for $10 \times 9 \times 8 \times 5$ or for $10 \times 9 \times 8 \times 4$	e.g. $5040 \div 2$ or $5 \times 9 \times 8 \times 7$ For M2 they must be working in whole numbers not fractions apart from probabilities as below 5040 in body via whole numbers subsequently spoilt: M2 for $5040/n$, otherwise M1 Condone answers and working in probabilities to a max of M3: e.g. M3 for answer $\frac{1}{2520}$ e.g. M2 for $\frac{1}{10} \times \frac{1}{9} \times \frac{1}{8} \times \frac{1}{7}$ or $\frac{1}{5040}$ e.g. SC1 for $\frac{1}{9} \times \frac{1}{8} \times \frac{1}{7} \times \frac{1}{6} [\times 2]$

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
19				3	B2 for shape of correct size and orientation in wrong position or B1 for wrong size, correct orientation or for at least 3 correct vertices	See overlay; mark intent (± 2 mm by eye), condone good freehand
20	(a)		$18 \times (7.5 - 0.5)$ or 18×7	1		$126/18 = 7$ only scores if 7 is related to the context $126/7 = 18$ only scores if 18 is related to the context
	(b)		16.87[5] or 16.88 or 16.9 oe	4	M3 for $\frac{126+2 \times \frac{1}{2} \times 0.5 \times 18}{8}$ oe or M2 for $126 + 2 \times \frac{1}{2} \times 0.5 \times 18$ oe may be implied by 135 or M1 for $[2 \times] \frac{1}{2} \times 0.5 \times 18$ oe may be implied by 4.5 for one triangle or 9 for two triangles If 0 scored, SC1 for $\frac{126 + 2 \times 9}{8}$ or $\frac{126 + 18}{8}$	e.g. $\frac{\frac{1}{2} \times (7 + 8) \times 18}{8}$ e.g. $\frac{1}{2} \times (7 + 8) \times 18$ or $18 \times 8 - 2 \times \frac{1}{2} \times 0.5 \times 18$

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
21			$(-\sqrt{7}, 3\sqrt{7})$ and $(\sqrt{7}, -3\sqrt{7})$ exact form only with correct working	5	M3 for $x^2 = 7$ or M2 for $x^2 + 9x^2 = 70$ or $10x^2 = 70$ or $10x^2 - 70 = 0$ or M1 for $x^2 + (-3x)^2 = 70$ A1 for $x = -\sqrt{7}$ and $\sqrt{7}$ or for one correct point If 0 or 1 scored, instead award SC2 for $(-\sqrt{7}, 3\sqrt{7})$ and $(\sqrt{7}, -3\sqrt{7})$ with no or insufficient working If 0 scored, instead award SC1 for both x values or for one correct point with no or insufficient working	Correct working requires evidence of at least M2 For y values accept $\pm\sqrt{63}$ and for x values accept $\frac{\pm\sqrt{63}}{3}$ If $x = -\sqrt{7}$ and $\sqrt{7}$ seen after M2, award M3A1 Condone omission of brackets if recovered For A1 and SC1, condone -2.65 to -2.64, 2.64 to 2.65, -7.94 to -7.93, 7.93 to 7.94 Apply similar scheme for working in terms of y.

J560/06

Mark Scheme

June 2025

22		19.3[4...] to 19.3[7...] or 19.4 with correct working	6	M2 for $[\frac{1}{2} \times] \sqrt{10.7^2 + 10.7^2}$ or for $\sqrt{5.35^2 + 5.35^2}$ or for $[\frac{1}{2} \times] \frac{10.7}{\cos 45}$ or $[\frac{1}{2} \times] \frac{10.7}{\sin 45}$ or for $\frac{5.35}{\cos 45}$ or $\frac{5.35}{\sin 45}$ or M1 for $10.7^2 + 10.7^2$ or $5.35^2 + 5.35^2$ or for $\cos 45 = \frac{10.7}{AC}$ oe or $\sin 45 = \frac{10.7}{AC}$ oe or for $\cos 45 = \frac{5.35}{AO}$ oe or $\sin 45 = \frac{5.35}{AO}$ oe A1 for 7.56 to 7.57 or 7.6 AND M2 for $\frac{\text{their } 7.566...}{\cos 67}$ or $\frac{\text{their } 7.566...}{\sin 23}$ or $\frac{AE}{\sin 90} = \frac{\text{their } 7.566...}{\sin 23}$ or M1 for $\cos 67 = \frac{\text{their } 7.566...}{AE}$ oe or $\sin 23 = \frac{\text{their } 7.566...}{AE}$ oe or $\frac{\sin 90}{AE} = \frac{\sin 23}{\text{their } 7.566}$ oe If 0, 1 or 2 scored, instead award SC3 for answer 19.3 to 19.4 with no or insufficient working If 0 or M1 scored, instead award SC2 for 7.56 to 7.57 or 7.6 with no or insufficient working If 0 scored instead award SC1 for 15.1[3...] or 57.2... with no or insufficient working	Correct working requires evidence of at least M1 AND M1 Accept intermediate values rot to at least 3sf. If M1A1 seen then award M2A1 <table><tr><th>AO</th><th>AE</th></tr><tr><td>7.5</td><td>19.19478</td></tr><tr><td>7.56</td><td>19.34834</td></tr><tr><td>7.566</td><td>19.3637</td></tr><tr><td>7.566043</td><td>19.36381</td></tr><tr><td>7.57</td><td>19.37394</td></tr><tr><td>7.6</td><td>19.45072</td></tr></table> <i>their</i> 7.566...must follow from the award of the first M2 Mark less efficient methods by considering how many steps remain to reach the correct answer and match against the most comparable stage: eg Assuming AO has been found, then using trig to find EO is unnecessary and inefficient, so no further marks are awarded for just finding EO and stopping. However, if EO is then used in a correct Pythagoras expression with AO or a correct trig expression with 67° that lead directly or indirectly to finding AE, then M2 or M1 may be awarded.	AO	AE	7.5	19.19478	7.56	19.34834	7.566	19.3637	7.566043	19.36381	7.57	19.37394	7.6	19.45072
AO	AE																		
7.5	19.19478																		
7.56	19.34834																		
7.566	19.3637																		
7.566043	19.36381																		
7.57	19.37394																		
7.6	19.45072																		

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
23			$[a =] 98$ $[b =] 0.949[9\dots] \text{ or } 0.95[0]$	3	B1 for $[a =] 98$ AND B2 for $[b =] 0.949[9\dots] \text{ or } 0.95[0]$ or M1 for $84 = 98b^3$ or better or $84 = ab^3$	SC2 if correct answers transposed unless correctly identified in body

J560/06

Mark Scheme

June 2025

Question			Answer	Marks	Part Marks and Guidance	
24	(a)		$1^4 + 3(1)^2 - 2(1) - 5 = -3$ $2^4 + 3(2)^2 - 2(2) - 5 = 19$ Sign change so solution between $x = 1$ and $x = 2$	3	M2 for $1^4 + 3(1)^2 - 2(1) - 5 = -3$ and $2^4 + 3(2)^2 - 2(2) - 5 = 19$ or M1 for $1^4 + 3(1)^2 - 2(1) - 5$ or $2^4 + 3(2)^2 - 2(2) - 5$ soi by -3 or 19 <u>Alternative Method 1</u> After $x^4 + 3x^2 - 2x = 5$ seen M2 for $1^4 + 3(1)^2 - 2(1) = 2$ and $2^4 + 3(2)^2 - 2(2) = 24$ A1 for $24 > 5$ and $2 < 5$ so solution between $x = 1$ and $x = 2$ OR M1 for $1^4 + 3(1)^2 - 2(1)$ or $2^4 + 3(2)^2 - 2(2)$ soi by 2 or 24 <u>Alternative Method 2</u> SC3 for using an iterative equation that converges to a value in the range 1.25 to 1.35 and concluding statement that $1 < 1.25$ to $1.35 < 2$ oe or SC2 for using an iterative equation that converges to a value in the range 1.25 to 1.35	Accept a minimum of $1 + 3 - 2 - 5 = -3$ and $16 + 12 - 4 - 5 = 19$ Accept other values of x used between 1 and 2 (see table in part (b)). For full marks, we need to see correct substitutions and evaluations that produce a sign change and a correct statement. For M2, we can see correct substitutions and evaluations, or two correct answers producing a sign change with a correct statement. Examples just sufficient for third mark include: • Sign change • $-3 < 0 < 19$ • $x = 1$ gives an answer < 0 and $x = 2$ gives an answer > 0 Examples insufficient for third mark: • so x lies between 1 and 2 If within part (a) a candidate refers to their iterative equation work in part (b) then award marks for Alternative Method 2.

J560/06

Mark Scheme


June 2025

Question			Answer	Marks	Part Marks and Guidance																																										
	(b)		Two correct evaluations for $1.25 \leq x \leq 1.35$, one of which gives a positive answer and the other giving a negative answer	M3	M2 for two correct evaluations for $1 < x < 2$, one which gives a positive answer and the other giving a negative answer or M1 for one correct evaluation for $1 < x < 2$	Likely values: accept rot to 1+sf																																									
			1.3	A1		OR If 0 scored instead award SC1 for 1.3 with no worthwhile working <u>Alternative Method by Iteration</u> M1 rearranges to a correct iterative formula (converging or diverging, condone missing subscripts) M1 attempts first iteration (either a substitution seen or evaluated to at least 2dp rot) M1 continues further iteration(s) to reach x in the interval $1.25 \leq x < 1.35$ A1 for 1.3	<table><tr><td>x</td><td>$x^4 + 3x^2 - 2x - 5$</td></tr><tr><td>1.1</td><td>-2.1059</td></tr><tr><td>1.2</td><td>-1.0064</td></tr><tr><td>1.25</td><td>-0.3710...</td></tr><tr><td>1.26</td><td>-0.2367...</td></tr><tr><td>1.27</td><td>-0.0998...</td></tr><tr><td>1.275</td><td>-0.0304...</td></tr><tr><td>1.28</td><td>0.0395...</td></tr><tr><td>1.285</td><td>0.1102...</td></tr><tr><td>1.3</td><td>0.3261</td></tr><tr><td>1.31</td><td>0.4732...</td></tr><tr><td>1.32</td><td>0.6231...</td></tr><tr><td>1.33</td><td>0.7757...</td></tr><tr><td>1.34</td><td>0.9309...</td></tr><tr><td>1.35</td><td>1.0890...</td></tr><tr><td>1.4</td><td>1.9216</td></tr><tr><td>1.5</td><td>3.8125</td></tr><tr><td>1.6</td><td>6.0336</td></tr><tr><td>1.7</td><td>8.6221</td></tr><tr><td>1.75</td><td>10.0664...</td></tr><tr><td>1.8</td><td>11.6176</td></tr><tr><td>1.9</td><td>15.0621</td></tr></table>	x	$x^4 + 3x^2 - 2x - 5$	1.1	-2.1059	1.2	-1.0064	1.25	-0.3710...	1.26	-0.2367...	1.27	-0.0998...	1.275	-0.0304...	1.28	0.0395...	1.285	0.1102...	1.3	0.3261	1.31	0.4732...	1.32	0.6231...	1.33	0.7757...	1.34	0.9309...	1.35	1.0890...	1.4	1.9216	1.5	3.8125	1.6	6.0336	1.7	8.6221	1.75	10.0664...
x	$x^4 + 3x^2 - 2x - 5$																																														
1.1	-2.1059																																														
1.2	-1.0064																																														
1.25	-0.3710...																																														
1.26	-0.2367...																																														
1.27	-0.0998...																																														
1.275	-0.0304...																																														
1.28	0.0395...																																														
1.285	0.1102...																																														
1.3	0.3261																																														
1.31	0.4732...																																														
1.32	0.6231...																																														
1.33	0.7757...																																														
1.34	0.9309...																																														
1.35	1.0890...																																														
1.4	1.9216																																														
1.5	3.8125																																														
1.6	6.0336																																														
1.7	8.6221																																														
1.75	10.0664...																																														
1.8	11.6176																																														
1.9	15.0621																																														
						If a candidate refers to relevant working in part (a) then award up to full marks for part (b).																																									

J560/06

Mark Scheme

June 2025

25		Proportion of black given round found as 0.6 oe and Proportion of black given square found as 0.64 oe 0.6 < 0.64 oe with both in comparable form	B5 B1dep	B4 Proportion of black given round found as 0.6 oe or Proportion of black given square found as 0.64 oe or B3 Number or proportion of square black tiles found or M1 Round to square ratio of 3 : 1 used productively M1 Number or proportion of round black and square white found (or, in the percentage method only 25 – 9 oe) Eg working in decimals or probability <table><tr><th>%</th><th>Black</th><th>White</th><th>Total</th></tr><tr><td>Round</td><td>0.45</td><td></td><td>0.75</td></tr><tr><td>Square</td><td>0.16</td><td>0.09</td><td>0.25</td></tr><tr><td>Total</td><td></td><td></td><td>1</td></tr></table> B5 for 0.45/0.75 oe and 0.16/0.25 oe or B4 for 0.45/0.75 oe or 0.16/0.25 oe or B3 for 0.16 square black or M1 for 0.75 and 0.25 M1 0.45 and 0.09	%	Black	White	Total	Round	0.45		0.75	Square	0.16	0.09	0.25	Total			1	All values may be seen in working or in diagrams/tables Eg assuming number of tiles <table><tr><th>Freq.</th><th>Black</th><th>White</th><th>Total</th></tr><tr><td>Round</td><td>90</td><td></td><td>150</td></tr><tr><td>Square</td><td>32</td><td>18</td><td>50</td></tr><tr><td>Total</td><td></td><td></td><td>200</td></tr></table>  B5 for 90/150 oe and 32/50 oe or B4 for 90/150 oe or 32/50 oe or B3 for 32 square black or M1 for 150 and 50 M1 for 90 and 18 Eg working in percentages <table><tr><th>%</th><th>Black</th><th>White</th><th>Total</th></tr><tr><td>Round</td><td>45</td><td></td><td>75</td></tr><tr><td>Square</td><td>16</td><td>9</td><td>25</td></tr><tr><td>Total</td><td></td><td></td><td>100</td></tr></table> B5 for 45/75 oe and 16/25 oe or B4 for 45/75 oe or 16/25 oe or B3 for 16 square black or M1 for 75 and 25 M1 for 25 – 9	Freq.	Black	White	Total	Round	90		150	Square	32	18	50	Total			200	%	Black	White	Total	Round	45		75	Square	16	9	25	Total			100
%	Black	White	Total																																																		
Round	0.45		0.75																																																		
Square	0.16	0.09	0.25																																																		
Total			1																																																		
Freq.	Black	White	Total																																																		
Round	90		150																																																		
Square	32	18	50																																																		
Total			200																																																		
%	Black	White	Total																																																		
Round	45		75																																																		
Square	16	9	25																																																		
Total			100																																																		

APPENDIX


Question 3b

Assumption	Mark	Reason
The y-axis does not start at zero	1	Condone use of y-axis
The price axis does not start at zero	1	
The months are in the wrong order and the y-axis doesn't start from 0	1	Ignore reference to horizontal. Second is correct
Because it shows the drop in price is very bad but in reality, it's not that much	1	BOD third reason
The graph does not start at zero	0	Ambiguous, implies the line starting at bottom left corner
It does not start at zero	0	"It" is not enough to identify vertical axis
There are no numbers between 382.5 and 450	0	Does not say "Not starting at zero"
The y-axis isn't going up in equal amounts	0	Does not say "Not starting at zero"
The y-axis is not set out properly	0	Does not say "Not starting at zero"
It doesn't start at the bottom of the graph/y-axis	0	Does not say "Not starting at zero"
y-axis scale uneven, not equal, not going up by the same value	0	They are assuming a start from zero (but don't say it) and you can't tell from two values
The gap on the y-axis is too large	0	For what?
No numbers for the interval between the two prices	0	Does not say "Not starting at zero"
There aren't enough values on the y-axis	0	Does not say "Not starting at zero"
Does not have regular intervals	0	Does not say "Not starting at zero"
No clear scale for the y-axis	0	Does not say "Not starting at zero"
The scale is not complete	0	Does not say "Not starting at zero"
Because the price of the laptop axis starts from £382.50	0	Does not say "Not starting at zero"
It does not have all of the months from the start of the year	0	Ignore reference to horizontal
It should be January to December	0	Ignore reference to horizontal

Question 5

Response		Mark
	They have ignored the negative powers	1
	That he ignored the small numbers next to the number	1 implies ignore indices
	They have ignored the negative powers, it is actually the largest number as it is a fraction	1bod, not contradicted
	They have only compared the whole numbers	1bod
	They thought the smallest base number would give the smallest answer	1bod
	They have treated the powers as positive / They have done $2^1, 4^3, 10^2$	0 not a comment on the student's reasoning
	The larger the number, the lower the reciprocal	0 true but not a comment on the student's reasoning
	The power -1 is bigger than the power -2	0 not always true
	10^{-2} is the smallest as it is closer to 0	0
	They haven't simplified the indices / They haven't calculated them	0
	You need to pick the one with the highest negative power	0
	Assumed all the powers were the same	0 not if powers are negative
	They didn't take the other numbers into account	0
	They have ignored the negative powers, the number with the largest negative power will be smallest	0 Second part is incorrect
	The student didn't calculate the actual value of each number (the three answers given as decimals)	0

Question 8


	Response	Mark
A		Scores 2 This is a correct alternative method for arcs centred on A and B Use overlay to see arcs lie within circles (We can also check using on-line ruler) Candidates may use points on AB other than A and B for this construction. In such cases check radii of arcs using on-line ruler to judge.

J560/06

Mark Scheme


June 2025

B

**Scores 2**

This is the main method not the alternative. Arc from P intersects AB at B and another point. Red arc from B intersects the arc from that other point.

C

**Scores 2**


There is an arc from B through P.
Another arc passes through P but its centre on AB is not identified - perhaps a small compass hole on the hard copy?
This arc should have symmetry in line AB.
This may need to be confirmed using the ruler tool.

J560/06

Mark Scheme

June 2025

D

**0 marks**

Only one correct (pair of) arcs (One arc centred on P and cutting AB twice) and inaccurate line.









J560/06

Mark Scheme

June 2025

- Question 16a** **2 marks:** Correct shape and orientation, reasonable symmetry in y-axis, intent to pass through origin
1 mark: Attempt at correct curve shape and orientation not necessarily through the origin; condone translation in any direction, minor feathering and curvature errors

Plots should be curved and not straight-line segments

2 marks sym in y-axis, origin 	2 marks sym in y-axis, origin, min feathering 	2 marks reasonable sym in y-axis, origin, min curvature 	2 marks sym y-axis, origin, borderline feathering and min curvature 
1 mark shape, not origin 	1 mark Shape, not origin, minor curvature error 	1 mark (best fit), shape, poor symmetry, origin, curvature issues 	0 marks 

J560/06

Mark Scheme

June 2025

Question 17b

Response		Mark
	11K the midpoint of the time they finished the race is 15 secs whereas for the other it is 15.5 seconds	2 condone midpoint for median
	11K 50% of the class were faster than 15 seconds whereas in 11G 50% were faster than 15.5 seconds	2 implies use of median
	11K the median is lower AND only 15 and 15.5 written on diagram	2
	11K because their median was 0.5 less than 11G	1 median values need to be seen for 2
	11K because the median time of 15 was quicker	1 one correct median
	11K medians are 14.9 and 15.5	1 one correct median
	11K averages are 14.9 and 15.5	1 one correct median value so intent that "average" is median
	11K the median is lower	1 intent to use median
	11K the median is lower (with lots of values written on diagram)	1 intent to use median, choice of values
	11G the median is higher AND 15 and 15.5 written on diagram	1 wrong conclusion, intent to use median and correct values
	11G averages are 15 and 15.5	1 wrong conclusion, condone "average" for median, both correct values
	11K has a bigger IQR and a lower median	1bod IQR not relevant but true
	11K (15 and 15.5 stated but not called median/average/mean)	1 both medians correct
	11K (no reason, 15 and 15.5 written on diagram)	0 need a statement
	11K averages are 1.9 and 1.5	0 not median values
	11K has a lower average	0 "average" requires one correct median value

J560/06**Mark Scheme****June 2025**

	11K	0 not supported by attempt to use medians
	11G medians are 14.9 and 15.5	0 wrong conclusion and an incorrect median

Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

Call us on

01223 553998

Alternatively, you can email us on

support@ocr.org.uk

For more information visit



ocr.org.uk/qualifications/resource-finder



ocr.org.uk



Twitter/ocrextams



/ocrextams



/company/ocr



/ocrextams



CAMBRIDGE
UNIVERSITY PRESS & ASSESSMENT

OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2025 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please [contact us](#).

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our [Expression of Interest form](#).

Please [get in touch](#) if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.