Surname	Centre Number	Candidate Number
First name(s)		0



GCSE

3310U50-1



THURSDAY, 9 MAY 2024 - MORNING

MATHEMATICS – NUMERACY UNIT 1: NON-CALCULATOR HIGHER TIER

1 hour 45 minutes

ADDITIONAL MATERIALS

The use of a calculator is not permitted in this examination. A ruler, a protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all the questions in the spaces provided.

If you run out of space, use the additional page at the back of the booklet. Question numbers must be given for the work written on the additional page.

Take π as 3·14.

INFORM	ATION F	OR CAN	IDIDATES
--------	---------	--------	----------

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.


In question 1, the assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing.




For Examiner's use only				
Question	Maximum Mark	Mark Awarded		
1.	6			
2.	6			
3.	9			
4.	9			
5.	11			
6.	9			
7.	10			
8.	5			
9.	11			
10.	4			
Total	80			

Formula List - Higher Tier


Area of trapezium = $\frac{1}{2}(a+b)h$



Volume of prism = area of cross-section × length




Volume of sphere = $\frac{4}{3}\pi r^3$ Surface area of sphere = $4\pi r^2$



Volume of cone = $\frac{1}{3}\pi r^2 h$

Curved surface area of cone = πrl




In any triangle ABC

Sine rule
$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2}ab \sin C$



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$ where $a \ne 0$ are given by $x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$


$$x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$$

Annual Equivalent Rate (AER)

AER, as a decimal, is calculated using the formula $\left(1+\frac{i}{n}\right)^n-1$, where i is the nominal interest rate per annum as a decimal and n is the number of compounding periods per annum.



7200 spectators at a sports event were asked their nationality. The results are displayed in the pie chart below.




For the Welsh spectators, the ratio of the number of adults to the number of children was 6 : 5. How many adult Welsh spectators were at the event?

You must show all your working.	[4 + 2 OCW]



2. Some houses in a village have new driveways laid by DriveDown. The scatter diagram shows the area and cost of each driveway.

Area of driveway (m²)



(a) The measurements of Gwenda's driveway are shown below.




Diagram not drawn to scale



© WJEC CBAC Ltd.

(3310U50-1)

_	
0	
5	
=	
$\stackrel{\leftarrow}{\sim}$	
33	5

	by DriveDown. You must show all your working.
(b)	Tanya's driveway covers an area of 23 m ² . She decides to have her driveway repaired instead of having a new driveway.
	Tanya thinks the repair will cost her 40% of the estimated cost of having a new drive
	laid by DriveDown. She has budgeted £575 for the repair of her driveway.
	Will Tanya's budget cover the cost of repairing her driveway?
	Yes No
	163
	You must show all your working and give a reason for your answer.




[2]

PMT

3. (a) Josif produces a scale drawing to show where he wants a tree planted in his garden.

Scale: 1 cm represents 0.5 m



He writes out instructions to show where the tree is to be planted.

Which **two** of the following instructions describe where the tree is to be planted?

- A. The tree must be 2m from the hedge.
- B. The tree must be 1 m from the hedge.
- C. The tree must be 6 m from the hedge.
- D. The tree must be 3 m from the hedge.
- E. The tree must be 1 m from the wall.
- F. The tree must be equidistant from the hedge and the fence.
- G. The tree must be equidistant from the hedge and the wall.
- H. The tree must be equidistant from the wall and the house.
- I. The tree must be equidistant from the hedge and the house.
- J. The tree must be equidistant from the wall and the fence.



© WJEC CBAC Ltd.

-	
ŏ	
S	
5	
÷	
	07
•	_

(ii) The garden centre buys 10 of these trees to sell. One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees. You must state whether your answer is a profit or a loss.	(ii) The garden centre buys 10 of these trees to sell. One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees.	(ii) The garden centre buys 10 of these trees to sell. One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees. You must state whether your answer is a profit or a loss. You must show all your working.	(ii) The garden centre buys 10 of these trees to sell. One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees. You must state whether your answer is a profit or a loss.		arden centre buys trees from a grower for £30 each. garden centre sells the trees for £42 each.
One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees. You must state whether your answer is a profit or a loss.	One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees. You must state whether your answer is a profit or a loss.	One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees. You must state whether your answer is a profit or a loss. You must show all your working.	One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees. You must state whether your answer is a profit or a loss. You must show all your working. (iii) Of the 10 trees bought by the garden centre, what is the minimum number the need to be sold to ensure that the garden centre makes a profit?	(i)	
Tou must show all your working.			need to be sold to ensure that the garden centre makes a profit?	(ii)	One of the trees gets damaged and cannot be sold. The other 9 trees are sold. Calculate the overall percentage profit or loss the garden centre makes from selling these trees. You must state whether your answer is a profit or a loss.



Turn over. (3310U50-1) © WJEC CBAC Ltd.

Time (s)

4. (a) On 1st June last year, 200 customers used cash to pay at Shop Lil. The cumulative frequency diagram represents the time each of these 200 customers waited to be given change at the checkout.

Cumulative frequency

200

150

100

30

40

50


How many of these customers waited between 30 and 50 seconds for their change? [2] Use the graph to estimate the median time these 200 customers waited for their (ii) change. Circle your answer. [1] 24 seconds 32 seconds 38 seconds 80 seconds 100 seconds (iii) Calculate the fraction of these 200 customers who waited 40 seconds or longer for their change. [2] Give your answer in its simplest form.



10

20

On 1st June this year, the manager at Shop Lil drew a box-and-whisker plot of the times 200 customers waited for their change at the checkout. (b)



Based on the results of these 200 customers, the manager made the following statements. Complete the statements.

(i)	"On 1st June this year, 50% of our customers were given their change in	
	seconds or less."	[1]
(ii)	"On 1st June this year, the interquartile range of the times taken to give customers their change was seconds."	[2]
		L
last y	sider the 50 customers waiting the longest times to get their change on 1st June year and this year. the speed of giving change at the checkout improved since last year? Yes	·····
You	must give a reason for your answer.	[1]



(c)

5. (a) The area of Wales is $20735 \,\mathrm{km}^2$.

The table below gives the population of Wales in 1977, 1998 and 2015.



Year	1977	1998	2015
Population	2·8 million	2-9 million	3·1 million

` '	our answer.	n the population	or wates between	en 1977 and 1998?	[1]
1 × 10 ³	1 × 10 ⁴	1 × 10 ⁵	1 × 10 ⁶	1 × 10 ⁷	

(ii)	Estimate the population density of Wales in 2015.	[3]
•••••		
		· · · · · · · ·
•••••		


	Population density of Wales in 2015 was people/km ²	
(b)	Cardiff is the largest city in Wales. In 2018, the population of Cardiff was approximately 360 000. The population of Cardiff increased by 20% from 1991 to 2018. Calculate the population of Cardiff in 1991.	[3]
• • • • • • • • • • •		




© WJEC CBAC Ltd.

(3310U50-1)

PMT





Diagrams not drawn to scale

Calculate the missing length and height in	the diagrams. [4]
Length iscm	Height iscm



(c)

331

- 6. Most aircraft are held together with metal rivets.
 - (a) The rivet used on one type of aircraft is shown below. It can be thought of as a cylinder connected to a hemisphere.




Diagram not drawn to scale

The cylinder has a diameter of $6\,\mathrm{mm}$ and a length of $9\,\mathrm{mm}$. The hemisphere has a diameter of $12\,\mathrm{mm}$.

(i)	Calculate the volume of the rivet. Give your answer in terms of π in its simplest form. $ [$	4]
•••••		••••
•••••		••••
•••••		••••
•••••		••••
•••••		• • • •



© WJEC CBAC Ltd.

(3310U50-1)

	<i>(</i> ***)	The many features where to reduce the length of the cultivative hands of the minute	rom
	(ii)	The manufacturer plans to reduce the length of the cylindrical part of the rivet f	
		9 mm to 8 mm. Calculate the fractional reduction in the volume of a rivet this would produce.	[2]
		· ·	

	***********		••••••
		Fractional reduction in the volume of a rivet =	
)	For a	another type of rivet, the manufacturer plans to reduce the volume by 0·161 of its nal volume.	;
	Write	9.0-161 as a fraction	
		e 0·161 as a fraction. your answer in its simplest form.	[3]
		e 0·161 as a fraction. your answer in its simplest form.	[3]
			[3]
			[3]
			[3]
			[3]
			[3]
			[3]
			[3]
			[3]
			[3]
	Give		
	Give	your answer in its simplest form.	
	Give	your answer in its simplest form.	
	Give	your answer in its simplest form.	
	Give	your answer in its simplest form.	
	Give	your answer in its simplest form.	
	Give	your answer in its simplest form.	
	Give	your answer in its simplest form.	
	Give	your answer in its simplest form.	
	Give	your answer in its simplest form.	



7. The headteacher of Ynysgorwen School wants to know how long it takes pupils to travel to school.

The results for a sample of 120 pupils are shown in the table below.

Time taken, <i>t</i> (minutes)	Frequency	Frequency density
0 < t ≤ 10	34	3.4
10 < t ≤ 20	40	
20 < t ≤ 35	24	
35 < t ≤ 50	18	
50 < t ≤ 70	4	

(a)	(i)	Complete the frequency density column.	[3]



4								
3								
2								
1								
								I
0								•
0 0	10	20	30	40	50	60 Time	70	→
0						Time,	t (minute	
0			30 te of the med			Time,	t (minute	es) [4]
0						Time,	t (minute	
0						Time,	t (minute	
0						Time,	t (minute	
0						Time,	t (minute	
0						Time,	t (minute	
0						Time,	t (minute	
0						Time,	t (minute	
0						Time,	t (minute	



2 4 6 8 10 12	14 1
	Time (seconds
y first using the trapezium rule with 4 strips of equal width for the first 8 set total time it took Sian to run the 100-metre race. But must show all your working.	seconds, estimate



© WJEC CBAC Ltd. (3310U50-1)

			Examiner
9.	(a)	Geraint has bought a new front cog for his bike.	only
		The cog has a mass of 150 g, correct to the nearest 10 g .	
		The cog has a mass of 150 g, correct to the nearest 10 g. The cog has been made from a metal that has a density of 3 g/cm ³ , correct to the nearest g/cm ³ . Calculate the maximum possible volume of the cog.	1
		Calculate the maximum possible volume of the cog. [3	ני

	•••••		
	•••••		•
	•••••		
	•••••		
	•••••		
			1



(b) This picture shows part of Geraint's bike.



A simplified diagram of the cogs and the chain is shown below.




Diagram not drawn to scale

X and Y are the centres of the cogs and XY is a line of symmetry. BC and AD are straight sections of the chain.

The larger cog has a radius of 12 cm. The smaller cog has a radius of 2 cm.

(i)	Use Pythagoras' theorem to show that the length of <i>AD</i> is 10 √15 cm. You must show all your working.	[3]
•		••••••



Examiner

only

only

Examiner (ii) C Diagram not drawn to scale \overrightarrow{AXB} = 150°, reflex \overrightarrow{CYD} = 210°, $BC = AD = 10\sqrt{15}$ cm. Calculate the total length of the chain. Give your answer in the form $a\sqrt{15} + b\pi$, where a and b are rational numbers. [5]



7 water pumps can fill a swimming pool in 12 hours.	7
These 7 water pumps work together at the same rate.	
When the pool is empty, the 7 pumps are turned on. After working for 3 hours, 2 of the pumps are turned off. The other pumps carry on working until the swimming pool is full.	
Calculate how long in total it takes for the swimming pool to be filled. Give your answer in hours and minutes. [4]	.]
Total time taken for the pool to be filled = hours minutes	
Total time taken for the pool to be filled – flours flours fillinutes	
END OF PAPER	



© WJEC CBAC Ltd.

Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Exami only
	, , , , , , , , , , , , , , , , , , , ,	1



BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE



BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE



BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

