



GCSE MARKING SCHEME

SUMMER 2023

**GCSE
MATHEMATICS
UNIT 2 – INTERMEDIATE TIER
3300U40-1**

INTRODUCTION

This marking scheme was used by WJEC for the 2023 examination. It was finalised after detailed discussion at examiners' conferences by all the examiners involved in the assessment. The conference was held shortly after the paper was taken so that reference could be made to the full range of candidates' responses, with photocopied scripts forming the basis of discussion. The aim of the conference was to ensure that the marking scheme was interpreted and applied in the same way by all examiners.

It is hoped that this information will be of assistance to centres but it is recognised at the same time that, without the benefit of participation in the examiners' conference, teachers may have different views on certain matters of detail or interpretation.




WJEC regrets that it cannot enter into any discussion or correspondence about this marking scheme.

WJEC GCSE MATHEMATICS
SUMMER 2023 MARK SCHEME

Unit 2: Intermediate Tier	Mark	Comments
1.(a) $(x =) 360 - (115 + 97 + 42)$ or equivalent. $= 106$	M1 A1	Check diagram for answer. Note: $360 - 254$ Note: Award M1A1 for a correct embedded answer BUT only M1A0 if contradicted by $x \neq 106$.
1.(b) $y = \frac{180 - 78}{2}$ $= 51$	M1 A1	Check diagram for answer. Note: $\frac{102}{2}$ Award M1 for sight of $78 + y + y = 180$. Note: Award M1A1 for a correct embedded answer BUT only M1A0 if contradicted by $y \neq 51$.
2.(a) $\frac{1}{6}$	B1	
2.(b) $31 \quad 43 \quad 47$	B2	Answer space takes precedence. Award B2 for all three primes. Accept in any order. Award B1 for two correct primes. If no answers given on answer spaces, and numbers given are circled/clearly indicated, award B1 for one of the following: <ul style="list-style-type: none"> two correct primes provided no more than 3 numbers selected all 3 primes and 1 incorrect number if 4 numbers selected.
2.(c) $(n =) \quad 4$	B1	Note: Award B1 for a correct embedded answer e.g. $3^4 = 81$, BUT B0 if contradicted by $n \neq 4$.
3. Isaac 36 Nadia 12 Dewi 24	B1 B1 B1	Answer space takes precedence. CAO FT $\frac{1}{3}$ of 'their Isaac'. Allow truncation or rounding where a whole number does not result on FT. FT $2 \times$ 'their Nadia'. Allow truncation or rounding where a whole number does not result on FT. If no answers are given on answer space, ages must explicitly be identified as a final answer for a possible B1B1B1.
4.(a) $-2 \quad (+)4$	B2	Award B1 for one of the following: <ul style="list-style-type: none"> -2 'their -2' + 6 evaluated correctly provided 'their -2' is negative.

4.(b)	0·7 or equivalent	B2	Mark final answer. Award B2 for unsupported 0·7 or not from incorrect working. Award B1 for one of the following: <ul style="list-style-type: none">sight of (+)27·9 (not (+)27·9g and not –27·9(g))sight of –27·2 (not –27·2h)0·7 (with additional letters)a final answer of 55·1 (27·9 implied).																				
5.(a)	Correctly drawn pie chart within tolerance AND correctly labelled Red = 72(°) (allow 70° to 74°) Green = 108(°) (allow 106° to 110°)	B3	Award B2 for one of the following: <ul style="list-style-type: none">correctly drawn pie chart within tolerance but not labelled or incorrectly labelledpie chart drawn within tolerance but not a straight linepie chart drawn not starting from the centre (but with end point within tolerance)sight of red = 72(°)sight of green = 108(°). Award B1 for sight of one of the following: <ul style="list-style-type: none">72(°)108(°)(red=) $\frac{2}{10} \times 360$ or equivalent(red=) $\frac{2}{5} \times 180$ or equivalent(green=) $\frac{3}{10} \times 360$ or equivalent(green=) $\frac{3}{5} \times 180$ or equivalent‘their derived 72’ and ‘their derived 108’ drawn correctly, provided that ‘their 72’ + ‘their 108’ = 180 and identified as red and green, and not 90°.																				
5.(b)	D A C B	B2	Award B2 for writing the correct fractions in order $\frac{1}{7} \quad \frac{1}{6} \quad \frac{1}{4} \quad \frac{1}{2}$ Award B1 for one of the following: <ul style="list-style-type: none">sight of correct fractionsBCAD (reversed order) <table><tr><td>DCB in order</td><td>DAC in order</td><td>DAB in order</td><td>ACB in order</td></tr><tr><td>ADCB</td><td>BDAC</td><td>CDAB</td><td>ADCB</td></tr><tr><td>DCAB</td><td>DBAC</td><td>DCAB</td><td>ACDB</td></tr><tr><td>DCBA</td><td>DABC</td><td>DABC</td><td>ACBD</td></tr><tr><td>DCB</td><td>DAC</td><td>DABC</td><td>ACB</td></tr></table> Do not accept repeated letters.	DCB in order	DAC in order	DAB in order	ACB in order	ADCB	BDAC	CDAB	ADCB	DCAB	DBAC	DCAB	ACDB	DCBA	DABC	DABC	ACBD	DCB	DAC	DABC	ACB
DCB in order	DAC in order	DAB in order	ACB in order																				
ADCB	BDAC	CDAB	ADCB																				
DCAB	DBAC	DCAB	ACDB																				
DCBA	DABC	DABC	ACBD																				
DCB	DAC	DABC	ACB																				

<p>6. $\frac{45}{1.25}$ or equivalent</p> <p>36 (mph)</p>	<p>M2</p> <p>A1</p>	<p>May be seen in stages. Must be a complete and correct method e.g. $\frac{45}{75} \times 60$ or $\frac{45}{5} \times 4$ (working with 15 mins)</p> <p>Award M1 for sight of one of the following:</p> <ul style="list-style-type: none"> $\frac{45}{1 \text{ hour } 15 \text{ mins}}$ $\frac{45}{1.15}$ $39.13(0\dots)$ $\frac{45}{75}$ 0.6 <p>CAO.</p>
<p>7. $360 \div 15$ or equivalent</p> <p>= 24(°)</p>	<p>M1</p> <p>A1</p>	<p>Mark final answer. If no marks awarded, award SC1 for one of the following:</p> <ul style="list-style-type: none"> a final answer of 156° sight of 24° (if final answer is not 24°).
<p>8. (Volume of cuboid = $4 \times 5 \times 20$ =) 400 (cm³)</p> <p>(Volume of cube = $3 \times 3 \times 3$ =) 27 (cm³)</p> <p>(Number of cubes =) $\frac{4 \times 5 \times 20}{3 \times 3 \times 3}$ or equivalent</p> <p>= 14.8(.....)</p> <p>(Number of complete cubes =) 14</p>	<p>B1</p> <p>B1</p> <p>M1</p> <p>A1</p> <p>B1</p>	<p>Award B0 if 400 has come from incorrect working or if subsequent working is seen (e.g. finding the total surface area or $4 \times 5 \times 20 = 400$, $400 \times 2 = 800$).</p> <p>FT 'their 400' ÷ 'their 27', provided 'their 27' ≠ 3 and that B1 has previously been awarded or $4 \times 5 \times 20$ and $3 \times 3 \times 3$ seen.</p> <p>May be implied in the final answer.</p> <p>FT only if truncation required.</p> <p>If $\frac{4 \times 5 \times 20}{3 \times 3 \times 3} = 14$ (complete cubes) is seen, then award B1 B1 M1 A1 B1.</p>
<p>8. Organisation and Communication.</p> <p>Accuracy of writing.</p>	<p>OC1</p> <p>W1</p>	<p>For OC1, candidates will be expected to:</p> <ul style="list-style-type: none"> present their response in a structured way explain to the reader what they are doing at each step of their response lay out their explanation and working in a way that is clear and logical write a conclusion that draws together their results and explains what their answer means <p>For W1, candidates will be expected to:</p> <ul style="list-style-type: none"> show all their working make few, if any, errors in spelling, punctuation and grammar use correct mathematical form in their working use appropriate terminology, units, etc

9.(a)(i)	235(°)	B1	
9.(a)(ii)	055(°)	B1	B0 for 55(°).
9.(b)	P and S	B1	Ignore any sketches (correct or incorrect). Accept in any order. Allow (00)5(°) and 355(°).
10.(a)	 <p>5 AND 18 in correct position.</p> <p>Total of 25 for <i>History</i>.</p> <p>Overall total of 43</p>	<p>B1</p> <p>Award B0 for one of the following:</p> <ul style="list-style-type: none"> any other number written in the same section 4 and 1 written for 5. <p>B1</p> <p>FT 'their 7' + 'their 18', provided both sections are non-zero and no section is blank.</p> <p>B1</p> <p>FT 'their 13' + 'their 18' + 'their 7' + 'their 5' provided all sections are non-zero and no section is blank.</p> <p>Note: The following answers are awarded</p> <div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">  <p>B1B0B0</p> </div> <div style="text-align: center;">  <p>B0B0B0</p> </div> </div>	
10.(b)	$\frac{31}{43}$ or equivalent. ISW	<p>B2</p> <p>For B2, accept:</p> <ul style="list-style-type: none"> 72·0(9...)% or 0·720(9...). 72·1% or 0·721 72% or 0·72 from correct working. <p>FT <u>'their 13' + 'their 18'</u> provided neither section is blank.</p> <p style="text-align: center;">$\frac{43}{43}$</p> <p>Award B1 for one of the following:</p> <ul style="list-style-type: none"> a numerator of 31 in a fraction < 1 FT 'their 13' + 'their 18', provided neither section is blank, as a numerator in a fraction < 1 a denominator of 43 in a fraction < 1. <p>An answer of $\frac{31}{43}$ gains B2 regardless of 'their Venn diagram'.</p> <p>Penalise incorrect notation (e.g. '31 in 43') –1.</p>	

12.(a) $P(\text{Bronze}) = 0.2$ AND $P(\text{No Prize}) = 0.6$ or equivalent	B2	The values in the table takes precedence. Award B1 for one of the following: <ul style="list-style-type: none">$P(\text{Bronze}) = 0.2$ (must be clearly identified)$P(\text{No Prize}) = 0.6$$P(\text{Bronze}) + P(\text{No Prize}) = 0.8$$P(\text{Bronze}) = \frac{1}{3} P(\text{No Prize})$ provided both < 1.																																																
12.(b) $15 \div 0.02 \times 0.18$ or 15×9 or equivalent $= 135$	M1 A1	Must be for a complete method e.g. <ul style="list-style-type: none">$15 \div 2 = 7.5$ $7.5 \times 18 = 135$$750 - (450 + 150 + 15)$$0.02 : 0.18$ $15 : 135$ (e.g 0.18×750, or 15×9) Award M1 A1 for a final answer of $15 : 135$. Sight of 135 as a numerator in a fraction < 1 implies M1A0.																																																
13. One correct evaluation $2 \leq x \leq 3$ 2 correct evaluations $2.55 \leq x \leq 2.75$, (one evaluation < 0, one evaluation > 0) 2 correct evaluations $2.55 \leq x \leq 2.65$, (one evaluation < 0, one evaluation > 0) $x = 2.6$	B1 B1 M1 A1	<i>Correct evaluation regarded as enough to identify if negative or positive.</i> <i>If evaluations not seen accept 'too high' or 'too low'.</i> <i>Look out for equating $x^3 - 8x = -3$</i> <table><tr><th>x</th><th>$x^3 - 8x + 3$</th><th></th><th></th></tr><tr><td>2</td><td>-5</td><td></td><td></td></tr><tr><td>2.1</td><td>-4.539</td><td>2.55</td><td>-0.818....</td></tr><tr><td>2.2</td><td>-3.952</td><td>2.61</td><td>-0.1004...</td></tr><tr><td>2.3</td><td>-3.233</td><td>2.62</td><td>0.0247...</td></tr><tr><td>2.4</td><td>-2.376</td><td>2.63</td><td>0.1514...</td></tr><tr><td>2.5</td><td>-1.375</td><td>2.64</td><td>0.2797...</td></tr><tr><td>2.6</td><td>-0.224</td><td>2.65</td><td>0.409...</td></tr><tr><td>2.7</td><td>1.083</td><td>2.75</td><td>1.796..</td></tr><tr><td>2.8</td><td>2.552</td><td></td><td></td></tr><tr><td>2.9</td><td>4.189</td><td></td><td></td></tr><tr><td>3</td><td>6</td><td></td><td></td></tr></table> Unsupported $x = 2.6$ is awarded B0B0M0A0. An answer of $x = 2.6$ can only be awarded M1A1, following sight of 2 correct evaluations $2.55 \leq x \leq 2.65$ (one evaluation < 0, one evaluation > 0).	x	$x^3 - 8x + 3$			2	-5			2.1	-4.539	2.55	-0.818....	2.2	-3.952	2.61	-0.1004...	2.3	-3.233	2.62	0.0247...	2.4	-2.376	2.63	0.1514...	2.5	-1.375	2.64	0.2797...	2.6	-0.224	2.65	0.409...	2.7	1.083	2.75	1.796..	2.8	2.552			2.9	4.189			3	6		
x	$x^3 - 8x + 3$																																																	
2	-5																																																	
2.1	-4.539	2.55	-0.818....																																															
2.2	-3.952	2.61	-0.1004...																																															
2.3	-3.233	2.62	0.0247...																																															
2.4	-2.376	2.63	0.1514...																																															
2.5	-1.375	2.64	0.2797...																																															
2.6	-0.224	2.65	0.409...																																															
2.7	1.083	2.75	1.796..																																															
2.8	2.552																																																	
2.9	4.189																																																	
3	6																																																	
14.(a) 1.2	B2	Mark final answer. Award B1 for one of the following: <ul style="list-style-type: none">sight of $1.1(5519.....)$.an answer of 1.20. Do not award B2 or B1 for answers obtained from incorrect work (e.g. rounding and/or estimating).																																																
14.(b) 0.043	B2	Mark final answer. Award B1 for sight of one of the following: <ul style="list-style-type: none">$\frac{1}{23}$$1 \div 23$$0.0434(...)$0.04350.04.																																																
14.(c)(i) 12	B1																																																	
14.(c)(ii) 5	B1																																																	

<p>15.(a)</p> $(x =) \sin^{-1} \frac{7.7}{11.3} \quad \text{or} \quad \sin^{-1} \frac{7.7 \times \sin 90}{11.3} \quad \text{or equivalent}$ <p>Allow an answer between 42.8 and 43(°) ISW</p>	<p>M2</p> <p>A1</p>	<p>Check diagram for answers Award M1 for one of the following:</p> <ul style="list-style-type: none"> $\sin x = \frac{7.7}{11.3} (= 0.68(1..))$ $\frac{\sin x}{7.7} = \frac{\sin 90}{11.3}$ or equivalent <p>Allow correct angles given in radians or gradians:</p> <table border="1"> <thead> <tr> <th>Method</th><th>Radians</th><th>Gradians</th></tr> </thead> <tbody> <tr> <td>$\sin^{-1} \frac{7.7}{11.3}$</td><td>0.7496...</td><td>47.727....</td></tr> <tr> <td>$\sin^{-1} \frac{7.7 \times \sin 90}{11.3}$</td><td>0.655...</td><td>47.001</td></tr> </tbody> </table>	Method	Radians	Gradians	$\sin^{-1} \frac{7.7}{11.3}$	0.7496...	47.727....	$\sin^{-1} \frac{7.7 \times \sin 90}{11.3}$	0.655...	47.001
Method	Radians	Gradians									
$\sin^{-1} \frac{7.7}{11.3}$	0.7496...	47.727....									
$\sin^{-1} \frac{7.7 \times \sin 90}{11.3}$	0.655...	47.001									
<p>15.(a) <u>Alternative method</u> Correct use of a 'two-step' method.</p> <p>Allow an answer between 42.8 and 43(°) ISW</p>	<p>M2</p> <p>A1</p>	<p>A partial trigonometric method is M0.</p> <p>Allow 42.8(...°)</p> <p>Allow correct angles given in radians or gradians.</p>									

<p>15.(b)</p> $DBE = (90 - 43) = 47(^{\circ}) \quad \text{OR} \quad BED = 43(^{\circ})$ <p>Valid method to find the length DE</p> $DE = 13.1 \times \tan 47$ $DE = \frac{13.1}{\tan 43}$ $DE = \frac{13.1 \times \sin 47}{\sin 43}$ <p>DE in the range 14.04 to 14.1 (cm) ISW</p>	<p>B1</p> <p>M2</p> <p>A1</p>	<p>Check diagram for answers.</p> <p>Strict FT for $DBE = 90 - \text{'their } x\text{'}$ or $BED = \text{'their } x\text{'}$, provided $\text{'their } x\text{'} \neq 45^{\circ}$. Note: DBE must be acute for B1. May be implied in further work.</p> <p>If B1 already awarded for $\text{'their angle } DBE\text{'}$ but then $\text{'their angle } BED\text{'}$ is incorrect and $\text{'their } BED\text{'}$ is then used (or vice versa) for either M2 or M1, then award B0 previously.</p> <p>Or award M2 for correct use of a 'two-step' method (e.g. $\text{'Pythagoras and similar triangles'}$ or $\text{'Pythagoras and correct trigonometric relationship'}$).</p> <p>FT $\text{'their angle } DBE\text{'}$ or $\text{'their angle } BED\text{'}$ provided not 0°, 45°, 90° or 180°.</p> <p>Award M1 for one of the following:</p> <ul style="list-style-type: none"> $\tan 47 = \frac{DE}{13.1}$ $\tan 43 = \frac{13.1}{DE}$ $\frac{DE}{\sin 47} = \frac{13.1}{\sin 43}$ or equivalent <p>For all M2 or M1 scenarios, FT their clearly stated or shown angle BED or DBE where appropriate.</p> <p>For $\frac{13.1 \times \sin 47}{\sin 43}$ FT their clearly stated or shown angles BED and DBE only if $BED + DBE = 90^{\circ}$.</p> <p>Allow 14 from correct workings. FT from M2 only and provided that angle is acute and leads to a positive answer.</p> <p>Award B1M2A0 for any of the following unsupported answers:</p> <table border="1"> <thead> <tr> <th>Method</th><th>Radians</th><th>Gradians</th></tr> </thead> <tbody> <tr> <td>$13.1 \times \tan 47$</td><td>-1.63 to 1...</td><td>11.92 to 12</td></tr> <tr> <td>$\frac{13.1}{\tan 43}$</td><td>-8.743 to -5.36</td><td>16.35 to 16.5</td></tr> <tr> <td>$\frac{13.1 \times \sin 47}{\sin 43}$</td><td>-1.95 to 1.08</td><td>14.1 to 14.21</td></tr> </tbody> </table>	Method	Radians	Gradians	$13.1 \times \tan 47$	-1.63 to 1...	11.92 to 12	$\frac{13.1}{\tan 43}$	-8.743 to -5.36	16.35 to 16.5	$\frac{13.1 \times \sin 47}{\sin 43}$	-1.95 to 1.08	14.1 to 14.21
Method	Radians	Gradians												
$13.1 \times \tan 47$	-1.63 to 1...	11.92 to 12												
$\frac{13.1}{\tan 43}$	-8.743 to -5.36	16.35 to 16.5												
$\frac{13.1 \times \sin 47}{\sin 43}$	-1.95 to 1.08	14.1 to 14.21												

16.(a) $\times 0.95^4$	B1	
16.(b) Sight of 0.83 OR 83% $\frac{3569}{0.83}$ or $\frac{3569}{83} \times 100$ or equivalent $= 4300$	B1 M1 A1	Allow $(100 - 17 =) 83$ FT 'their $1 - 0.17$ ' provided < 1 or 'their $100\% - 17\%$ ' provided $< 100\%$. Award B1M1A1 for an embedded answer (e.g. $0.83 \times 4300 = 3569$ or $\frac{3569}{4300} \times 100 = 83$), BUT only B1M1A0 if contradicted by stating original amount $\neq 4300$. Unsupported 4300 is awarded B1M1A1.
17. Method to eliminate one variable e.g. equal coefficients AND <u>appropriate intention to add or subtract or use a method of substitution.</u> First variable found $x = 4.3$ or $y = 2.6$ or equivalent Substitute to find the 2 nd variable. Second variable found	M1 A1 m1 A1	Allow one error in one term (not the term with equal coefficients). CAO Award A0 for expressing the final answers in a form such as $y = \frac{33.8}{13}$. FT substitution of their '1 st variable' if M1 gained. No marks for 'trial and improvement'. No marks for an unsupported answer.
18. $\frac{\pi \times r^2}{2} = 77$ or equivalent $r^2 = 49(0\dots)$ or $r^2 = \frac{154}{\pi}$ $r = 7(0\dots)$ (Area of trapezium =) $\frac{2 \times 7(0\dots) + 22}{2} \times 7(0\dots)$ or equivalent $= 126.0(\dots)(\text{cm}^2)$	M1 m1 A1 M1 A1	Check diagram for answers. Sight of $49(0\dots)$ implies M1m1. FT 'their r^2 ' provided M1 awarded. 7 must not be from incorrect working. FT 'their derived or stated r '. Accept 126.1 or $126 (\text{cm}^2)$ Mark final answer.