Question	Answer	Mark	Comments	
	10 ⁵ or	M1	oe correct value not in stee 25 × 10 ³	tandard form
	25 000 2.5 × 10 ⁴	A1		
1(a)	Additional Guidance			
	Condone 2.5 · 10 ⁴			M1A1
	Condone different spacing or commas eg 25000 or 250,00			M1A0
1(b)	c=3 and $d=-2$	B2	B1 $c = 3$ or $d = -2$ or	
			$c = 10^3$ and/or $d = 10^{-2}$	
	Additional Guidance			
	One or both of the values may be embedded for B1 only			

Question	Answer	Mark	Comments	
	2 × 10 ³ or 7 × 10 ⁴ or 140 000 000	M1	oe correct value not in standard form eg 14×10^7	
	1.4 × 10 ⁸	A1	SC1 Correctly converts an ordinary number with at least four digits to standard form	
2(a)	Additional Guidance			
	Condone extra zeros on 1.4 eg 1.40 000 000 × 10 ⁸			M1A1
	1.4 × 10 ⁸ from 1 400 000 000			M0A0
	2×10^3 is implied by $(2 \times 7) \times (10^3 \times 10^a)$ 7×10^4 is implied by $(2 \times 7) \times (10^b \times 10^4)$			M1
	1 400 000 000 converted to 1.4×10^9			SC1

Question	Answer	Mark	Commen	ts
2(b)	180 or 0.3 or $(1.8 \div 3 =) 0.6$ or $(10^2 \div 10^{-1} =) 10^3$ or calculation which would have the outcome 600 or correct value not given as an ordinary number	M1	eg 1800 ÷ 3 eg 6 × 10 ²	
	600	A 1		
	Ad			
	1800 ÷ 0.3 = 600 scores M1 only, as 600 comes from incorrect working			M1A0
	1800 ÷ 30 = 600 scores zero, as 600 comes from incorrect working			M0A0

Q	Answer	Mark	Comments
3	one million	B1	

Q	Answer	Mark	Commen	ts
	4 × 10 ⁵		B1 400 000 oe correct answer not in standard form eg 40 × 10 ⁴	
			or 8×10^7 or 2×10^2	
		B2	or 8 × 10 ⁵ ÷ 2 or 4 × 10 ⁷ ÷ 100	
			or any value seen and then correctly converted to standard form	
			eg 4000000 and 4 \times 10 ⁶	
			40000 and 4×10^4	
	Additional Guidance			
	Ignore incorrect position of commas or spacing in long numbers			
	Condone 400 000 and 4 \times 10 ⁵ on the answer line, in either order			B2
	Condone 40 000 and 4×10^4 on the answer line, in either order			B1
4	400 000 only on the answer line			B1
	Do not award both marks for the correct answer from incorrect working but B1 can be awarded for one or both numbers incorrectly converted to standard form and the result of their division given correctly in standard form			
	eg $(8 \times 10^8) \div (2 \times 10^3) = 4 \times 10^5$			B1
	eg $(0.8 \times 10^7) \div (2 \times 10^3) = 4 \times 10^5$			B0
	Condone a decimal point and any number of zeros after 4			
	eg 4.00000 × 10 ⁵			B2
	8×10^7 is implied by $(8 \div 2) \times (10^7 \div 10^a)$ or condone $(8 \div 2) \times (10^7 \times 10^a)$			B1
	2×10^{2} is implied by $(8 \div 2) \times (10^{b} \div 10^{2})$ or condone $(8 \div 2) \times (10^{b} \times 10^{2})$	- 10-)		B1

Q	Answer	Mark	Comments	
	100	B1	oe eg 10 ² or hundred	
	Additional Guidance			
5	Do not allow 100 000 000 even if word million is crossed out			
	1 hundred or one hundred or a hundred			B1
	100 000 000 100 million			B1

Q	Answer	Mark	Comments	
	1.45 × 10 ⁵	B2	B1 correct value not in standed eg 145 000 or 14.5 × 10 ⁴	dard form
	Additional Guidance			
	Ignore incorrect conversion if correct	seen		
	eg 145 000, answer 1.45 × 10 ³			B1
6 (a)	eg 145 000, answer 145 ³			B1
	Ignore a decimal point in a correct B1 value if it is part of their conversion attempt			
	Condone 10 ⁵ × 1.45			B2
	Only 1.45 05 or 1.45 10 ⁵			В0
	Only 1.45 + 10 ⁵			В0