

GCSE Maths – Ratio, Proportion and Rates of Change

Ratio and Similar Shapes

Worksheet

WORKED SOLUTIONS

This worksheet will show you how to work out different types of ratio and similar shapes questions. Each section contains a worked example, a question with hints and then questions for you to work through on your own.

This work by PMT Education is licensed under CC BY-NC-ND 4.0











Section A

Worked Example

Find the ratio of the area of A to the area of B





Step 1: Find the area of each rectangle.

The formula for the area of a rectangle is base \times height.

Area of shape A: $4 \times 3 = 12 cm^2$ Area of shape B: $3.5 \times 4 = 14 cm^2$

Step 2: Note these areas as a ratio in the form asked for in the question.

Area of Shape A: Area of Shape B 12: 14

Step 3: Simplify the ratio.

Divide both sides by the same number until the ratio is in its simplest form.

12: 14 6: 7

Guided Example


Find the ratio of the volume of A to the volume of B

Step 1: Find the volume of cylinder A and B.

volume of cylinder =
$$\pi r^2 h$$

Volume of cylinder A = $\pi \times 4^2 \times 12 = 192\pi$
Volume of cylinder B = $\pi \times 6^2 \times 15 = 432\pi$

Step 2: Form these volumes into a ratio of A:B



leave It in its original form
resince it II make the
calculation easier

volume cylinder A: volume cylinder B
192 TT: 4327

Step 3: Simplify the ratio by eliminating π from either side, and then dividing both sides by the same number.



4:9







If you get stuck, look back at the worked and guided examples.

1. The base of cone P has a radius of 4 cm and is 12 cm high. Cone Q is 10 cm high and has a base with radius 5 cm. Work out the ratio of the volume of cone P to cone

Volume of cone :
$$\frac{1}{3} \times \pi r^2 h$$

volume of cone P: $\frac{1}{3} \times \pi \times (4)^2 \times 12^4$

: $16 \pi \times 4$

: 64π

volume of cone Q: $\frac{1}{3} \times \pi \times (5)^2 \times 10$

: $\frac{250 \pi}{3}$

Volume ratio of P to Q: 96:125

2. The ratio of the size of Anna's garden to Brandon's garden is 11:7. If Anna's garden is 169.4 m², what is the area of Brandon's garden?

Patio: Anna's garden = Brandon's garden

Area:
$$169.4 \cdot : \pi$$

Area: $169.4 \cdot : \pi$
 $11:7$ can also be written as $\Rightarrow \frac{11}{169.4} = \frac{7}{\pi} = 11\pi = 169.4 (7)$
 11×1185.8

Cuross multiply) $\pi = 107.8$

The area of Brandon's garden is 107.8 m2.

3. The surface area of the moon is 14.6 square miles.

The surface area of Earth is 196.9 square miles.

Write the ratio of the surface area of the moon to the surface area of the Earth in the form 1:n, where n is an integer rounded to the nearest whole number.

Ratio of
$$0.000$$
 moon 0.000 Earth 0.000

The notion of surface area of the moon to the Earth is 1:13








Section B

Worked Example

Are triangle ABC and triangle PQR similar? Explain your answer.



Step 1: Calculate the missing angles of the triangles, to deduce as much information about the triangles as possible.

$$\angle ACB = 180 - 50 - 51 = 79^{\circ}$$

$$\angle QPR = 180 - 51 - 79 = 50^{\circ}$$

Step 2: Look at the information we have about each triangle and draw similarities between them.

$$\angle ABC = 51^{\circ} = \angle PQR$$

$$\angle ACB = 79^{\circ} = \angle QRP$$

$$\angle BAC = 50^{\circ} = \angle QPR$$

Step 3: Decide which condition you can prove with the sides/angles you have.


You know that triangle ABC and PQR have three pairs of equal angles. So, the triangles satisfy the condition **AAA**, and can be said to be similar.





Guided Example

Are triangles ABC and WXY similar? Explain your answer.



Step 1: Calculate the missing sides of the triangles in order to explore whether we can prove any of the conditions for similarity.

Use Pythagoras theorem:
$$C = \sqrt{a^2 + b^2}$$

Priangle ABC: $5 = \sqrt{(3)^2 + (BC)^2}$


Twiangle: $WY = \sqrt{(6)^2 + (8)^2}$
 $-9 \left(\frac{5^2 = 9 + (BC)^2}{16 = (BC)^2} \right) = \sqrt{100}$
 $= 10$

Step 2: Make links between the triangles, by looking for scale factors between pairs of sides or identifying pairs of angles of the same size.

Step x: With the information of both triangles, decide whether the conditions for similarity between triangles (AAA, SAS, SSS) have been met.

The triangle ABC and WXY have 3 pairs of sides with their lengths of the same ratio. Hence, they satisfy the condition SSS, and can be said to be similar.












If you get stuck, look back at the worked and guided examples.

4. Are the following pairs of triangles similar? Explain your answers

a)



Since one angle and 2 sides are given, we can use condition SAS to determine if the triangles are similar.


Since the angle is similar, now we compare both sides nearest to the angle to see if they have the same ratio.

Ratio for mangle 1 : 7:8

Ratio for triangle 2): 13:16

The triangles do not have the same ratio tence, they are not similar.

b)



Compare the 2 sides nearest to the angle to work out their ratio based on condition SAS. Ratio for mangle 1): 4:6
2:3

Simplify the Fatio


Fratio for triangle 2): 14:21 -7 (2:3)-7

The triangles satisfy the condition SAS. Hence, they are similar.





c)




All three pairs of angles in both triangle is not the same.

The triangles do not meet the condition AAA, hence they are not similar.

calculate the missing angles:

d)



3.92 cm 2.88 cm

Use condition 555.

Ratio for triangle ① : 4.9 = 5.2 = 3.6Ratio for triangle ② : 3.92 : 4 = 2.88

Both triangles do not have sides of the same ratio.

Condition SSS is not met, hence, the triangles are not similar.






Section C

Worked Example

Find the linear scale factor between cylinders A and B.



Step 1: Find the scale factor by dividing the length of the similar sides in cylinder A and B.

Linear Scale Factor =
$$\frac{Height\ of\ Cylinder\ B}{Height\ of\ Cylinder\ A} = \frac{12}{8} = 1.5$$

This means the length and circumference measurements of cylinder B are 1.5 times greater than the corresponding measurements in cylinder A.

Guided Example

Rectangle S has a height of 3 cm. Rectangle T has a height of 15 cm. Find the area scale factor between rectangle S and T.

Step 1: Find the linear scale factor by dividing the length of the similar sides in rectangle A and B.

Linear scale factor: height of rectangle
$$T = \frac{15}{3} = 5$$
height of rectangle $S = \frac{15}{3}$

Step 2: To find the area scale factor (k^2) , square the linear scale factor you have found.

Area scale factor =
$$k^2$$
 = $(5)^2 = 25$

The area scale factor between rectangle S and T is 25











If you get stuck, look back at the worked and guided examples.

5. A standard teacup holds 150 ml of liquid. An enlarged teacup holds 216 ml of liquid. What is the volume scale factor to go from the standard teacup to the enlarged version?

volume standard teacup holds: 150 mJ volume enlarged teacup holds: 216 mJ given value volume scale factor: enlarged teacup =
$$\frac{216}{150} = \frac{36}{150} = 1.44$$
 is already 1 (L3) standard teacup

volume scale factor from standard teacup to enlarged teacup is 1.44.

6. A hexagon has an area of 22.1 cm². If it is enlarged to an area of 47.736 cm², by what factor has the area, and lengths, increased?


Hexagon area: 22.1

entarged area: 47.736

area scale factor (
$$u^2$$
) = entarged area = $\frac{47.736}{22.1}$ = 2.16 while the lengths are increased by square root of hexagon area = $\frac{247.736}{22.1}$ = 2.16 by 1.47

linear scale factor (u^2) = $\sqrt{2.16}$ = 1.47

7. These two rectangles are similar. What is the length scale factor?













Section D

Worked Example

A company is modelling a prototype of its newest candle. The model is 7 cm high and weighs 50 g. If the actual prototype will be 21 cm high, how much can they expect the prototype to weigh?

Step 1: Calculate the linear scale factor (k) between the model and the prototype.

$$\frac{Prototype\ Height}{Model\ Height} =\ k$$

$$21 \div 7 = 3$$

The height of the prototype is three times the height of the model.

Step 2: Cube the linear scale factor to find the volume scale factor (k^3) .

$$k^3 = 3^3 = 27$$

Step 3: Multiply the mass of the model by the volume scale factor, to find the volume of the prototype.

$$50g \times k^3 = 50g \times 27 = 1350g$$

The actual prototype weighs 1.35kg.












Guided Example

Tank A has a surface area of 280 cm². If tank B has a surface area of 70 cm², what is the length of the base of tank B.



Step 1: Divide the surface area of tank A by that of tank B, to find the area scale factor.

Area scale factor (h')
$$\geq \frac{\text{Area of } \tanh A}{\text{Area of } \tanh B} = \frac{280}{70} = 4$$

Step 2: Find the length scale factor by square root the area scale factor.

length scale factor =
$$\sqrt{\text{are a scale factor}}$$

= $\sqrt{4}$
= 2

Step 3: Divide the base of tank A by the length scale factor, to find the base of tank B.

base of tank B =
$$\frac{\text{base of tank A}}{\text{length scale factor}} = \frac{8}{2} = 4$$












If you get stuck, look back at the worked and guided examples.

8. A carpenter makes a chest for his daughter, and a miniature version for his daughter's doll house. The version for the doll house takes 50 cm² of wallpaper for decoration, whilst the real-life version takes 450 cm². If the chest for the doll house is 1.2 cm high, how tall is the chest for his daughter?

Area scale factor
$$(h^2)$$
 = $\frac{\text{surface area of chest}}{\text{surface area of doll house}} = \frac{450}{50} = 9$

9. Cone A has a height of 6 cm, cone B has a height of 9 cm and cone C is 15 cm high.

Using the information, what is the volume of cone B and the surface area of cone C?



linear scale factor: height of cone B

(h)

height of cone A

(h)

height of cone A

(h)

$$\frac{9}{6} = \frac{3}{2} = 1.5$$

Volume scale factor (h 3) = (1.5) 3 = 3.375

Volume of cone B

18 T x 3.375 = 60.75 T

Surface area of cone C: $60 \text{ T x } 25 = 500 \text{ T}$

Volume of cone B =
$$18 \, \pi \times 3.375 = 60.75 \, \pi$$
 Surface area of cone C : $60 \, \pi \times \frac{25}{9} = \frac{500 \, \pi}{3} = 166.67 \, \pi$ cm²

Surface area of cone C:
$$60 \pi \times \frac{25}{9} = \frac{500 \pi}{2} = 166.60$$

10. Mike is trying to measure a tree. When he is 50 m from the tree and holds his middle finger to it, his finger completely covers the tree. His finger is 7 cm long.

He moves backwards, and now his index finger, which is 6 cm long, completely covers the tree.

How far did he move backwards?

linear scale factor =
$$\frac{7}{6}$$
 = 1.167





