

WJEC (Eduqas) Physics A Level

SP3.2b - Determination of Wavelength using Diffraction Gratings

Practical Flashcards

This work by PMT Education is licensed under CC BY-NC-ND 4.0

▶ Image: Second Second







What safety precautions should be taken when operating a laser?







What safety precautions should be taken when operating a laser?

- Never look directly at the beam
- Ensure no reflective surfaces are in the laser's vicinity
- Display a warning notice so others know that a laser is in use







Why should the screen you use to display the interference patterns on have a matt finish?







Why should the screen you use to display the interference patterns on have a matt finish?

A matt screen should be used to reduce the intensity with which the laser beam is reflected off the screen, potentially into into someone's eye. This reduces the chance that such a ray may cause harm.







What is monochromatic light?







What is monochromatic light?

Monochromatic light, is light of a single wavelength (or frequency).







What does it mean if two light sources are coherent?







What does it mean if two light sources are coherent?

Coherent sources have the same wavelength and a constant phase difference.







What equation is used to determine the wavelength of light when using a diffraction grating?







What equation is used to determine the wavelength of light when using a diffraction grating? $n\lambda = d \sin\theta$ n: order of diffraction pattern λ : wavelength d: diffraction grating spacing θ : angle from centre







How is a diffraction grating spacing calculated?







How is a diffraction grating spacing calculated?

The diffraction grating spacing is the reciprocal of the number of lines per metre.







How can the angle from the centre to a higher order line be calculated?







How can the angle from the centre to a higher order line be calculated?

The distance from the diffraction grating to the screen (D) and the distance from the centre of the pattern to the higher order line (h) can be measured. The angle is then found using trigonometry.







How does a diffraction pattern from a double slit experiment compare to one from a diffraction grating?







How does a diffraction pattern from a double slit experiment compare to one from a diffraction grating?

As the number of slits increases, the pattern becomes sharper and the brightness of the fringes increases. This is because more rays are reinforcing the pattern.







Suggest a use for a diffraction grating.







Suggest a use for a diffraction grating.

Diffraction gratings can be used instead of prisms to analyse spectra. An example use is in X-ray crystallography.







Where will the zero order maximum be positioned?







Where will the zero order maximum be positioned?

The zero order maximum will be found on the screen, straight ahead of the laser beam, once it has passed through the diffraction grating.







Describe the nature of the light emitted by a laser.







Describe the nature of the light emitted by a laser.

Lasers produce monochromatic, coherent light that is collimated (consists of parallel rays).







Describe the interference pattern produced if white light is passed through the diffraction grating.







Describe the interference pattern produced if white light is passed through the diffraction grating.

A central bright white fringe will be produced.

- All other bright fringes would consist of a
- spectra of light, with blue light on the side

closest to the centre, and red on the far side

of each fringe.







Why does the interference pattern from white light consist of spectra?







Why does the interference pattern from white light consist of spectra?

White light is a mix of all other colours and so contains light of lots of different wavelengths. Each wavelength of light will be diffracted by a slightly different amount, resulting in spectra forming in all but the central fringe.







Why do bright fringes form on a screen when light is passed through a diffraction grating?







Why do bright fringes form on a screen when light is passed through a diffraction grating? The light diffracts as it passes through the slits. These diffracted waves meet and undergo superposition. At positions where the waves meet in phase, constructive interference occurs, and bright fringes are formed.

PMTEducation





Why do dark fringes form on a screen when light is passed through a diffraction grating?







Why do dark fringes form on a screen when light is passed through a diffraction grating? The light diffracts as it passes through the slits. These diffracted waves meet and undergo superposition. At positions where the waves meet in antiphase, destructive interference occurs, and dark fringes are formed.

PMTEducation



