

Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
TOTAL	



General Certificate of Education
Advanced Subsidiary Examination
June 2013

Physics

(Specifications A and B)

PHA3/B3/XPM1

Unit 3 Investigative and Practical Skills in AS Physics
Route X Externally Marked Practical Assignment (EMPA)

Section A Task 1

For this paper you must have:

- a calculator
- a pencil
- a ruler.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Show all your working.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for Section A Task 1 is 15.

SECTION A TASK 1

Follow the instructions given below.

Give the information required in the spaces provided.

No description of the experiments is required.

1 You are to trace the path of a light ray passing through a semicircular transparent block.


1 (a) Measure and record the diameter, D , of the semicircular block.

$D = \dots\dots\dots$

(1 mark)

1 (b) You are provided with a sheet of paper, on which there is a solid line, PQ, and a dashed line, RS. Place this sheet on the table with P to your left.

1 (b) (i) Draw a line across the sheet parallel to PQ and $0.4D$ above it, as shown in **Figure 1**.




1 (b) (ii) Place the block on the sheet so that the diameter of the block is aligned with RS and the mid-point of the diameter of the block is where PQ and RS meet, as shown in **Figure 1**.

Mark the outline of the semicircular block on the paper.


Place the plane mirror with the reflective surface along the line RS, in contact with the diameter of the block.

1 (b) (iii) Use the ray box to direct a ray of light along the line you drew in part (i) so that the ray emerges from the curved surface of the block, as shown in **Figure 2**.




- 1 (b) (iv) Mark on the sheet of paper the direction of the ray emerging from the curved surface of the block.
- 1 (c) With the block and the ray box in the same positions, remove the plane mirror so that the ray now emerges from the diameter of the block, as shown in **Figure 3**.

Figure 3



- 1 (c) (i) Mark on the sheet the direction of the ray emerging from the diameter of the block.
- 1 (c) (ii) Remove the block.
Measure and record the angle, θ_d , defined in **Figure 4**.

Figure 4



$\theta_d = \dots\dots\dots$

Turn over ►

- 1 (c) (iii) **Figure 5** shows how θ_d varies with n , the refractive index of the block. Showing your method on **Figure 5**, determine n for your block.

$$n = \dots\dots\dots$$

(3 marks)

- 1 (d) **Table 1** shows the steps involved in performing the experimental procedure to determine θ_d .

Table 1

step	question	procedure
A	(a)	measuring D , the diameter of the semicircular block
B	(b)(i)	drawing the direction of the line parallel to PQ
C	(b)(ii)	positioning the block in the specified position
D	(b)(iii)	aligning the light ray with the line marked parallel to PQ
E	(b)(iv) and (c)(i)	marking the direction of the rays emerging from the block
F	(c)(ii)	measuring the angle θ_d

State and explain which of the steps, A to F, contributed most to the uncertainty in your result for θ_d .

.....

.....

.....

.....

(2 marks)


- 1 (e) Describe with the aid of a sketch how you positioned the protractor before measuring θ_d .

.....

.....

(2 marks)


Figure 5



Turn over ►

- 2 You are to measure the transit time for water waves for three different depths of water.
- 2 (a) A container has been marked to show when it holds **one measure** of water. Fill the container with water up to this mark then carefully pour this into the shallow tray. Repeat the process so that the tray contains **two measures** of water.
- 2 (a) (i) Carefully lift one end of the tray about 2 cm above the bench then let it fall back. This will cause a plane wave to travel along the surface of the water, as shown in **Figure 6**.

Figure 6



2 (a) (ii) Make suitable measurements to determine T , the time for the water wave to travel **from one end of the tray to the other** when m , the number of measures of water in the tray is 2.

2 (a) (iii) Repeat the procedure for $m = 3$ and for $m = 4$.

Record your measurements below.

Note that the independent variable should be recorded in the **left-hand** column of your table.

(3 marks)

2 (b) A teacher suggests that for this experiment,

$$T\sqrt{m} = k$$

where k is a constant.

2 (b) (i) By performing suitable calculations with your data from part (a), state and explain whether you think the teacher's theory is correct.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Turn over ►

2 (b) (ii) The teacher’s theory is based on the assumption that m is directly proportional to the depth of the water in the tray.
For the tray that you used, explain whether you think the teacher’s assumption is valid.

.....

.....

.....

.....

.....

.....

.....

(4 marks)

7

END OF QUESTIONS