



Please write clearly in block capitals.

Centre number

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

Candidate number

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

Surname

---

Forename(s)

---

Candidate signature

---

# A-level PHYSICS

Paper 3

Section B    Astrophysics

Monday 3 June 2019

Afternoon

Time allowed: The total time for both sections of this paper is 2 hours. You are advised to spend approximately 50 minutes on this section.

## Materials

For this paper you must have:

- a pencil and a ruler
- a scientific calculator
- a Data and Formulae Booklet.

## Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Show all your working.

For Examiner's Use

| Question     | Mark |
|--------------|------|
| 1            |      |
| 2            |      |
| 3            |      |
| 4            |      |
| <b>TOTAL</b> |      |

## Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 35.
- You are expected to use a scientific calculator where appropriate.
- A Data and Formulae Booklet is provided as a loose insert.



J U N 1 9 7 4 0 8 3 B A 0 1

IB/M/Jun19/E5

**7408/3BA**

## Section B

Do not write  
outside the  
boxAnswer **all** questions in this section.

**0 1 . 1** The lenses used in refracting telescopes can cause chromatic aberration.

Complete **Figure 1** to show how a lens produces chromatic aberration.

[1 mark]

Figure 1



**0 1 . 2** A Cassegrain telescope uses mirrors.

What are the shapes of the primary and secondary mirrors in a Cassegrain telescope?

Tick (✓) **one** box.

[1 mark]

| Primary mirror | Secondary mirror |  |
|----------------|------------------|--|
| concave        | concave          |  |
| concave        | convex           |  |
| convex         | concave          |  |
| convex         | convex           |  |



**0 1 . 3** **Table 1** contains information about two telescopes, **A** and **B**. Each telescope is planned to be the biggest of its type in the world.

**Table 1**

| Telescope                     | A                            | B                 |
|-------------------------------|------------------------------|-------------------|
| Type                          | Optical reflecting telescope | Radio telescope   |
| Diameter / m                  | 39.3                         | 110               |
| Range of wavelengths detected | 350 nm to 1800 nm            | 2.5 mm to 1000 mm |

Discuss the similarities and differences between optical reflecting telescopes and radio telescopes. Your answer should include references to:

- structure
- positioning
- collecting power.

Go on to discuss which telescope, **A** or **B**, will give a more detailed image of an astronomical object that emits both radio waves and visible light.

**[6 marks]**

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

**Question 1 continues on the next page**

**Turn over ►**



Do not write  
outside the  
box

A large rectangular box containing 28 horizontal lines for writing.

8



0 2

**Table 2** shows some properties of the four brightest stars in the constellation Canis Minor.

**Table 2**

| Name     | Apparent magnitude | Absolute magnitude | Spectral class |
|----------|--------------------|--------------------|----------------|
| Gamma A  | 4.46               | -0.50              | K              |
| Gomeisa  | 2.89               | -0.70              | B              |
| HD 66141 | 4.39               | -0.13              | K              |
| Procyon  | 0.34               | 2.65               | F              |

0 2 . 1

Discuss, with reference to the Hipparcos scale, why many star maps show only two stars in the constellation Canis Minor.

**[3 marks]**


---



---



---



---



---



---

0 2 . 2

State and explain which star in **Table 2** has the most prominent Hydrogen Balmer absorption lines.

**[2 marks]**


---



---



---



---

**Question 2 continues on the next page**

**Turn over ►**



Do not write  
outside the  
box

0 2 . 3

Deduce which star, Gamma A or HD 66141, has the larger diameter.

[3 marks]

---

---

---

---

---

---

---

---

0 2 . 4

Astronomers recently used the radial velocity method to discover an exoplanet orbiting HD 66141.

Describe the main features of the radial velocity method in the detection of planets.

[2 marks]

---

---

---

---

---

---

---

---



0 2 . 5

Calculate the distance from the Earth to Procyon.  
Give an appropriate unit for your answer.

Do not write  
outside the  
box

**[3 marks]**

distance = \_\_\_\_\_ unit \_\_\_\_\_

---

13


**Turn over for the next question**

**Turn over ►**



0 3

Figure 2 is a Hertzsprung-Russell (HR) diagram.



0 3 . 1

Label the absolute magnitude axis with a suitable scale.

[1 mark]

0 3 . 2

Label with an **S** the position of the Sun on the HR diagram.

[2 marks]

0 3 . 3

Draw a line on the HR diagram to show the evolution of a star similar to the Sun from formation to white dwarf.

[2 marks]

0 3 . 4

Label with a **P** the position on the HR diagram of a star much redder, and with a greater power output, than the Sun.

[1 mark]





Do not write  
outside the  
box

0 3 . 5

A star much more massive than the Sun may become a supernova and then a black hole.

Discuss whether supernovae and black holes can be placed on the HR diagram in **Figure 2**.

**[3 marks]**

---

---

---

---

---

---

---

---

---

---

9

**Turn over for the next question**

**Turn over ►**



**0 4 . 1** Table 3 contains information about two galaxies.

Do not write  
outside the  
box

**Table 3**

| <b>Galaxy</b> | <b>Red shift, <math>z</math></b> | <b>Distance from Earth / ly</b> |
|---------------|----------------------------------|---------------------------------|
| NGC 936       | $4.8 \times 10^{-3}$             | $6.8 \times 10^7$               |
| NGC 3379      | $3.0 \times 10^{-3}$             | $3.2 \times 10^7$               |

Discuss whether these data are consistent with Hubble's Law.

**[3 marks]**

---

---

---

---



Do not write  
outside the  
box

0 4 . 2

Quasars are the most distant measurable objects.

Discuss **one** problem associated with the determination of the distance from the Earth to a quasar.

[2 marks]

---

---

---

---

---

---

---

5

**END OF QUESTIONS**



**There are no questions printed on this page**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**



1 2







