

Surname	Centre Number	Candidate Number
Other Names		2



GCE A LEVEL – NEW

1420U50-1E



S17-1420U50-1E

**PHYSICS – A2 unit 5
Practical Examination**

Practical Analysis Task

FRIDAY, 24 MARCH 2017 – MORNING

1 hour

For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	5	
2.	20	
Total	25	

1420U501E
01

ADDITIONAL MATERIALS

In addition to this examination paper, you will require a calculator and a **Data Booklet**.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Pencil may be used to draw tables and graphs.
Write your name, centre number and candidate number in the spaces at the top of the page.
Write your answers in the spaces provided in this booklet.

INFORMATION FOR CANDIDATES

The total number of marks available for this task is 25.
The number of marks is given in brackets at the end of each question or part question.
You are reminded of the necessity for good English and orderly presentation in your answers.

BLANK PAGE

Examiner only

Answer all questions.

- 1. A snooker ball has a density of $1700 \pm 40 \text{ kg m}^{-3}$ and diameter $52.6 \pm 0.1 \text{ mm}$. Calculate the mass of the ball along with its **absolute** uncertainty. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 2. (a) Catrin investigates how the discharging of a capacitor through a resistor depends on the initial potential difference applied across the capacitor. Draw a circuit diagram for the investigation. [2]

- (b) Catrin performs another investigation. She investigates how the energy stored in a capacitor depends on the potential difference.

The relationship between the energy stored in the capacitor, U , and the potential difference, V , can be expressed as:

$$U = kV^n$$

where k and n are constants.

- (i) Explain which graph should be plotted to determine k and n . [2]

.....

.....


.....

1420U501E
03

(c) Draw a suitable graph to determine k and n .

[4]

Examiner
only



BLANK PAGE