

General Certificate of Secondary Education

Additional Science 4408 / Physics 4403

PH2FP Unit Physics 2

Mark Scheme

2012 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the students' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2012 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered schools / colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools / colleges to photocopy any material that is acknowledged to a third party even for internal use within the school / college.

Set and published by the Assessment and Qualifications Alliance.

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- **2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of or. (Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars,	0
	Moon	

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

Quality of Written Communication and levels marking

In Question 8 students are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Students will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: Basic

- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: Clear

- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: Detailed

- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

question	answers	extra information	mark
1(a)(i)	protostar	correct order only	1
	red giant		1
	black dwarf		1
1(a)(ii)	Alpha Centauri A	accept any correct indication, eg alpha, centauri, A	1
	stars (about) same size as Sun form white/black dwarfs or very large stars form red super giants / supernova/black hole	reason only scores if Alpha Centauri A is chosen it is the same size as the Sun is insufficient same life cycle as the Sun is insufficient	1
1(b)	Atomic nuclei inside the star join together.		1
Total			6

question	answers	extra information	mark
2(a)(i)	15		1
2(a)(ii)	4.5 or their (a)(i) x 0.3 correctly calculated	allow 1 mark for correct substitution, ie 0.3 x 15/their (a)(i), provided no subsequent step	2
2(a)(iii)	decrease		1
2(b)	Υ	accept any correct indication	1
	(only one that) shows a direct current / p.d.	reason only scores if Y is chosen accept voltage for p.d.	
	or a battery / cell gives a direct current	accept both X and Z are a.c.	1
	or		
	a battery/cell gives a constant	accept it's a constant current/p.d.	
	current/p.d.	it is not changing is insufficient	
Total			6

question	answers	extra information	mark
3(a)(i)	horizontal arrow pointing to the left	judge by eye drawn anywhere on the diagram	1
3(a)(ii)	60 (N) (at steady speed) resultant force must be zero	accept forces must balance/are equal accept no acceleration do not accept constant speed	1 1
3(b)	joule	allow 1 mark for correct substitution, ie 60 x 28 provided no subsequent step shown accept J do not accept j	2
Total			6

question	answers	extra information	mark
4(a)(i)	correct symbol ringed		1
4(a)(ii)	 accept any suggestion that would change light intensity, eg: torch on or off distance between torch and LDR lights in room on or off shadow over the LDR 	accept power of torch do not accept watts/wattage of torch	1
4(b)	resistance decreases from $600\text{k}\Omega$ to $200\text{k}\Omega$	accept by 400 kΩ	1
4(c)(i)	no numbers for light intensity or light intensity is categoric / a description/not continuous	not enough results is insufficient	1
4(c)(ii)	YES both show that resistance increases with decreasing (light) intensity / brightness	mark is for the reason accept they both get the same results/pattern	1
4(d)	A circuit that automatically switches outside lights on when it gets dark.		1
Total			7

question	answers	extra information	mark
5(a)(i)	earth wire		1
5(a)(ii)	double		1
5(b)	if too much current flows through the wire	accept power for current do not accept electricity for current accept if more than 20 amps flows through the wire	1
	the fuse (overheats and) melts	accept 'blows' for melts do not accept explodes/ breaks/snaps etc	1
	breaking the circuit	accept stopping the current flow	1
Total			5

question	answers	extra information	mark
6(a)(i)	on average, cosmic rays produce less background radiation than rocks.		1
	having no X-rays reduces a person's radiation dose.		1
6(a)(ii)	4		2
		allow 1 mark for 350 / 4 allow 1 mark for an answer 3.5	
6(b)(i)	(risk) increases		1
6(b)(ii)	С	reason only scores if C chosen	1
	shows a low <u>er</u> risk for low doses (than for zero exposure)	accept risk reduces when you go from low to moderate (doses)	1
6(c)(i)		no mark for YES or NO, marks are for the explanation	
	YES		
	fewer mice exposed first to a low dose		1
	get cancer (than those only exposed to a high dose)	only scores if first marking point scores	1
	NO	300163	
	the results are for mice (1)		
	and may not be applicable to people (1)		
6(c)(ii)	ethical		1
Total			10

question	answers	extra information	
7(a)(i)	ВС	either order	1
7(a)(ii)	elastic <u>potential</u> (energy)	accept strain for elastic	1
7(b)(i)		mark both parts together	1
	measured / recorded the length of the spring (and not extension)	accept measured A–C (and not B–C) accept did not work out/measure the extension	
	extension does not equal zero when force = 0	accept line should pass through the origin	1
7(b)(ii)	point marked at 5.5 (N)	accept any point between 5.0 and 5.6 inclusive	1
	up to that point force and extension are (directly)	accept it's at the end of the straight part (of the graph line)	1
	proportional	accept past that point force and extension are no longer (directly) proportional	
		accept the line starts to curve	
7(c)	1.8	allow 1 mark for correct substitution, ie 25 x 0.072 provided no subsequent step shown	2
		an answer 1800 gains 1 mark	
		an incorrect conversion from mm to m with a subsequent correct calculation gains 1 mark	
Total			8

Question 8

question	answers	extra information	mark
8(a)	750	allow 1 mark for correct substitution, ie 75 x 10 provided no subsequent step shown	2
	newton(s) / N	do not accept n	1

8(b) 6

Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 2, and apply a 'best-fit' approach to the marking.

0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6 marks)
No relevant content.	There is a brief attempt to explain why the velocity / speed of the parachutist changes. or the effect of opening the parachute on velocity/speed is given.	The change in velocity/ speed is clearly explained in terms of force(s) or a reasoned argument for the open parachute producing a lower speed.	There is a clear and detailed explanation as to why the parachutist reaches terminal velocity and a reasoned argument for the open parachute producing a lower speed

Question 8 continues on the next page . . .

Question 8 continued

question	answers	extra information	mark
8(b) (cont)	examples of the physics points made in the response to explain first terminal velocity		
	 on leaving the plane the only force acting is weight (downwards) 	accept gravity for weight throughout	
	 as parachutist falls air resistance acts (upwards) weight greater than air resistance or 	accept drag / friction for air resistance	
	 resultant force downwards (resultant force downwards) so parachutist accelerates as velocity / speed increases so does air resistance 		
	 terminal velocity reached when air resistance = weight 	accept terminal velocity reached when forces are balanced	
	to explain second lower terminal velocity		
	opening parachute increases surface area		
	opening parachute increases air resistance		
	 air resistance is greater than weight resultant force acts upwards / opposite direction to motion 		
	 parachutist decelerates / slows down the lower velocity means a reduced air resistance air resistance and weight become equal but at a lower (terminal) velocity 		
8(c)(i)	any one from:		1
	mass of the (modelling) clay	accept size/shape of clay size/amount/volume/shape of clay	
	material parachute made from	accept plasticine for (modelling)clay	
	number / length of strings	accept same (plastic) bag	

Question 8 continues on the next page

Question 8 continued

question	answers	extra information	mark
8(c)(ii)	c smallest (area) so falls fastest (so taking least time)	reason only scores if C is chosen accept quickest/quicker for fastest if A is chosen with the reason given as 'the largest area so falls slowest' this gains 1 mark	1
Total			12

UMS Conversion Calculator www.aqa.org.uk/umsconversion