# 

Please write clearly in	n block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			 /



Foundation Tier Unit Physics P3

## Friday 17 June 2016

Morning

Time allowed: 1 hour

#### Materials

For this paper you must have:

- a ruler
- a calculator
- the Physics Equations Sheet (enclosed).

#### Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.

#### Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 60.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- Question 8(b) should be answered in continuous prose.
- In this question you will be marked on your ability to:
  - use good English
  - organise information clearly
  - use specialist vocabulary where appropriate.


### Advice

• In all calculations, show clearly how you work out your answer.






#### Do not write outside the box





3
As people get older, the near point of their vision changes.
What does 'the near point' mean?
Tick (✓) one box. [1 mark]
The closest distance to the eye that an object can be clearly seen
The distance between the front and back of the eyeball
The focal length of the lens in the eye
How does the eye change in order to focus on objects at different distances? [1 mark] Tick ( $\checkmark$ ) one box.
The distance between the lens and the retina changes
The eyeball changes shape
The lens changes shape
In laser eye surgery, the cornea is reshaped to help improve a person's vision.
Complete the following sentence. [1 mark]
Surgeons use the transferred by the light from a laser to cut and reshape the cornea.
Lasers were tested on animals before they were used in surgery on people.
Suggest why some people disagree with testing lasers on animals. [1 mark]








	5	Do not write outside the box
2 (b) (i)	Use <b>Figure 3</b> to determine the intensity of X-rays reaching the detector for a 3 cm thickness of soft tissue.	
	[1 mark]	
	Intensity of X-rays = arbitrary units	
2 (b) (ii)	Describe how the thickness of soft tissue affects the intensity of the X-rays. [2 marks]	
2 (b) (iii)	The data in <b>Figure 3</b> are shown as a line graph and not as a bar chart.	
	Choose the reason why. [1 mark]	
	Tick (✓) <b>one</b> box.	
	Both variables are categoric	
	Both variables are continuous	
	One variable is continuous and one is categoric	
2 (c)	What happens to X-rays when they enter a bone? [1 mark]	
	Question 2 continues on the next page	



Turn over ►


	6		Do not write outside the box
2 (d)	How are images formed electronically in a modern X-ray machine?	[1 mark]	
	Tick (✓) <b>one</b> box.	[T mark]	
	With a charge-coupled device (CCD)		
	With an oscilloscope		
	With photographic film		
2 (e)	Radiographers who take X-ray photographs may be exposed to X-rays.		
2 (e) (i)	X-rays can increase the risk of the radiographer getting cancer.		
	Why can X-rays increase the risk of getting cancer?	[1 mark]	
	Tick (✓) <b>one</b> box.		
	X-rays travel at the speed of light		
	X-rays can travel through a vacuum		
	X-rays are ionising		
2 (e) (ii)	What should the radiographer do to reduce the risk from X-rays?	[1 mark]	
			9







Turn over ►





	9	Do not write outside the box
3 (c) (i)	A force of 24 N acts on piston <b>A</b> . The cross-sectional area of piston <b>A</b> is 8 mm <sup>2</sup> .	
	Calculate the pressure in N/mm <sup>2</sup> at position $X$ .	
	Use the correct equation from the Physics Equations Sheet. [2 marks]	
	Pressure = N/mm <sup>2</sup>	
3 (c) (ii)	The unit N/mm <sup>2</sup> is not often used to measure pressure.	
	Which unit is usually used to measure pressure? [1 mark]	
	Tick (✓) <b>one</b> box.	
	newton	
	pascal	
	watt	
3 (d)	The liquid used in the hydraulic brake system freezes at $-30$ °C.	
	Suggest <b>one</b> effect a temperature below –30 °C would have on the brake system. [1 mark]	
		6



Turn over ►


A sign hangs from the ceiling using two cables, as shown in Figure 5.          Figure 5         (I mark]         (I mark] </th <th>Figure 5 a) On Figure 5, mark the centre of mass of the sign using an X. [1 mark] b) Use the correct answer from the box to complete the sentence. [1 mark] i use the correct answer from the box to complete the mass appears to be</th> <th></th> <th>10</th> <th>Do out</th>	Figure 5 a) On Figure 5, mark the centre of mass of the sign using an X. [1 mark] b) Use the correct answer from the box to complete the sentence. [1 mark] i use the correct answer from the box to complete the mass appears to be		10	Do out
a) On Figure 5, mark the centre of mass of the sign using an X. [1 mark] b) Use the correct answer from the box to complete the sentence. [1 mark] i (1 mark] i (1 mark] i (2 marks)	a) On Figure 5, mark the centre of mass of the sign using an X. [1 mark] b) Use the correct answer from the box to complete the sentence. [1 mark] concentrated greatest pivoted The centre of mass of an object is the point where the mass appears to be		A sign hangs from the ceiling using two cables, as shown in <b>Figure 5</b> .	
CHECKOUT HERE I) On Figure 5, mark the centre of mass of the sign using an X. [1 mark] (Juse the correct answer from the box to complete the sentence. [1 mark] (concentrated greatest pivoted The centre of mass of an object is the point where the mass appears to be (A breeze made the sign swing forwards and backwards like a pendulum. The frequency of oscillations of the sign was 2 hertz. Calculate the periodic time for the sign. Use the correct equation from the Physics Equations Sheet. [2 marks]	() On Figure 5, mark the centre of mass of the sign using an X.   [1 mark]   (a) Use the correct answer from the box to complete the sentence.   [1 mark]   (a) Concentrated   greatest   pivoted   The centre of mass of an object is the point where the mass appears to be A breeze made the sign swing forwards and backwards like a pendulum. The frequency of oscillations of the sign was 2 hertz. Calculate the periodic time for the sign. Use the correct equation from the Physics Equations Sheet. [2 marks]		Figure 5	
[1 mark]         (1 mark]         (2 marks]         (2 marks]	[1 mark]         (1 mark]         (2 mark]         (2 mark]         (3 mark]         (4 mark]         (2 mark]         (3 mark]         (3 mark]         (4 mark]         (5 mark]         (5 mark]         (6 mark]         (7 mark]         (2 mark]         (3 mark]         (4 mark]         (5 mark]         (6 mark]         (7 mark]		CHECKOUT	
[1 mark] <u>concentrated</u> <u>greatest</u> <u>pivoted</u> The centre of mass of an object is the point where the mass appears to be	[1 mark] <u>concentrated</u> <u>greatest</u> <u>pivoted</u> The centre of mass of an object is the point where the mass appears to be	)		mark]
The centre of mass of an object is the point where the mass appears to be	The centre of mass of an object is the point where the mass appears to be	)		mark]
<ul> <li>to be</li></ul>	to be A breeze made the sign swing forwards and backwards like a pendulum. The frequency of oscillations of the sign was 2 hertz. Calculate the periodic time for the sign. Use the correct equation from the Physics Equations Sheet. [2 marks]		concentrated greatest pivoted	
The frequency of oscillations of the sign was 2 hertz. Calculate the periodic time for the sign. Use the correct equation from the Physics Equations Sheet. [2 marks]	The frequency of oscillations of the sign was 2 hertz. Calculate the periodic time for the sign. Use the correct equation from the Physics Equations Sheet. [2 marks]			
Use the correct equation from the Physics Equations Sheet. [2 marks]	Use the correct equation from the Physics Equations Sheet. [2 marks]	)		
[2 marks]	[2 marks]		Calculate the periodic time for the sign.	
				narks]
	Periodic time = seconds			
Periodic time = seconds			Periodic time = se	conds



Do not write outside the box


5

4 (d) **Figure 6** is a sketch graph showing how the frequency of the oscillations of a pendulum changes as the length of the pendulum is increased.





.....





Do not write outside the box

- **5 (c)** The ultrasound is reflected from the sea floor back to the submarine. Use the correct answer from the box to complete the sentence.
- [1 mark]

half	the same as	twice
------	-------------	-------

The total distance the ultrasound pulse travelled is \_\_\_\_\_\_ the distance to the sea floor.

**5 (d)** The submarine moves through the sea and every few seconds sends a pulse of ultrasound to check the distance to the sea floor.

**Table 1** shows the time taken for five ultrasound pulses to travel from the submarine to the sea floor and back to the submarine.

Pulse number	Time for pulse to return in seconds
1	0.50
2	0.45
3	0.38
4	0.40
5	0.48


Та	bl	е	1
		•	

Describe how the distance from the submarine to the sea floor changed over these five pulses.

[2 marks]









Do not write outside the box

;) How can the force he appl	drummer create a greater moment about the pivot wi ies?	
		[1 mark]
		[
	Turn over for the next question	
		Turn over ▶



Do not write outside the box

7 An endoscope is a piece of equipment used by doctors. An endoscope contains optical fibres. Figure 9 shows an endoscope. Figure 9 Tube containing optical fibres. 0 7 (a) State what a doctor would use an endoscope for. [1 mark] 7 (b) Which one of the following diagrams correctly shows how a ray of light travels through an optical fibre? [1 mark] Tick  $(\checkmark)$  one box. P Ý




	17	Do not write outside the box
7 (c)	Figure 10 shows a ray of light entering an optical fibre.	
	Figure 10	
	The angle of incidence <i>i</i> is 78° The angle of refraction <i>r</i> is 40°	
	Calculate the refractive index of the optical fibre.	
	Use the correct equation from the Physics Equations Sheet. [3 marks]	
	Refractive index =	5
	Turn over for the next question	



Turn over ►

Do not write outside the box





Describe how the students could build an electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of their electromagnet. Include in your answer how the students should vary and test the strength of the next question is the students should vary and test the strength of the next question is the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the strength of the students should vary and test the strength of the strengt	19	Do no outsio b
	the students should vary and test the strength of their electromagnet.	
Extra space		
Turn over for the next question	Extra space	
Turn over for the next question		
Turn over for the next question		
Turn over for the next question		
Turn over for the next question		[_
Turn over for the next question		_   [
Turn over for the next question		
	Turn over for the next question	



Turn over 🕨






Figure 12 shows the structure of a traditional transformer.  Figure 12  Figur	21	[
Primary coll       Secondary coll         230 V       V         Constrained       Itere is an alternating current in the primary coil of the transformer.         State what is produced in the iron core.       [2 marks]         A transformer has only one turn of wire on the secondary coil.       The potential difference across the secondary coil is 11.5 V         The potential difference across the primary coil is 230 V       Calculate the number of turns on the primary coil.         Use the correct equation from the Physics Equations Sheet.       [2 marks]	Figure 12 shows the structure of a traditional transformer.	
A transformer has only one turn of wire on the secondary coil.         The potential difference across the secondary coil is 11.5 V         The potential difference across the primary coil is 230 V         Calculate the number of turns on the primary coil.         Use the correct equation from the Physics Equations Sheet.	Figure 12	
A transformer has only <b>one</b> turn of wire on the secondary coil. The potential difference across the secondary coil is 11.5 V The potential difference across the primary coil is 230 V Calculate the number of turns on the primary coil. Use the correct equation from the Physics Equations Sheet.	Primary coil Secondary coil	
There is an alternating current in the primary coil of the transformer. State what is produced in the iron core. [2 marks]		
State what is produced in the iron core. [2 marks] A transformer has only one turn of wire on the secondary coil. The potential difference across the secondary coil is 11.5 V The potential difference across the primary coil is 230 V Calculate the number of turns on the primary coil. Use the correct equation from the Physics Equations Sheet. [2 marks] [3 marks] [4 marks] [5	`Iron core	
[2 marks] A transformer has only one turn of wire on the secondary coil. The potential difference across the secondary coil is 11.5 V The potential difference across the primary coil is 230 V Calculate the number of turns on the primary coil. Use the correct equation from the Physics Equations Sheet. [2 marks] [2 marks] [2 marks] [2 marks] [3 marks] [4 marks] [5 m	There is an alternating current in the primary coil of the transformer.	
[2 marks] A transformer has only one turn of wire on the secondary coil. The potential difference across the secondary coil is 11.5 V The potential difference across the primary coil is 230 V Calculate the number of turns on the primary coil. Use the correct equation from the Physics Equations Sheet. [2 marks] [2 m	State what is produced in the iron core.	
The potential difference across the secondary coil is 11.5 V The potential difference across the primary coil is 230 V Calculate the number of turns on the primary coil. Use the correct equation from the Physics Equations Sheet. [2 marks]		]
The potential difference across the secondary coil is 11.5 V The potential difference across the primary coil is 230 V Calculate the number of turns on the primary coil. Use the correct equation from the Physics Equations Sheet. [2 marks]		-
[2 marks]	The potential difference across the secondary coil is 11.5 V The potential difference across the primary coil is 230 V	
Number of turns on the primary coil =		]
Number of turns on the primary coil =		-
Question 9 continues on the next page		-
Question 9 continues on the next page		
	Question 9 continues on the next page	



Turn over ►

Do not write outside the box 9 (c) In most transformers, the power output is less than the power input. State why. [1 mark] 9 (d) Two students investigated how magnets can be used to produce a potential difference. The students held a coil of wire above a magnet. The students quickly lowered the coil so that the magnet was inside the coil, as shown in Figure 13. Figure 13 Voltmeter Coil of wire 0.00 ę Ν Ν 0.00 Magnet S S

22

The students recorded the maximum potential difference for coils with different numbers of turns of wire. The results are shown in Table 2.

Number of turns of wire	Maximum potential difference in volts			
in the coil	Results from student 1	Results from student 2		
5	0.09	0.08		
10	0.20	0.15		
15	0.31	0.25		
20	0.39	0.33		
25	0.51	0.39		


Table 2



	23	Do not v outside box
9 (d) (i)	State the resolution of the voltmeter.	
	Give <b>one</b> reason why the resolution of the voltmeter is suitable for this investigation. [2 marks]	
	Resolution	
	Reason	
9 (d) (ii)	The two students used exactly the same equipment to carry out their investigations. Both students recorded their results correctly.	
	Give the reason why student 2 got different results from student 1. [1 mark]	
9 (d) (iii)	The students decided that even though the results were different, there was no need to repeat the investigation.	
	How do the results show that the investigation is reproducible? [1 mark]	
9 (d) (iv)	State the name of the process which causes the potential difference to be produced in this investigation. [1 mark]	
9 (e)	A transformer has been developed that can be used with many different devices.	
	Suggest <b>one</b> advantage of having a transformer that can be used with many different devices.	
	[1 mark]	
		1
	END OF QUESTIONS	

2 3





Copyright © 2016 AQA and its licensors. All rights reserved.



Guildford, GU2 7XJ.