

Cambridge IGCSE[™] (9–1)

PHYSICS (9–1) Paper 3 Theory (Core) MARK SCHEME Maximum Mark: 80 0972/32 May/June 2024

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2024 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **13** printed pages.

PMT

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

PMT

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 <u>'List rule' guidance</u>

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

PMT

6 <u>Calculation specific guidance</u>

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 <u>Guidance for chemical equations</u>

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

PMT

Acronyms and shorthand in the mark scheme

Acronym / shorthand	Explanation
A mark	Final answer mark which is awarded for fully correct final answers including the unit.
C mark	Compensatory mark which may be scored when the final answer (A) mark for a question has not been awarded.
B mark	Independent mark which does not depend on any other mark.
M mark	Method mark which must be scored before any subsequent final answer (A) mark can be scored.
Brackets ()	Words not explicitly needed in an answer, however if a contradictory word / phrase / unit to that in the brackets is seen the mark is not awarded.
<u>Underlining</u>	The underlined word (or a synonym) must be present for the mark to be scored. If the word is a technical scientific term, the word must be there.
/ or OR	Alternative answers any one of which gains the credit for that mark.
owtte	Or words to that effect.
ignore	Indicates either an incorrect or irrelevant point which may be disregarded, i.e., not treated as contradictory.
insufficient	An answer not worthy of credit on its own.
CON	An incorrect point which contradicts any correct point and means the mark cannot be scored.
ecf [question part]	Indicates that a candidate using an erroneous value from the stated question part must be given credit here if the erroneous value is used correctly here.
сао	Correct answer only.
ORA	Or reverse argument.

	PMT
May/June 2024	

Question	Answer	Mark
1(a)	(constant) acceleration OR accelerating OR increasing speed	B1
1(b)	zero	B1
1(c)	60 (m)	A3
	$\frac{1}{2} \times 6(.0) \times 20$	(C2)
	distance = area under (speed–time) graph OR $\frac{1}{2} \times b \times h$	(C1)

Question	Answer	Mark
2(a)	 any three from: measuring cylinder (part) filled with water volume of water measured or recorded/noted/read metal submerged / placed in water owtte new volume read / noted / measured / recorded 	В3
	volume of metal = difference in volumes	B1
2(b)	(<i>ρ</i> =) 6	A3
	(<i>p</i> =) 192 ÷ 30	(C2)
	(density =) mass \div volume OR (ρ =) m /V in any form	(C1)
	g / cm ³	B1

May/June 2024

0972/32

Question	Answer	Mark
3(a)	cone	MO
	(because it has) lower centre of mass/gravity	A1
3(b)	(weight =) 2.5 (N)	A2
	(weight =) mass $\times g \text{ OR } 0.25 \times 9.8$	(C1)
3(c)(i)	(moment =) 66 (N cm)	A3
	(moment =) 3(.0) × 22	(C2)
	moment = force × (perpendicular) distance (from pivot)	(C1)
3(c)(ii)	(moment of weight =) answer to (c)(i) OR 66 (Ncm)	B1

Question	Answer	Mark
4(a)(i)	light	B1
	sound	B1
4(a)(ii)	(100 – 30 =) 70 (J)	B1
4(b)(i)	 any three from: water (behind dam) has gravitational OR potential energy water flows down / moves in / goes through pipe OR through (HEP) station OR through turbine <u>water</u> turns / moves / rotates / spins turbine (turbine) turns / moves / rotates / spins generator 	B3

PMT

May/June 2024

0972/32

FUBLISHED		
Question	Answer	Mark
4(b)(ii)	 any one advantage from: renewable form of energy no greenhouse gases OR no CO₂ no atmospheric / air pollution short start-up time owtte any one disadvantage from: (large area of) land flooded relocation of population damage to (land / valley) habitats OR migration of fish (upriver) interrupted owtte vulnerable to drought idea of limited suitable sites reduced water supply downstream owtte 	B1 B1

May/June 2024

Question	Answer	Mark
5(a)	(particles are) fixed in position / in lattice OR regular / fixed arrangement / pattern	B1
	can only vibrate / no translational KE	B1
	close / closer (than in liquids or gases)	B1
5(b)(i)	(particles move) closer (as temperature decreases)	B1
	particles vibrate slower / less OR have smaller vibrations	B1
5(b)(ii)	(at absolute zero particles have) least / smallest vibrations	B1
5(c)	$(P =) 0.62 (N / cm^2)$	A3
	(<i>P</i> =) 26 ÷ 42	(C2)
	$(P =) F \div A$	(C1)

Question	Answer	Mark
6(a)	(v =) 20 (cm / s)	A3
	$(v =) 4(.0) \times 5(.0)$	(C2)
	$(v =) f \times \lambda$	(C1)
6(b)	 any three from: refraction direction of waves / wavefronts changes (due to) change in speed wavelength changes as depth of water changes 	B3
6(c)(i)	radio waves OR microwaves OR infrared	B1
6(c)(ii)	security marking OR detecting forged bank notes OR sterilising food / water	B1
6(c)(iii)	(both have) same speed owtte	B1

May/June 2024

0972/32

Question	Answer	Mark
7(a)	12 (Ω)	A3
	4.8/0.4	(C2)
	$V = IR \mathbf{OR} (R =) V/I$	(C1)
7(b)	(lamp is) brighter OR (brightness) increases	B1
	resistance of wire and resistor in parallel is less than resistance of wire owtte OR voltage across lamp/L increases	B1
	(so) current in lamp increases	B1

Question	Answer	Mark
8(a)	(<i>E</i> =) 30 000 (J)	A4
	(<i>E</i> =) 1.8 × 1200 × 14 OR 2160 × 14	(C3)
	(<i>E</i> =) 1.8 × 20 × 14 OR 36 × 14	(C2)
	$(E =) I \times t \times V \mathbf{OR} \ E = P \times t \ \mathbf{AND} \ P = I \times V$	(C1)
	conversion 20 (minutes) = 1200 (s)	(C1)
8(b)(i)	(soft) iron	B1
8(b)(ii)	320 (turns)	A3
	$16/240 = N_s/4800 \text{ OR } 240/16 = 4800/N_s \text{ OR } N_s = 4800 \times \{16/240\}$	(C2)
	$(V_s / V_p) = (N_s / N_p)$ in any form	(C1)

0972/32

Cambridge IGCSE (9–1) – Mark Scheme PUBLISHED

May/June 2024

Question	Answer	Mark
9(a)	fault: insulation damaged owtte	B1
	hazard: electrocution OR electric shock	B1
9(b)(i)	earth (wire)	B1
9(b)(ii)	(switch is connected in) live (wire)	M1
	(so appliance is) disconnected from main / supply OR disconnected from high voltage (when switch is open / off)	A1

Question	Answer	Mark
10(a)(i)	both have 92 (protons) OR same (number of protons)	B1
10(a)(ii)	U-235 has (3) fewer neutrons OR U-238 has (3) more neutrons OR U-235 has 143 and U-238 has 146 neutrons	B1
10(b)	(2 × 24 =) 48 (minutes)	A3
	(change in mass takes place over/decay takes) 2 half-lives	(C2)
	$16 \rightarrow 8(.0) \rightarrow 4(.0) \text{ OR } 16 \times \frac{1}{2} \times \frac{1}{2} (= 4(.0))$	(C1)

May/June 20	24
-------------	----

Question	Answer	Mark
11(a)(i)	Earth has greater mass ORA	B1
11(a)(ii)	243 (Earth days)	A3
	5832 ÷ 24	(C2)
	idea that one rotation on its axis equals one day	(C1)
11(a)(iii)	360 (s)	A4
	$108.2 \times 10^9 \div 3.0 \times 10^8$	(C3)
	speed = distance \div time OR (<i>t</i> =) <i>s</i> \div <i>v</i>	(C1)
	conversion 1 km = 1000 m	(C1)
11(b)	distance	M1
	travelled (in space) by light in one year owtte	A1