

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the May/June 2009 question paper**  
**for the guidance of teachers**

**0625 PHYSICS**

**0625/31**

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0625	31

### Notes about Mark Scheme Symbols and Other Matters

- B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
- M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
- A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
- c.a.o. means "correct answer only".
- e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."
- e.e.o.o. means "each error or omission".
- brackets ( ) around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0625	31
1	check zero on stopwatch OR repeat OR other sensible precaution start stopwatch at some recognisable point in the cycle stop stopwatch after at least 10 cycles OR count no. of cycles in at least 10 s divide time by number of cycles		B1 B1 B1 B1 [4]
2	(a) water AND liquids expand more than solids		B1
	(b) steel (steel) expands at same rate / has same expansion (as concrete) different expansion AND cracks / breaks / damages / destroys concrete		M1 A1 A1 [4]
3	(a) (i) straight line OR constant gradient / slope OR change in speed with time constant OR speed proportional to time  (ii) increase in velocity / time OR $a = v/t$ , symbols, words or numbers 0.75 m/s <sup>2</sup>		B1  C1 A1
	(b) (i) decreases OR acceleration slows (down) NOT 'it slows down'  (ii) equal to forward / downward force / force down slope OR constant / maximum OR (giving) no resultant force equal to component of weight (down slope)		C1  C1 A1
	(iii) 1 graph starting at origin curved from start AND decreasing gradient AND horizontal final part  2 label A on any correct curved region label B on horizontal region		B1 B1  B1 B1 [10]
4	(a) (i) (note: diagram may be drawn in any orientation) sides correct length, by eye forces drawn at 45°, by eye parallelogram completed correct diagonal drawn / correct resultant if intersecting arcs shown  (ii) magnitude: between 5500 N and 5700 direction: between 28° and 32°		B1 B1 B1 B1  B1 B1
	(b) (i) it has direction (as well as magnitude)  (ii) any example which is clearly a vector		B1  B1 [8]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0625	31
5	(a) (i) $\frac{1}{2}mv^2$ $\frac{1}{2} \times 7500 \times 12 \times 12$ 540 000 J OR 540 kJ		C1 C1 A1
	(ii) $W = E/t$ in any form 10% × his (a) 54 000 W OR 54 kW e.c.f.		B1 C1 A1
	(b) (i) 3750 kg		B1
	(ii) [If ecf from (i) and no other errors, maximum mark is 2] mass: $\frac{1}{2}$ OR correct sub in $\frac{1}{2}mv^2$ speed: $\frac{1}{2}$ OR 6750 (J) fraction = $\frac{1}{8}$ / 0.125 / 1:8 ? 12.5 % (c.a.o.)		C1 C1 A1 [10]
6	(a) (i) $P = F/A$ in any form, letters, words or numbers $1.4 \times 10^6$ Pa accept N/m <sup>2</sup>		C1 A1
	(ii) 84 N OR 84.0 N		B1
	(iii) <u>same force</u> over (much) smaller area (much) bigger pressure		B1 B1
	(b) (i) $P = h\delta g$ in any form, letters, words or numbers $3 \times 10^4$ Pa OR 30 000 Pa OR 30 kPa accept N/m <sup>2</sup>		C1 A1
	(ii) his (i)		B1 [8]
7	(a) Total penalty for use of 'particles' rather than 'molecules' is 1 mark.		
	(i) idea of some molecules gaining more KE mols overcome attractive forces OR mols break free of surface		B1 B1
	(ii) greater area more mols escape (in given time)		B1 B1
	(iii) increase temperature / supply more heat / make hotter ) blow air across surface, or equiv. ) any 2 reduce humidity ) decrease pressure )		B1 + B1
	(b) water evaporates from cloth / water OR faster / more energetic molecules evaporate ) less energetic mols left behind ) energy to evaporate taken from milk ) any 3 evaporation produces cooling ) idea of cloth always being damp by soaking up water )		B1 × 3 [9]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0625	31

- 8 (a) medium A because angle in air is bigger OR angle in A is smaller OR refracts / bends away from normal / angle of refraction greater than angle of incidence / total internal reflection only occurs in denser medium B1
- (b) air: light travels faster in less dense medium OR air: air is less dense / rarer B1
- (c)  $42^\circ$ – $43^\circ$  B1
- (d) total internal reflection B1
- (e)  $n = \sin i / \sin r$  OR  $n = \sin r / \sin i$  OR  $1.49 = \sin i / \sin 35$  (allow 1.49 or refractive index instead of  $n$  in any of above) C1  
 $58.719^\circ$  to at least 2 s.f. Allow  $58.71^\circ$  A1
- (f)  $n = \text{speed in air} / \text{speed in medium}$  in any arrangement C1  
OR  $1.49 = 3.0 \times 10^8 / \text{speed in medium A}$  A1  
 $2.01343 \times 10^8$  m/s to at least 2 s.f. [8]
- 9 (a) half-wave rectification clearly indicated (any wave shape, repeated): at least 2 humps with all spaces more than half width of hump, by eye. B1
- (b) (i) A (c.a.o.) M1
- (ii) For answers A and B only in (i), not C or D:  
Route to resistor: correct arrow on one downwards diode and nothing wrong on this route B1  
Route from resistor: correct arrow on one downwards diode and nothing wrong on this route B1 [4]

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0625	31

- 10 (a) (i)** 0 (A) / zero Unit penalty if wrong unit B1
- (ii)** 12 V B1
- (b) (i)**  $V / R$  OR  $V = IR$  in any form, letters, words or numbers C1  
0.5 A A1
- (ii)**  $8 \times$  candidate's (i) OR  $8/24 \times 12$  C1  
4 V OR 4.0 V e.c.f. A1
- (c)**  $1/R_1 + 1/R_2 = 1/R$  OR  $R = R_1 R_2 / (R_1 + R_2)$  in any form B1  
5.3 ( $\Omega$ ) OR  $5\frac{1}{3}$  ( $\Omega$ ) OR  $16/3$  ( $\Omega$ ) C1  
12 / candidate's R C1  
2.25 A c.a.o. A1
- Alternatively:  $12/16$  (= 0.75) OR  $12/8$  (= 1.5) C1  
 $12/16$  (= 0.75) AND  $12/8$  (= 1.5) C1  
Currents added C1  
2.25 A c.a.o. A1 [10]
- 11 (a)** ignore any extra ticks against  $\alpha$
- $\beta$  3rd and 4th columns ticked
- |                                                 |                         |         |         |
|-------------------------------------------------|-------------------------|---------|---------|
| (use $\checkmark + \times = 0$ for extras) i.e. | 2 correct               | 2 marks |         |
|                                                 | 1 correct, nothing else | 1 mark  |         |
|                                                 | 1 correct, 1 wrong      | 1 mark  |         |
|                                                 | 2 correct, 1 wrong      | 1 mark  |         |
|                                                 | 2 correct, 2 or 3 wrong | 0 marks | B1 + B1 |
- $\gamma$  1st column ticked (use  $\checkmark + \times = 0$  for extras) B1
- (b)** idea of in plane of page OR perpendicular to magnetic field C1  
top to bottom of the page OR opposite direction of deflection of  $\alpha$  OR  
down the page A1  
Ignore downwards. Ignore references to + or – plates, for both C1 and A1 [5]