UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

0625 PHYSICS

0625/61

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Paper

[1]

Syllabus

			IGCSE – October/November 2011	0625	61
1	(a)	scale: plots:	the right way round, labelled x and y with unit cm both 10 small squares = 2 cm (either or both 20 small squares = 5 cm also accept all correct to $\frac{1}{2}$ small square well-judged, best-fit, straight, thin, continuous line	able)	[1] [1] [1] [1]
	(b)) correct triangle method using at least $\frac{1}{2}$ candidate's line, with method clearly indicated on graph $G=0.94-1.00$, no ecf			/ indicated [1] [1]
	(c)	1.0/(cand	didate's G) calculation correct, 2 or 3 significant figu	res and unit N	[1]
	(d)	(i) (whe	ere rule) balances on pivot o.w.t.t.e.		[1]
		` '	readings from 49.7 OR est rule by adding weight until it balances at 50.0 cm	mark	[1] [Total: 9]
2	(a)	<i>θ</i> _c = 24 °C			[1] [1]
	(b)	θ_{av} = 55	(°C) ecf from (a)		[1]
	(c)	_	from: or temperature (to stabilise) rmometer at right angles o.w.t.t.e.		[2]
	(d)	heat loss	s (to surroundings) o.w.t.t.e.		[1]
	(e)	one from	n:		

Mark Scheme: Teachers' version

Page 2

lagging beakers o.w.t.t.e.

swifter transfer of water

use of lid

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0625	61

(f) one from:

amount of stirring o.w.t.t.e. hot water temperature cold water temperature room temperature o.w.t.t.e. transfer time

[1]

[Total: 8]

3 (a) (i) 0.27(A)

[1]

[1]

(ii) expect YES (ecf: no) expect close enough / within limits of experimental accuracy o.w.t.t.e. ecf: beyond limits of experimental accuracy o.w.t.t.e.

[1]

(b) vary/control current/voltage

[1]

(c) (i) voltmeter symbol correct and correctly connected across all three resistors

[1]

(ii) 2.2(V)

[1]

(iii) R correctly evaluated ecf from (ii)

[1] [1]

2 or 3 significant figures and unit Ω

[Total: 8]

4 (a) (i) normal at 90°, at centre of MR and crossing MR

[1] [1]

(ii) **AB** is a continuous line from **B**, 8 cm long **AB** is at 40° to normal

[1]

(b) (i) continuous, thin line that reaches normal and at least touches P2 and P3 dots

[1]

(ii) r = 40 - 43(°) (no ecf)

[1]

(c) any two from:

thickness of lines

thickness of protractor o.w.t.t.e. / accuracy of reading protractor thickness of pins / pin holes

[2]

accept thickness of mirror / glass in front of mirror

(d) ticks in boxes 1, 3, 5 (1 mark each)

(if more than 3 ticks, -1 for each tick in a wrong box to minimum of 0)

[3]

[Total: 10]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0625	61

5	(a)	200 m or more with unit	[1]
	(b)	tape measure, trundle wheel or gps device	[1]
	(c)	correct working seen 345.67 (accept 345.66, 345, 346, 350)	[1] [1]
	(d)	(No), <u>readings</u> (time or distance) too inaccurate	[1]
			[Total: 5]