



Mark Scheme (Results)

Summer 2025

Pearson Edexcel International GCSE  
In Physics (4PH1) Paper 1PR

## Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2025

Question Paper Log Number P75827A

Publications Code 4PH1\_1PR\_2506\_MS

All the material in this publication is copyright


© Pearson Education Ltd 2025

## General Marking Guidance







- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

| Question number | Answer                                                                                                                                                                                                                                                                  | Notes                                                                                                                                                         | Marks |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 1 (a)           | 0 (kN);                                                                                                                                                                                                                                                                 |                                                                                                                                                               | 1     |
| (b) (i)         | (stopping distance = 7 + 20 =) 27 (m);                                                                                                                                                                                                                                  |                                                                                                                                                               | 1     |
| (ii)            | any two from:<br><br>MP1. speed of truck;<br>MP2. mass or weight of truck;<br><br>MP3. condition of brakes/eq;<br><br>MP4. condition of tyres/eq;<br><br>MP5. condition of road/eq;<br><br>MP6. braking uphill / downhill;<br>MP7. how hard the brake pedal is pressed; | allow wet / icy roads eq.<br><br><br><br><br><br><br>reference to factors that affect thinking distance, e.g. alcohol, tiredness etc. limits score 1 mark max | 2     |
| (iii)           | <b>D (the truck is travelling at a lower speed);</b><br><br>A is incorrect because this would affect the braking distance<br><br>B is incorrect because this would affect the braking distance<br><br>C is incorrect because this would increase the thinking distance  |                                                                                                                                                               | 1     |

**Total for Question 1 = 5 marks**

| Question number | Answer                                                                                                                                                                                            | Notes                                                                                                                                           | Marks |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 2 (a)           | <p>opposite poles labels;</p> <p>horizontal straight lines drawn joining poles;</p> <p>minimum 3 lines drawn equally spaced;</p> <p>arrows drawn on lines consistent with labelling of poles;</p> | <p>ignore orientation</p> <p>ignore lines drawn outside the region between the poles</p> <p>judge 'straight' by eye</p> <p>i.e. from N to S</p> | 4     |
| (b) (i)         | <p>north (pole)/N drawn at the top and south (pole)/S drawn at the bottom;</p> <p>e.g.</p>                     | <p>condone away from top and bottom provided 'N' is above 'S'</p>                                                                               | 1     |
| (ii)            | <p>(will not work because) iron will lose its magnetism;</p> <p>(because) iron is a (magnetically) soft material;</p>                                                                             | <p>allow iron cannot be permanently magnetised</p>                                                                                              | 2     |

**Total for Question 2 = 7 marks**

| Question number                                                                   | Answer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Notes                                                                                                                                   | Marks                                          |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-----------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------|---|------------------------------------------------------------------------------------|---|
| 3 (a)                                                                             | one mark for each correct tick;;;<br><table><tr><th>Electrical component</th><th>Can visibly indicate the presence of a current</th></tr><tr><td></td><td></td></tr><tr><td></td><td>✓</td></tr><tr><td></td><td>✓</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td>✓</td></tr></table> | Electrical component                                                                                                                    | Can visibly indicate the presence of a current |  |  |  | ✓ |  | ✓ |  |  |  |  |  | ✓ | ignore names of components<br>if more than 3 ticks then -1 for each incorrect tick | 3 |
| Electrical component                                                              | Can visibly indicate the presence of a current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                         |                                                |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                         |                                                |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
|  | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                         |                                                |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
|  | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                         |                                                |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                         |                                                |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                         |                                                |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
|  | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                         |                                                |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
| (b) (i)                                                                           | (NTC) thermistor;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                         | 1                                              |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
| (ii)                                                                              | 80 (Ω);                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | allow 75-85 (Ω)                                                                                                                         | 1                                              |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |
| (iii)                                                                             | substitution;<br><br>rearrangement;<br><br>evaluation;<br><br>e.g.<br><br>9.0 = current × 80<br><br>(current =) 9.0 / 80<br><br>(current =) 0.11 (A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | allow ecf from (ii)<br><br>allow in either order<br><br><br><br><br><br>allow any value that would round to either 0.11 (A) or 0.12 (A) | 3                                              |                                                                                   |  |                                                                                   |   |                                                                                   |   |                                                                                   |  |                                                                                   |  |                                                                                   |   |                                                                                    |   |

|      |                                                                            |                                                                                                                                                                                 |   |
|------|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|      |                                                                            |                                                                                                                                                                                 |   |
| (iv) | any four from:                                                             |                                                                                                                                                                                 | 4 |
|      | MP1. resistance of component X is 160 ( $\Omega$ );                        | allow resistance doubles<br>ignore resistance increases unless qualified<br>e.g.<br>accept reference to increase of thermistor's resistance because of reduction in temperature |   |
|      | MP2. idea that two components in series have more resistance;              | accept idea that resistors in series add up                                                                                                                                     |   |
|      | MP3. idea that two components in series have <b>double</b> the resistance; | also scores MP2                                                                                                                                                                 |   |
|      | MP4. resistance of <b>circuit</b> increases;                               |                                                                                                                                                                                 |   |
|      | MP5. resistance of <b>circuit</b> is 320 ( $\Omega$ );                     | also scores MP4<br>accept circuit resistance is four times that previously                                                                                                      |   |

**Total for Question 3 = 12 marks**

| Question number | Answer                                                                                                                                                                                                                                                                                                                                                | Notes                                                                                                                                                                                                                                                                        | Marks |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 4 (a) (i)       | any three from:<br><br>MP1. (all bars same) length;<br><br>MP2. (all bars same) width;<br><br>MP3. (all bars same) thickness;<br><br>MP4. (all bars can be) placed in same water;<br><br>MP5. (all bars will be same) depth in water;                                                                                                                 | condone 'size' for 'length'<br><br><br><br>accept 'same initial temperature (for all bars)'                                                                                                                                                                                  | 3     |
| (ii)            | any four from:<br>MP1. support apparatus in (clamp)stand;<br><br>MP2. place apparatus into hot water and start stopclock;<br><br>MP3. determine time (from stopclock) for colour change to reach top of strip;<br><br>MP4. allow apparatus to cool<br><br>MP5. repeat and calculate mean for each bar;<br>MP6. other relevant extra practical detail; | may be shown in diagram<br><br>condone (stop)watch or timer for stopclock<br><br>condone reference to wax falling off end<br><br>accept 'average' for 'mean'<br><br>e.g. ensure bars are vertical, repeats have same initial temperature, bars are at same depth for repeats | 5     |
| (b) (i)         | linear scale that takes up $\geq 50\%$ of the grid for time axis;                                                                                                                                                                                                                                                                                     | ignore orientation of axes                                                                                                                                                                                                                                                   | 3     |

|      |                                                                                                                                                                                                                                                              |                                                                                                                                                                                                           |   |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| (ii) | <p>labelled axes with units;</p> <p>all bars plotted correctly within <math>\frac{1}{2}</math> small square;</p> <p>copper (is most effective at transferring energy by conduction);</p> <p>(because) time taken (for colour change) is <b>shortest</b>;</p> | <p>allow use of false origins</p> <p>allow no units on metal axis</p> <p>ignore width of bars</p> <p>accept line for bar</p> <p>ignore plotted 'points'</p> <p>condone shorter time (than the others)</p> | 2 |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|

**Total for Question 4 = 13 marks**

| Question number | Answer                                                                                                                                                                                                     | Notes                                                                                 | Marks |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 5 (a)           | (particle made from) contains protons <b>and</b> neutrons;<br>2 protons and 2 neutrons;                                                                                                                    | scores first MP as well<br><br>ignore electrons<br>ignore reference to helium nucleus | 2     |
| (b)             | 2 for proton number of alpha;<br>4 for nucleon number of alpha;<br><br>nucleon numbers balance;<br><br>e.g.<br><br>${}_{88}^{226}\text{Ra} \longrightarrow {}_{86}^{222}\text{Rn} + {}_2^4\alpha$          | allow ecf from incorrect nucleon number of alpha                                      | 3     |
| (c)             | any two from:<br><br>MP1. alpha source is outside body / skin would absorb alpha;<br><br>MP2. alpha has poor penetrating ability;<br><br>MP3 idea of alpha (radiation) is absorbed by glass/cloud chamber; | condone 'highly ionising'<br><br>allow idea that alpha can't penetrate glass          | 2     |

|     |                                                                                                                                                                                                                                                                                                         |                                                                                               |   |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---|
| (d) | <p>Any three from:</p> <p>MP1. idea that all tracks are (approximately) same length;</p> <p>MP2. (so) all alpha particles have the same (kinetic) energy;</p> <p>MP3. tracks are short / alpha radiation is short range;</p> <p>MP4. (so) alpha particles are highly ionising or poorly penetrating</p> | <p>allow sensible numerical value</p> <p>ignore ideas of thickness and direction of track</p> | 3 |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---|

**Total for Question 5 = 10 marks**

| Question number | Answer                                                                                                                                                                        | Notes                                                                                                                                                                                                                                    | Marks |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 6 (a)           | substitution into $a = v-u/t$ ;<br><br>rearrangement;<br><br>evaluation;<br><br>e.g.<br><br>$13 = v (-0) / 5.0$<br><br>$v = 13 \times 5.0$<br><br>$(v =) 65 \text{ (m/s)}$    | allow in either order<br><br>ignore sign<br>-1 for POT error<br><br><br><br><br><br><br><br><br><br>correct answer without working scores all marks                                                                                      | 3     |
| (b)             | substitution into $v^2 = u^2 + 2as$ ;<br><br>rearrangement;<br><br>evaluation;<br>e.g.<br>$65^2 = (0^2) + 2 \times 13 \times s$<br>$s = 65^2 / 26$<br>$(s =) 160 \text{ (m)}$ | allow ecf from (a)<br>allow use of ' $s = \frac{1}{2} v t$ '<br><br>allow in either order<br><br>ignore sign<br>-1 for POT error<br>allow 162, 163, 162.5 (m)<br><br><br><br><br><br><br>correct answer without working scores all marks | 3     |

|     |                                                                                                                                                                                                                                                                                            |  |   |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---|
| (c) | <p><b>for velocity-time graph</b></p> <p>straight line drawn;</p> <p>line starts at origin and has positive gradient throughout;</p> <p><b>for distance-time graph</b></p> <p>line starts at origin and has positive gradient throughout;</p> <p>gradient of line increases over time;</p> |  | 4 |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---|

**Total for Question 6 = 10 marks**

| Question number | Answer                                                                                                                                                                                                   | Notes                                                                                                                                                                                                                                                       | Marks |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 7 (a)           | <p>mention of vibrations / oscillations;</p> <p>(vibrations are) at right angles to direction of energy transfer;</p>                                                                                    | <p>accept either noun or verb</p> <p>allow wave travel or wave propagation or wave velocity for energy transfer</p> <p>diagram(s) must be labelled such that direction of vibration and direction of travel are clear</p> <p>ignore unlabelled diagrams</p> | 2     |
| (b) (i)         | <p>any reflecting ray drawn;</p> <p>angle or reflection approximately equal to angle of incidence;</p>                                                                                                   | <p>condone lack of arrowhead</p> <p>reject arrowhead in wrong direction</p> <p>judge by eye</p>                                                                                                                                                             | 2     |
| (ii)            | <p>idea that refractive index of air is less than refractive index of optical fibre;</p> <p>angle of incidence is greater than critical angle;</p> <p>reference to <u>total internal reflection</u>;</p> | <p>allow (optical) density for refractive index</p> <p>accept idea of going from (optically) more dense to (optically) less dense</p> <p>accept 'TIR' (whatever case) for 'total internal reflection'</p>                                                   | 3     |
| (c)             | angle of incidence measured correctly;                                                                                                                                                                   | allow 48-52 seen anywhere in working                                                                                                                                                                                                                        | 4     |

|  |                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>substitution into <math>\sin c = 1/n</math>;</p> <p>rearrangement;</p> <p>evaluation to 3 or more s.f.;</p> <p>e.g.</p> <p>angle of incidence = <math>50^\circ</math></p> <p><math>\sin 50 = 1/n</math></p> <p><math>n = 1/\sin 50</math></p> <p><math>n = 1.305\dots</math></p> | <p>allow clear RA that gives</p> <p><math>c = 50.28\dots</math></p> <p>allow <math>\sin(90)</math> for '1' or correct substitution into <math>n = \sin(i)/\sin(r)</math> (<math>i = 50</math> and <math>r = 90</math>)</p> <p>allow substitution and rearrangement in either order</p> <p>accept value consistent with candidate's value for angle of incidence</p> <p>i.e. 48 degrees gives 1.345...</p> <p>52 degrees gives 1.269...</p> <p>arriving at <math>n = 0.766</math> scores 2 marks max</p> <p>correct evaluation (e.g. 1.305) without working scores 1 mark only</p> |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

**Total for Question 7 = 11 marks**

| Question number | Answer                                                                                                                                                                                                                                                                                                                                                                       | Notes                                                                                                                                                                                                                                           | Marks |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 8 (a)           | Milky Way;                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                 | 1     |
| (b) (i)         | Neptune orbits the Sun;<br>Triton orbits Neptune;                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                 | 2     |
| (ii)            | substitution into $v = 2\pi r/T$ ;<br>rearrangement;<br>evaluation of T for Neptune;<br><br>setting up ratio of T for Pluto and Neptune that leads to 2:3;<br>e.g.<br>$5.4 \times 10^3 = 2\pi \times 4.5 \times 10^{12} / T$<br>$T = 2\pi \times 4.5 \times 10^{12} / 5.4 \times 10^3$<br>(T =) $5.2 \times 10^9$ (s)<br>ratio = $5.2 \times 10^9 / 7.8 \times 10^9$ (= 2:3) | data for Neptune seen<br><br>allow substitution and rearrangement in either order<br><br>accept $5.2 \times 10^9$ following correct working for first 3 marks<br>accept $5.23(\dots) \times 10^9$ without correct working for first three marks | 4     |

**Total for Question 8 = 7 marks**

| Question number | Answer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Notes                                                                                                                                                                                                                                                                                                                                       | Marks |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 9 (a) (i)       | <b>B (elastic);</b><br><br>A is incorrect because there is no transfer from a chemical store<br>C is incorrect because the gravitational potential store decreases<br>D is incorrect because the spring is stationary in both cases                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                             | 1     |
| (ii)            | any six from:<br><br>MP1. elastic energy (store) decreases (on way up);<br>MP2. kinetic energy (store) increases (on way up);<br>MP3. gravitational (store) increases (on way up);<br>MP4. idea of process reversing as mass moves downwards;<br>MP5. energy transferred mechanically;<br>MP6. idea of amplitude of oscillations decreasing over time;<br><br>MP7. (eventually all) energy is transferred to thermal store of spring/surroundings;<br>MP8. (mechanically) by friction between spring and surroundings | allow reference to 'slowing down' to mean 'max speed decreasing'<br>allow reference to reduction in total energy of mass/spring<br><br>condone heat for thermal<br><br>alternate energy transfer scheme:<br><br>MP1 EPE converted to KE (on way up)<br>MP2 EPE converted to GPE (on way up)<br>MP3 KE converted to GPE (after midway point) | 6     |
| (b) (i)         | <b>B (it increases the efficiency of the motorcycle);</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                             | 1     |

|       |                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                       |   |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|       | <p>A is incorrect because it decreases the energy transferred from fuel each second</p> <p>C is incorrect because it does not affect the speed</p> <p>D is incorrect because it does not affect the braking power</p>                                                   |                                                                                                                                                                                                                                                                                                                                       |   |
| (ii)  | <p>magnet(s) move through coil;</p> <p>idea of coil cutting magnetic field lines;</p>                                                                                                                                                                                   | <p>allow RA<br/>condone 'magnet slides through coil' (candidate has realised this is relevant)</p> <p>ignore fields interacting<br/>accept reference to changing magnetic flux</p>                                                                                                                                                    | 3 |
| (iii) | <p>inducing a voltage;</p> <p>bigger or more (frequent) bumps;</p> <p>magnet(s) have bigger amplitude of motion / magnet(s) caused to move more times (per metre of road);</p> <p>(so) induced voltage / voltage generated is larger or for a longer time in total;</p> | <p>accept potential difference, p.d. or EMF for voltage<br/>condone 'induces a current'</p> <p>allow RA<br/>allow idea of shorter time between bumps<br/>allow up and down for bump</p> <p>ignore unqualified 'moves more' (needs idea of a quantity e.g. size, speed)<br/>allow coil for magnet</p> <p>allow current for voltage</p> | 3 |

**Total for Question 9 = 14 marks**

| Question number | Answer                                                                                                                                                                                                                                                 | Notes                                                                                                                                      | Marks |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 10 (a)          | (i) use of a balance;<br><br>PLUS<br>idea that balance should be zeroed /<br><br>idea that balance should be level /<br><br>idea that there should be no draughts                                                                                      | ignore scale<br>allow <b>weighing</b> scale<br>condone scales<br><br><br><br><br>allow idea that balance is placed on a flat/level surface | 2     |
|                 | (ii) 6.426 circled;                                                                                                                                                                                                                                    |                                                                                                                                            | 1     |
|                 | (iii) evidence of correct method of calculating mean;<br><br>evidence of ignoring anomaly in calculation;<br><br>answer rounded to 3 decimal places;<br><br>e.g.<br><br>mean mass = $(6.411 + 6.408 + 6.410 + 6.412) / 4$<br><br>mean mass = 6.410 (g) | e.g. adding all five values together and dividing by five = 6.4134<br><br><br><br>allow ecf from (ii)<br>expect 6.41025                    | 3     |
|                 | (iv) <b>C (volume = mass ÷ density);</b><br><br>A is incorrect because this is the incorrect rearrangement<br><br>B is incorrect because this is the incorrect rearrangement<br><br>D is incorrect because it has density cubed                        |                                                                                                                                            | 1     |

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                       |   |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| (b) | <p>any four from:</p> <p>MP1. idea that density will depend on purity of gold;</p> <p>MP2. idea that <b>calculating</b> volume will be affected by purity;</p> <p>MP3. reference to mass measurement being four significant figures;</p> <p>MP4. source of error in displacement method described;</p> <p>MP5. idea that small volume of ring will be difficult to measure using displacement method;</p> <p>MP6. calculating volume is likely to be more accurate than measuring for a valid reason e.g. if gold is pure or if there's splashing in a displacement method</p> | <p>e.g.</p> <ul style="list-style-type: none"> <li>• possible splashing</li> <li>• ring not fully submerged</li> <li>• meniscus</li> <li>• parallax</li> </ul> <p>e.g. due to gradations being not small enough</p> <p>accept RA i.e. if gold is not pure then measurement could be more accurate</p> | 4 |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|

**Total for Question 10 = 11 marks**

| Question number | Answer                                                                                                                                                                                                                                                                                                                       | Notes                                                                                                                                                                                                                                                                                                                                                                                       | Marks |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 11 (a)          | conversion of units from g to kg;<br><br>substitution;<br><br>evaluation;<br><br>evaluation given to 3 s.f.;<br><br>e.g.<br>$159 \text{ g} = 0.159 \text{ kg}$<br>$(KE \Rightarrow) \frac{1}{2} \times 159 (\times 10^{-3}) \times 54.82$<br>$(KE \Rightarrow) 238.74 \dots (\text{J})$<br>$(KE \Rightarrow) 239 (\text{J})$ | allow 0.159 seen anywhere in working<br><br>ignore units<br><br>note: take care not to penalise POT error twice here<br><br>independent mark                                                                                                                                                                                                                                                | 4     |
| (b) (i)         | substitution;<br><br>rearrangement;<br><br>evaluation to 3 or more s.f.;<br><br>e.g.<br>$54.8 = \Delta f / 2.90 \times 10^{10} \times 3.00 \times 10^8 / 2$<br>$\Delta f = 54.8 \times 2.90 \times 10^{10} \times 2 / 3.00 \times 10^8$<br><br>$(\Delta f \Rightarrow) 10.59 \dots \times 10^3 (\text{Hz})$                  | allow in either order<br><br><br><br><br><br><br>allow any value that rounds to $1.06 \times 10^4$<br>accept non-standard form e.g. $10.6 \times 10^3$<br>accept answer not in standard form<br>$10594.6 \dots (\text{Hz})$<br><br>award 1 mark max for a successful attempt at calculating the speed that gives a shift of $1.1 \times 10^4 (\text{Hz})$<br>i.e. $56.8 \dots (\text{m/s})$ | 3     |
| (ii)            | frequency (of radio waves) decreases;<br><br>wavelength increases;<br><br>speed of (radio) waves stays the same;                                                                                                                                                                                                             | condone 'waves stretch'                                                                                                                                                                                                                                                                                                                                                                     | 3     |

**Total for Question 11 = 10 marks**

