Please check the examination details b	below before ente	ering your candidate information
Candidate surname		Other names
Pearson Edexcel Level 1/Level 2 GCSE (9–1)	entre Number	Candidate Number
Friday 12 June	2020	
Morning (Time: 1 hour 45 minutes)	Paper R	eference 1PH0/2F
Physics		
Paper 2		
		Foundation Tier
You must have: Calculator, ruler, protractor		Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 100.
- The marks for each question are shown in brackets
 use this as a quide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.
- A list of equations is included at the end of this exam paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶








Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box ⊠. If you change your mind about an answer, put a line through the box ⋈ and then mark your new answer with a cross ⋈.

- 1 (a) Figure 1 shows an object under the surface of the sea.
 - (i) Which arrow shows where the pressure on the object is greatest?



- X A
- X B
- ⊠ C
- \times D

(ii) Figure 2 shows two blocks of stone resting on the bottom of the sea.

Both blocks have the same height.

Area Y is 4 times bigger than area X.




Figure 2

What is the pressure due to the water on the top surface of block Y?

(1)

- A one quarter of the pressure on X
- ☑ B the same as the pressure on X
- $\ \square$ **C** twice the pressure on X
- **D** four times the pressure on X

(b) A diver is swimming underwater in a lake.

The diver wears the meter shown in Figure 3.




Figure 3

(i) The meter shows the depth of the diver below the surface of the water.

State the depth shown on the meter in Figure 3.

State the unit.

(2)

(ii) State how the pressure of the water on the diver changes as the diver swims down from the surface of the lake.

(1)

(iii) State why the total pressure on the diver is greater than just the pressure due to the water above the diver.

(1)



(c)	An aeroplane takes off from the ground.	
	State two factors that affect the pressure of the atmosphere on the aeroplane as the aeroplane goes higher in the atmosphere.	(2)
1		
2		
	(Total for Question 1 = 8 ma	nrks)

2 (a) Figure 4 shows the inside of a mains plug.




Figure 4

The mains plug has three safety features.

One of these safety features has been ticked in the table.

Put **two** more ticks in the table to show the other two safety features.

part of plug	safety feature
cable grip	✓
earth wire	
fuse	
live wire	
neutral wire	

(b) Figure 5 shows a charger for a car battery.



Figure 5

(i) The meter on the battery charger shows the current supplied to a battery.

The meter on the battery charger is

(1)

- A an ammeter
- B an ohmmeter
- C a voltmeter
- **D** a wattmeter
- (ii) The battery charger supplies a steady current of 2.5 A to the battery.Calculate the charge flowing to the battery in 8 minutes.Use the equation

$$charge = current \times time$$

(2)

charge = C

(c) The transformer in another battery charger has a primary coil and a secondary coil.

The voltage across the primary coil = 230 V.

The voltage across the secondary coil = 15V.

The current in the secondary coil is 3.1 A.

Calculate the current in the primary coil.

Use the equation

$$primary \ current = \frac{secondary \ voltage \times secondary \ current}{primary \ voltage}$$

(2)

current = A

(Total for Question 2 = 7 marks)

BLANK PAGE



3 (a) (i) Figure 6 shows two gears.




Figure 6

Gear R and gear S can rotate.

Gear R has 20 teeth.

Gear S has 60 teeth.

Gear S rotates through 2 complete revolutions.

Calculate how many complete revolutions gear R rotates by.

(2)

gear R has rotated throughrevolutions

(ii) Figure 7 shows two gears, S and T.




Figure 7

Gear S can rotate on a fixed axle.

Gear T can move up and down.

Gear S has 60 teeth.

The distance between each of the teeth on gear S and on gear T is 2 mm.

Gear S moves through one complete revolution in the direction shown.

Which of these describes the motion of gear T?

- A 60 mm up
- B 60 mm down

(1)

(b) (i) Figure 8 shows a force of 70 N turning a lever about point P.




Figure 8

Calculate the moment of the 70 N force about point P.

State the unit.

Use the equation

 $moment = force \times distance normal to the direction of the force$

(3)

moment =unit

(ii) Figure 9 shows a worker using a wheelbarrow to move some sand.




Figure 9

The load is equal to the total weight of the sand and the wheelbarrow.

The effort is the force that the worker applies to the wheelbarrow handles.

The worker applies just enough effort to lift the load.

Explain why the effort is smaller than the load.

	(2)
(iii) Some sand falls down and sticks between the wheel and the axle.	

State why it might be harder to push the wheelbarrow along when there is some sand between the wheel and the axle.

(1)

(Total for Question 3 = 9 marks)



(1)

4 Figure 10 shows a toy used to launch a ball.




Figure 10

One end of the spring is fixed to the handle.

The other end of the spring is fixed to the support.

(a) A child pulls the handle, stretching the spring.

Figure 11 shows the toy with the spring stretched.





Figure 11

(i) Which of these shows the forces acting on the handle when the child keeps the spring stretched?

Ignore the force due to gravity.



(ii) In Figure 11, the extension of the spring is 0.070 m.

The spring constant (k) is $20 \,\mathrm{N/m}$.

Calculate the force used to extend the spring.

Use the equation

force =
$$k \times$$
 extension

(2)

(b) The child pulls the handle until the pad is against the support as shown in Figure 12.




Figure 12

(i) The extension of the spring is 0.09 m.

The spring constant (k) is 20 N/m.

Calculate the work done in extending the spring by 0.09 m.

Use the equation

work done =
$$\frac{1}{2} \times k \times (\text{extension})^2$$



(ii) The child lets go of the handle.	
The ball starts to move.	
The spring returns to its original length.	
Describe the energy transfer that takes place when the ball starts to move.	
	(2)
(iii) The child can only stretch the spring until the pad is pressing against the s	upport.
Explain how the design of the toy prevents the spring from becoming dam	naged.
	(2)
(Total for Question 4 = 9	marks)

5 (a) Figure 13 shows a part of a machine used to separate steel cans from aluminium cans.




Figure 13

The cans are carried along a moving belt.

The belt goes around a roller.

The roller is a magnet.

Each can falls into one of the containers.

Explain how this machine separates the steel cans from the aluminium cans.

 	 	• • • • • • • • • • • • • • • • • • • •	 	 	 	 	 	• • • • • • • • • • • • • • • • • • • •	•••••	 •••••	 	 	 •••••	 	 •••••	 •••••	 	 	 	 	 	

(b) A student investigates magnetism using two toys as shown in Figure 14.




Figure 14

(i) There is a magnet attached to the top of each toy.

The student moves the toy brick towards the toy car.

The magnet on the toy brick repels the magnet on the toy car.

On Figure 14, label the north pole and the south pole on the magnet attached to the toy brick.

(1)

(ii) Explain why the toy car starts to move only when the toy brick gets near to the toy car.



(Total for Question 5 = 9	marks)
Describe how the student could develop this investigation to test this theorem.	y. (4)
The student has a metre rule and more magnets available.	
(iii) The student thinks that two magnets on top of each other will produce a magnetic field that is stronger than the magnetic field from a single magne	t.



(2)

6 A student investigates resistors connected in series in an electrical circuit.

The student has

- a 3.0 V battery
- a 22 Ω resistor
- a resistor marked X.

The student does not know the value of the resistor marked X.

The student decides to measure the potential difference (voltage) across resistor X.

Figure 15 shows the circuit that the student connected.




Figure 15

(a) The circuit is connected incorrectly.

Describe how the student should correct the mistake.

The voltage across resistor X is 2.1 V.

The circuit is connected to a 3 V battery.

(i) State the value of the voltage across the 22Ω resistor.

(1)

voltage across 22Ω resistor =V

(ii) The current in resistor X is 0.041 A.

The voltage across resistor X is 2.1 V.

Show that the resistance of resistor X must be about 50 ohms.

Use the equation

$$V = I \times R$$

(2)

(iii) Calculate the power in resistor X when the voltage across X is 2.1 V and the current in resistor X is 0.041 A.

(2)

(iv) Calculate the overall resistance of the 22 ohm resistor and resistor X.

(2)

overall resistance = Ω



(v) The current in the circuit is 0.041 A.

The voltage across the battery is 3.0 V.

Calculate the energy transferred in 2 minutes.

Use the equation

$$E = I \times V \times t$$

(2)

energy =

(Total for Question 6 = 11 marks)

BLANK PAGE



(1)

7 Figure 16 shows a metal container with a movable piston.





Figure 16

Point X is on the inner surface of the container.

The gas in the container is at a higher pressure than the air outside the container.

(a) Which of these shows the direction of the force, due to the gas, on the container at point X?



(b) The pressure of the gas in Figure 16 (P_1) is 120 kPa.

The volume of the gas in Figure 16 (V_1) is 2500 cm³.

The piston is pushed up slowly so that the temperature of the gas does not change.

The new volume of the gas (V_2) is $1600 \, \text{cm}^3$.

Calculate the new pressure of the gas, P_2 .

Use the equation

$$P_2 = \frac{P_1 \times V_1}{V_2} \tag{2}$$

new pressure, P₂ =kPa



(c) Figure 17 shows a bicycle pump with a closed end.




Figure 17

The area of the piston is 2 cm².

A force of 28 N is applied to the piston.

Calculate the pressure, in N/cm², of the piston on the air in the bicycle pump.

(3)

pressure =N/cm²

*(d) A container is sealed so that the mass of the gas inside cannot change.

The volume of the gas is changed and the pressure is measured at different volumes.

The temperature of the gas does not change.

Figure 18 is a graph of the results.




Figure 18

Explain, in terms of the movement of particles, why there is a pressure on the container and why the pressure changes as shown in Figure 18.

.....

(6)



(Total for Question 7 = 12 marks)

BLANK PAGE

8 (a) Figure 19 shows a small piece of copper about 3 cm high.



© David J. Green/Alamy Stock Photo

Figure 19

A student wants to determine the density of copper.

The student uses a balance to measure the mass of the piece of copper.

(i) Explain how the student could measure the volume of the piece of copper.

(3)

(ii) The mass of the piece of copper is 0.058 kg.

The volume of the piece of copper is 6.5×10^{-6} m³.

Calculate the density of copper.

(2)

density of copper =kg/m³



(b) A student wants to determine the specific heat capacity of copper.

Figure 20 shows a piece of copper, with a thread tied around it, in a glass beaker of boiling water.




Figure 20

The student leaves the piece of copper in the boiling water so that the copper reaches a temperature of $100\,^{\circ}$ C.

The student uses the thread to take the piece of copper out of the boiling water.

The student puts the hot piece of copper into a different beaker of cold water at 20 °C.

The apparatus is shown in Figure 21.




Figure 21

The student assumes that the thermal energy gained by the water equals the thermal energy lost by the piece of copper.

The water and copper both reach a temperature of 22 °C.

The cold water gains 1050 J of energy.

The mass of the piece of copper is 0.058 kg.

(i)	Calculate a value for the specific heat capacity of copper, using these results
	Use the equation

change in thermal energy = mass \times specific heat capacity \times change in temperature

$$\Delta Q = m \times c \times \Delta \theta$$

(2)

specific heat capacity of copper from these results = ______ J/kg °C

(ii) The value for the specific heat capacity of copper obtained from the student's results is lower than the correct value.

State **two** ways that the experiment could be improved to give a value that is closer to the correct value.

(2)



(c) A long piece of wire is made into a coil as shown in Figure 22.




Figure 22

The coil is connected to a low voltage power supply.

Describe how this coil could be used instead of the Bunsen burner in Figure 20.

(2)

(Total for Question 8 = 11 marks)

BLANK PAGE



(2)

9 (a) Figure 23 shows a drone.



© Liubov Kotliar/123RF

Figure 23

The drone has four spinning blades.

The upward force produced enables the drone to rise in the air.

The speed at which the blades spin is measured in turns per minute.

Figure 24 shows how the upward force produced by the four blades depends on the speed at which the blades spin.




Figure 24

Describe the relationship	o between i	upward force	and speed	shown b	v this o	graph.
					,	9 9 1

(b) A different drone has a mass of 4.5 kg.

This drone rises from the ground to a height of 20 m.

(i) Calculate the change in gravitational potential energy when the drone rises through a height of 20 m.

The gravitational field strength g = 10 N/kg.

(2)

(ii) State the amount of useful work done by the blades as the drone rises through 20 m.

(1)

(iii) It takes 4s for the drone to rise through 20 m.

Calculate the useful power developed by the blades in this time of 4s.

(2)

useful power developed =W



*(c) The blades on the drone are turned by electric motors.

The electric motors are powered by a battery.

Figure 25 represents the energy transfers involved when the drone rises from the ground.





Figure 25

Describe the changes in the way energy is stored when the drone rises from the ground.

Your answer should refer to energy transfers.



A s	tuc	lent has a rubber balloon tied to a long piece of cotton thread.		
Th	e student gives the balloon an overall electrostatic charge.			
(i)		Describe one way that the student could give the balloon an overall electrostatic charge.		
	CIC	ectiostatic charge.	(2)	
(ii)	Th	e student gives the balloon an overall negative charge.		
		hich of these sentences explains why the overall charge on the balloon		
	is ı	negative?	(1)	
X	A	Negative charge has been removed from the balloon.	(-)	
X	В	Negative charge has been added to the balloon.		
×	C	Positive charge has been removed from the balloon.		
×	D	Positive charge has been added to the balloon.		
(iii)) Th	e student charges another balloon on a long thread.		
	Ex	plain how the student can show that the two balloons have the same type		
	of	charge.	(3)	
			(-)	
			•••••	




(2)

(b) Figure 26 shows a plastic block and a metal disc with an insulating handle.

The top surface of the plastic block has a negative charge.

The metal disc has no overall electric charge.







Figure 26

A student uses the insulating handle to hold the metal disc above the plastic block.

(i) Which of these diagrams shows how the charge is distributed on the metal disc?



(ii) The student keeps holding the metal disc above the charged plastic block and taps the metal disc with a finger.

This earths the metal disc for a short time.

Explain why the disc now has an overall positive charge.



(iii) Figure 27 shows the charges on part of the metal disc and the plastic block.






Figure 27

On Figure 27, draw lines to show the shape and direction of the electric field between the metal disc and the plastic block.

(2)

(Total for Question 10 = 11 marks)

TOTAL FOR PAPER = 100 MARKS

Equations

(final velocity)² – (initial velocity)² = $2 \times \text{acceleration} \times \text{distance}$

$$v^2 - u^2 = 2 \times a \times x$$

energy transferred = current \times potential difference \times time

$$E = I \times V \times t$$

potential difference across primary coil \times current in primary coil = potential difference across secondary coil \times current in secondary coil

$$V_{p} \times I_{p} = V_{s} \times I_{s}$$

change in thermal energy = mass \times specific heat capacity \times change in temperature

$$\Delta Q = m \times c \times \Delta \theta$$

thermal energy for a change of state = mass \times specific latent heat

$$Q = m \times L$$

to calculate pressure or volume for gases of fixed mass at constant temperature

$$P_1 V_1 = P_2 V_2$$

energy transferred in stretching = $0.5 \times \text{spring constant} \times (\text{extension})^2$

$$E = \frac{1}{2} \times k \times x^2$$