

# F

### Friday 19 June 2015 - Morning

## GCSE TWENTY FIRST CENTURY SCIENCE PHYSICS A/FURTHER ADDITIONAL SCIENCE A

A183/01 Module P7 (Foundation Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

#### Other materials required:

- Pencil
- Ruler (cm/mm)

**Duration:** 1 hour



Candidate forename				Candidate surname			
Centre numb	per			Candidate nu	ımber		

#### **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

#### **INFORMATION FOR CANDIDATES**

- The quality of written communication is assessed in questions marked with a pencil ( ).
- A list of useful relationships is printed on pages 2 and 3.
- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 60.
- This document consists of 16 pages. Any blank pages are indicated.

#### TWENTY FIRST CENTURY SCIENCE EQUATIONS

#### **Useful relationships**

#### The Earth in the Universe

#### Sustainable energy

energy transferred = power 
$$\times$$
 time  
power = voltage  $\times$  current  
efficiency =  $\frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$ 

#### **Explaining motion**

$$speed = \frac{distance \ travelled}{time \ taken}$$
 
$$acceleration = \frac{change \ in \ velocity}{time \ taken}$$
 
$$momentum = mass \ \times \ velocity$$
 
$$change \ of \ momentum = resultant \ force \ \times \ time \ for \ which \ it \ acts$$
 
$$work \ done \ by \ a \ force = force \ \times \ distance \ moved \ in \ the \ direction \ of \ the \ force$$
 
$$amount \ of \ energy \ transferred = work \ done$$
 
$$change \ in \ gravitational \ potential \ energy = \ weight \ \times \ vertical \ height \ difference$$
 
$$kinetic \ energy = \frac{1}{2} \ \times \ mass \ \times \ [velocity]^2$$

#### **Electric circuits**

$$\begin{aligned} & \text{power = voltage } \times \text{ current} \\ & \text{resistance } = \frac{\text{voltage}}{\text{current}} \\ & \frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}} \end{aligned}$$

#### Radioactive materials

energy = mass 
$$\times$$
 [speed of light in a vacuum]<sup>2</sup>

#### **Observing the Universe**

lens power = 
$$\frac{1}{\text{focal length}}$$

$$magnification = \frac{focal length of objective lens}{focal length of eyepiece lens}$$

speed of recession = Hubble constant x distance

pressure x volume = constant

$$\frac{\text{volume}}{\text{temperature}} = \text{constant}$$

energy = mass  $\times$  [speed of light in a vacuum]<sup>2</sup>

4

#### Answer **all** the questions.

1	Mos	st large modern telesco	pes use a mirror to fo	ocus the parallel light	rays from stars.	
	(a)	Draw a diagram of a te	elescope mirror to sh	ow how the parallel I	ight rays come to a fo	cus.
	(b)	What is the name for v	vhat happens to the I	light at the mirror?		[3]
		Put a ring around you	ur answer.			
		absorption	diffraction	reflection	refraction	[1]
	(c)	Why do most astronor	nical telescopes use	mirrors instead of le	nses?	
		Put ticks (✓) in the box	kes next to the <b>two</b> c	orrect answers.		
		Lenses can only b	pe supported at the e	edges.		
		Light is absorbed	by mirrors.			
		Mirrors only work	when flat.			
		Mirrors can be ma	ade bigger than lense	es.		
		Lenses don't bene	d light rays.			<b>.</b>
						[2]

(d)	Why are modern telescopes so large?	
	Put ticks (✓) in the boxes next to the <b>two</b> correct answers.	
	Large telescopes are easy to move about.	
	Large telescopes are very expensive.	
	Large telescopes can collect more light.	
	Large telescopes can be used to observe microbes.	
	Large telescopes can be used to see very distant objects.	
		[2]
(e)	The eyepieces of telescopes are made using lenses.	
	What is the power of a lens with a focal length of 2 metres?	
	power =	dioptres [2]
		[Total: 10]

[Total: 6]

2	A star is made from a cloud of gas.
	The first stage of a star is called a protostar.

Describe how a protostar forms and what is happening to the gas particles inside the protostar. You should include ideas about temperature, pressure and volume.


The quality of written communication will be assessed in your answer.
[6]

**(b)** Johannes Kepler found a relationship between the distance from the Sun and the time it takes the planets to orbit the Sun.

The table shows data for some of the planets.

	Distance (D) from Sun in astronomical units (au)	D³ in au³	Time (T) to orbit the Sun in years	T <sup>2</sup> in years <sup>2</sup>
Mercury	0.39	0.05	0.24	0.06
Venus	0.72	0.37	0.62	0.38
Earth	1.00	1.00	1.00	1.00
Mars	1.52	3.50	1.88	3.53

Some of the data have been plotted on the graph.



(i) Plot the points for **Earth** and **Mars** on the graph.

[2]

(ii) Draw a line of best fit on the graph.

[1]

(iii) The asteroid Geographos has an average distance from the Sun of 1.25 au.

This gives a value of  $1.95 \, au^3$  for  $D^3$ .

Use the graph to find  $\mathsf{T}^2$  for the asteroid.

 $T^2 = .....$  years<sup>2</sup> [1]

[Total: 9]

4	Cepheid	variable	stars are	important	in measi	ırina d	distances t	o ga	laxies
_	Ocpilcia	variable	stars are	iiiipoi taiit	III IIICas	aring c	instantous t	o ga	IUNICO

(a)	Complete the sentences about Cepheid variables
	Use words from the list

brigh	tness	distance	luminosity	period	shape
	Cepheid variable	s pulse in brightness.			
	By comparing a (	Cepheid variable's obs	served	, as seen from l	Earth,
	with its luminosity	y, the	of the Cepheid vari	able can be found.	
	The	of the pulsing	g brightness is related to	the	[4]
(b)	A scientist measu	ures the distance to fo	ur Cepheid variables in	a galaxy.	

(b) A scientist measures the distance to four Cepheid variables in a galaxy.

Distance to Cepheid variable in megaparsecs					
0.83					
0.77					
0.74					
0.82					

(i) Calculate the mean distance of the Cepheid variables.

mean distance = ..... megaparsecs [2]

(ii) Here is a table of the distance to some nearby galaxies.

Galaxy	Distance to galaxy in megaparsecs
Wolf-Lundmark	0.97
Andromeda	0.79
Triangulum	0.81
Cetus dwarf	0.75

In which galaxy are the Cepheid variables most likely to be?

11

			• • •		
(iii)	How many parsecs are equal to one megaparsec?				
	Put a ring a	around your answer			
	100	1000	1000000	100 000 000	[1]
(a) Ca			- distant malayyyth	t is 500 ms a series and a series	
	(c) Calculate the speed of recession of a distant galaxy that is 500 megaparsecs away. The Hubble constant is 70 km/s per megaparsec.				
		speed	d of recession =		km/s <b>[2]</b>
					[Total: 10]

		12				
5	Astr	stronomers use the method of parallax to measure the distance to nearby stars.				
	(a)	Describe how parallax is used to measure the distance to nearby stars. Include a labelled diagram in your answer.				
		The quality of written communication will be assessed in your answer.				


[Total: 8]

**(b)** Calculate the distance to a star with a parallax angle of 0.2 seconds of arc.

......[6]

distance to star = ...... parsecs [2]

6 The picture shows a radio telescope.



In 1967 a scientist used a radio telescope and recorded a regular series of pulses, one every 1.33 seconds, coming from the sky. She took more readings over a number of nights. The signal came from a location that moved across the sky with the stars.

Observations made with another telescope confirmed the pulses existed, with the same location in the sky and with the same timing.

(a)	Why did the scientist repeat the readings over a number of nights?			
	[1			
(b)	At first the scientist thought the signal might be a fault in the radio telescope.			
	How could the scientist be sure this was not the explanation for the pulses?			
	[1			

(c)	Son	Some people suggested that this signal was from extraterrestrial life, an alien civilisation.						
	(i)	Would it be a good idea to send a signal back to an alien civilisation? You should justify your answer by considering the possible advanta disadvantages.	<b>iges</b> and					
	(ii)	What evidence of extraterrestrial life have scientists found?	[0]					
			[1]					
	(iii)	Over the last few years scientists have found objects in space that they thir much more likely that extraterrestrial life exists.	nk make it					
		What objects have scientists found?						
(d)	Scie	entists eventually agreed that the signal came from a spinning neutron star.						
	Hov	v are neutron stars formed?						
			[Total: 9]					

[Total: 8]

wost maje	or astronomical obs	ervatories are ir	i very isolated	places on nigh n	nountains.
	h <b>two</b> of the followir rvatories?	major optical and	l infrared astronomica		
Put (r	rings around the tv	vo correct answ	ers.		
Canada	Canary Isl	ands (	Chile	London	The North Sea
					[2]
advar					should consider <b>bot</b> h with a justification, an
	The quality of	written commun	ication will be	assessed in your	answer.
					[6]

#### **END OF QUESTION PAPER**

#### PLEASE DO NOT WRITE ON THIS PAGE



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$ 

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2015