



GCSE

Physics A

Unit **A183/01**: Unit 3 – Module P7 (Foundation Tier)

General Certificate of Secondary Education

Mark Scheme for June 2015

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2015

A183/01

Mark Scheme










June 2015

Annotations

Used in the detailed Mark Scheme:

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
(1)	separates marking points
not/reject	answers which are not worthy of credit
ignore	statements which are irrelevant - applies to neutral answers
allow/accept	answers that can be accepted
(words)	words which are not essential to gain credit
words	underlined words must be present in answer to score a mark
ecf	error carried forward
AW/owtte	alternative wording
ORA	or reverse argument





Available in scoris to annotate scripts

	indicate uncertainty or ambiguity
	benefit of doubt
	contradiction
	incorrect response
	error carried forward
	draw attention to particular part of candidate's response
	draw attention to particular part of candidate's response
	draw attention to particular part of candidate's response
	no benefit of doubt

A183/01

Mark Scheme

June 2015

	reject
	correct response
	draw attention to particular part of candidate's response
	information omitted

Subject-specific Marking Instructions

- If a candidate alters his/her response, examiners should accept the alteration.
- Crossed out answers should be considered only if no other response has been made. When marking crossed out responses, accept correct answers which are clear and unambiguous.

E.g.

For a one mark question, where ticks in boxes 3 and 4 are required for the mark:

Put ticks (✓) in the two correct boxes.

✗
✗

This would be worth 1 mark.

Put ticks (✓) in the two correct boxes.

✓
✗

This would be worth 0 marks.

Put ticks (✓) in the two correct boxes.

✗
✗
✓
✓

This would be worth 1 mark.

A183/01

Mark Scheme

June 2015

- c. The list principle:
If a list of responses greater than the number requested is given, work through the list from the beginning. Award one mark for each correct response, ignore any neutral response, and deduct one mark for any incorrect response, e.g. one which has an error of science. If the number of incorrect responses is equal to or greater than the number of correct responses, no marks are awarded. A neutral response is correct but irrelevant to the question.

- d. Marking method for tick boxes:

Always check the additional guidance.

If there is a set of boxes, some of which should be ticked and others left empty, then judge the entire set of boxes.

If there is at least one tick, ignore crosses. If there are no ticks, accept clear, unambiguous indications, e.g. shading or crosses.

Credit should be given for each box correctly ticked. If more boxes are ticked than there are correct answers, then deduct one mark for each additional tick. Candidates cannot score less than zero marks.

E.g. If a question requires candidates to identify a city in England, then in the boxes

Edinburgh	
Manchester	
Paris	
Southampton	

the second and fourth boxes should have ticks (or other clear indication of choice) and the first and third should be blank (or have indication of choice crossed out).

Edinburgh			✓			✓	✓	✓	✓	
Manchester	✓	x	✓	✓	✓				✓	
Paris				✓	✓		✓	✓	✓	
Southampton	✓	x		✓		✓	✓		✓	
Score:	2	2	1	1	1	1	0	0	0	NR

MARK SCHEME:

Question		Answer	Mark	Guidance										
1	a	parallel light rays (1); concave mirror (1); light rays drawn which reflect to a focal point (1)	3	allow rays to a focus from a plane mirror										
	b	reflection	1											
	c	<table border="1"> <tr> <td>lenses can only be supported at the edges</td> <td>✓</td> </tr> <tr> <td>light is absorbed by mirrors</td> <td></td> </tr> <tr> <td>mirrors only work when flat</td> <td></td> </tr> <tr> <td>mirrors can be made bigger than lenses</td> <td>✓</td> </tr> <tr> <td>lenses don't bend light rays</td> <td></td> </tr> </table>	lenses can only be supported at the edges	✓	light is absorbed by mirrors		mirrors only work when flat		mirrors can be made bigger than lenses	✓	lenses don't bend light rays		2	
lenses can only be supported at the edges	✓													
light is absorbed by mirrors														
mirrors only work when flat														
mirrors can be made bigger than lenses	✓													
lenses don't bend light rays														
	d	<table border="1"> <tr> <td>large telescopes are easy to move about</td> <td></td> </tr> <tr> <td>large telescopes are very expensive</td> <td></td> </tr> <tr> <td>large telescopes can collect more light</td> <td>✓</td> </tr> <tr> <td>large telescopes can be used to observe microbes</td> <td></td> </tr> <tr> <td>large telescopes can see very distant objects</td> <td>✓</td> </tr> </table>	large telescopes are easy to move about		large telescopes are very expensive		large telescopes can collect more light	✓	large telescopes can be used to observe microbes		large telescopes can see very distant objects	✓	2	
large telescopes are easy to move about														
large telescopes are very expensive														
large telescopes can collect more light	✓													
large telescopes can be used to observe microbes														
large telescopes can see very distant objects	✓													
	e	power = 1/focal length = $\frac{1}{2}$ (1); 0.5 (D) (1)	2	allow 2 marks for correct numerical answer										
			10											

A183/01

Mark Scheme

June 2015

Question	Answer	Mark	Guidance
2	<p>[Level 3] Gives a detailed description of the sequence in the cloud and a detailed description of the sequence in particles and/or the star</p> <p>Quality of written communication does not impede communication of the science at this level. (5 – 6 marks)</p> <p>[Level 2] Gives a detailed description of the sequence in the cloud and a simple description of the sequence in either the particles or the star, Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks)</p> <p>[Level 1] Gives a simple description of the sequences in either the cloud, the particles or the star Quality of written communication impedes communication of the science at this level. (1 – 2 marks)</p> <p>[Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)</p>	6	<p>This question is targeted at grades up to E</p> <p>Indicative scientific points may include:</p> <p>Cloud</p> <ul style="list-style-type: none"> • hydrogen • gravity (pulls dust and gas together) • volume decrease/density increase • pressure increase/high • temperature increase/high <p>Particles</p> <ul style="list-style-type: none"> • particles closer together/nearer/more concentrated • KE increase/high / move faster • collisions increase <p>Protostar/Star</p> <ul style="list-style-type: none"> • pressure/temperature increase • em forces between nuclei overcome • hydrogen to helium • release of energy/heat/light • fusion <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
		6	

A183/01

Mark Scheme

June 2015

Question			Answer	Mark	Guidance
3	a	i	East – West	1	
		ii	idea of Earth rotating/spinning/turning	1	allow Earth moves/orbits the Sun allow due to parallax
		iii	(Yes) there is a <u>correlation</u> (1); idea of inverse relationship e.g. as one increase the other decrease / negative correlation (1); variables correctly named (1)	3	IF 'no' - do not award the correlation mark allow negative correlation (2) e.g the distance changes with the time allow further away ignore faster/quicker If no other mark awarded allow 1 mark for explanation of sidereal day for difference between Sun and stars/ explanation of lunar orbit for difference between Sun and Moon.
	b	i	Earth at (1,1) (1); Mars at (3.50, 3.53) (1)	2	must be correct to half a division (just above 3.5)
		ii	appropriate line of best fit: a straight, unbroken line clearly drawn with a ruler, not necessarily from (0,0)	1	allow ecf from 3bi – which may produce a curve or a best fit line that makes the best of the plotted points, or that treats incorrect points as outliers.
		iii	1.9 to 2.0 (years ²)	1	allow ecf from 3bii
				9	

A183/01

Mark Scheme

June 2015

Question			Answer	Mark	Guidance
4	a		brightness (1); distance (1); period (1); luminosity (1)	4	allow one mark for luminosity period in the third line
	b	i	$0.83 + 0.77 + 0.74 + 0.82 / 4$ (1); 0.79 (megaparsecs) (1)	2	allow for one mark, their sum $\div 4$ correct numerical answer gains both marks.
		ii	Andromeda	1	allow ecf from bi
		iii	1 000 000	1	
	c		500 (Mpc) x 70 (km/s/Mpc) (1); 35,000 (km/s) (1)	2	allow power of 10 error e.g. 70 x 500 000 000 correct numerical answer gains both marks.
				10	

Question		Answer	Mark	Guidance
5	a	<p>[Level 3] Two baseline observations and the parallax angle and idea of relative movement Quality of written communication does not impede communication of the science at this level. (5 – 6 marks)</p> <p>[Level 2] Two baseline observations and the parallax angle OR Two baseline observations and the idea of relative movement OR the idea that an angle has to be measured and the idea of relative movement Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks)</p> <p>[Level 1] Two baseline observations or the idea that an angle has to be measured or the idea of relative movement Quality of written communication impedes communication of the science at this level. (1 – 2 marks)</p> <p>[Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)</p>	6	<p>This question is targeted at grades up to E Indicative scientific points may include:</p> <p>baseline observations</p> <ul style="list-style-type: none"> • large baseline e.g. Earth’s orbit, half orbit, diameter • readings taken 6 months apart • readings at each end of a baseline <p>parallax angle</p> <ul style="list-style-type: none"> • triangle drawn • star at apex of triangle • angle drawn or labelled • parallax angle (1/2 angle at star) • further away - smaller angle <p>idea of relative movement</p> <ul style="list-style-type: none"> • fixed stars as background • nearer objects appear to move further • further objects have smaller angles ORA <p>At level 1 accept a baseline smaller than Earth’s diameter</p> <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
	b	<p>1÷0.2 (1);</p> <p>5 (1)</p>	2	<p>A correct numerical answer gains both marks</p>
			8	

A183/01

Mark Scheme

June 2015

Question		Answer	Mark	Guidance
6*	a	to replicate/repeat results / gain confidence in results/ confirm the results / results are reliable/ more evidence / to see if they had made a mistake	1	ignore to work out an average / to see if results were reproducible/ accuracy of results
	b	idea of using another telescope	1	not optical telescope
	c	i	3	allow provides evidence for/confirms/ proves extra-terrestrial life. allow specific cultural references – e.g. assimilation into a borg collective allow yes/no/don't know if fits with advantages/disadvantages
		ii	1	None
	iii	iii	1	if no response accept this answer in the space for 6cii
	d	<u>supernova (1)</u> any one from (1); (from a) super giant / very massive star idea of remnant/core/left over not massive enough to form a black hole	2	not just giant / massive e.g. formed after a supernova for 2 marks
			9	

A183/01

Mark Scheme

June 2015

Question		Answer	Mark	Guidance								
7*	a	Canary Islands Chile	2									
	b	<p>[Level 3] Gives two advantages and two disadvantages and suggests an appropriate alternative location with justification Quality of written communication does not impede communication of the science at this level. (5 – 6 marks)</p> <p>[Level 2] Gives three advantages and/or disadvantages and suggests an appropriate alternative location Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks)</p> <p>[Level 1] Gives two of an advantage, a disadvantage, an appropriate alternative location Quality of written communication impedes communication of the science at this level. (1 – 2 marks)</p> <p>[Level 0] Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)</p>	6	<p>This question is targeted at grades up to C Indicative scientific points may include:</p> <p>advantages</p> <ul style="list-style-type: none"> • low atmospheric pollution • less scattering of light • low light pollution • dry air/less humid • frequent cloudless nights/above the clouds • less absorption due to atmosphere • less refraction due to atmosphere • darker skies give more contrast • image/seeing is clearer/less blurred/less distorted <p>disadvantages</p> <ul style="list-style-type: none"> • some absorption due to atmosphere • some refraction due to atmosphere • some parts of em spectrum absorbed by atmosphere • difficult working conditions e.g. access to services / altitude sickness • poor transport links • lack of local labour availability • high cost / difficult to build • environmental impact <p>Appropriate alternative locations:</p> <table border="1"> <thead> <tr> <th>Location</th> <th>justification</th> </tr> </thead> <tbody> <tr> <td>space/orbital</td> <td>because less interference from atmosphere / can detect e.g gamma / x-ray / uv / (far)IR / microwave</td> </tr> <tr> <td>underground for neutrinos</td> <td>reduces interference</td> </tr> <tr> <td>deserts</td> <td>space for very large radio arrays / avoids radio/em interference (from man-made sources)/dry air so less refraction</td> </tr> </tbody> </table> <p>ignore – the idea of isolated locations (is in the stem of the question) ignore as a justification space telescopes are closer to observed stars</p> <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>	Location	justification	space/orbital	because less interference from atmosphere / can detect e.g gamma / x-ray / uv / (far)IR / microwave	underground for neutrinos	reduces interference	deserts	space for very large radio arrays / avoids radio/em interference (from man-made sources)/dry air so less refraction
Location	justification											
space/orbital	because less interference from atmosphere / can detect e.g gamma / x-ray / uv / (far)IR / microwave											
underground for neutrinos	reduces interference											
deserts	space for very large radio arrays / avoids radio/em interference (from man-made sources)/dry air so less refraction											
			8									

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2015

