

Foundation

GCSE

Physics B Twenty First Century Science

J259/03: Breadth in physics (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for June 2023

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2023

MARKING INSTRUCTIONS

PREPARATION FOR MARKING

RM ASSESSOR

- 1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *RM Assessor Online Training*; *OCR Essential Guide to Marking*.
- 2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are available in RM Assessor.
- 3. Log-in to RM Assessor and mark the **required number** of practice responses ("scripts") and the **required number** of standardisation responses.

MARKING

- 1. Mark strictly to the mark scheme.
- 2. Marks awarded must relate directly to the marking criteria.
- 3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 50% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
- 4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the RM Assessor messaging system.

5. Crossed Out Responses

Where a candidate has crossed out a response and provided a clear alternative then the crossed out response is not marked. Where no alternative response has been provided, examiners may give candidates the benefit of the doubt and mark the crossed out response where legible.

Rubric Error Responses – Optional Questions

Where candidates have a choice of question across a whole paper or a whole section and have provided more answers than required, then all responses are marked and the highest mark allowable within the rubric is given. Enter a mark for each question answered into RM assessor, which will select the highest mark from those awarded. (*The underlying assumption is that the candidate has penalised themselves by attempting more questions than necessary in the time allowed.*)

Multiple Choice Question Responses

When a multiple choice question has only a single, correct response and a candidate provides two responses (even if one of these responses is correct), then no mark should be awarded (as it is not possible to determine which was the first response selected by the candidate). When a question requires candidates to select more than one option/multiple options, then local marking arrangements need to ensure consistency of approach.

Contradictory Responses

When a candidate provides contradictory responses, then no mark should be awarded, even if one of the answers is correct.

Short Answer Questions (requiring only a list by way of a response, usually worth only one mark per response)

Where candidates are required to provide a set number of short answer responses then only the set number of responses should be marked. The response space should be marked from left to right on each line and then line by line until the required number of responses have been considered. The remaining responses should not then be marked. Examiners will have to apply judgement as to whether a 'second response' on a line is a development of the 'first response', rather than a separate, discrete response. (The underlying assumption is that the candidate is attempting to hedge their bets and therefore getting undue benefit rather than engaging with the question and giving the most relevant/correct responses.)

Short Answer Questions (requiring a more developed response, worth two or more marks)

If the candidates are required to provide a description of, say, three items or factors and four items or factors are provided, then mark on similar basis – that is downwards (as it is unlikely in this situation that a candidate will provide more than one response in each section of the response space.)

Longer Answer Questions (requiring a developed response)

Where candidates have provided two (or more) responses to a medium or high tariff question which only required a single (developed) response and not crossed out the first response, then only the first response should be marked. Examiners will need to apply professional judgement as to whether the second (or a subsequent) response is a 'new start' or simply a poorly expressed continuation of the first response.

Mark Scheme

- 6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there then add a tick to confirm that the work has been seen.
- 7. Award No Response (NR) if:
 - there is nothing written in the answer space.

Award Zero '0' if:

• anything is written in the answer space and is not worthy of credit (this includes text and symbols).

Team Leaders must confirm the correct use of the NR button with their markers before live marking commences and should check this when reviewing scripts.

8. The RM Assessor **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**

If you have any questions or comments for your Team Leader, use the phone, the RM Assessor messaging system, or email.

9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

10. For answers marked by levels of response:

Read through the whole answer from start to finish, using the Level descriptors to help you decide whether it is a strong or weak answer. The indicative scientific content in the Guidance column indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance. Using a 'best-fit' approach based on the skills and science content evidenced within the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.

Once the level is located, award the higher or lower mark:

The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in italics) have been met.

The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in italics) are missing.

In summary:

The skills and science content determines the level.

The communication statement determines the mark within a level.

Level of response questions on this paper are **X** and **X**

PMT

11. Annotations available in RM Assessor

Annotation	Meaning
	Correct response
×	Incorrect response
^	Omission mark
BOD	Benefit of doubt given
CON	Contradiction
RE	Rounding error
SF	Error in number of significant figures
ECF	Error carried forward
LI	Level 1
L2	Level 2
L3	Level 3
NBOD	Benefit of doubt not given
SEEN	Noted but no credit given
I	Ignore

12. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
1	alternative and acceptable answers for the same marking point
√	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Mark Scheme

June 2023

13. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Physics B:

	Assessment Objective						
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.						
AO1.1	Demonstrate knowledge and understanding of scientific ideas.						
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.						
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.						
AO2.1	Apply knowledge and understanding of scientific ideas.						
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.						
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.						
AO3.1	Analyse information and ideas to interpret and evaluate.						
AO3.1a	Analyse information and ideas to interpret.						
AO3.1b	Analyse information and ideas to evaluate.						
AO3.2	Analyse information and ideas to make judgements and draw conclusions.						
AO3.2a	Analyse information and ideas to make judgements.						
AO3.2b	Analyse information and ideas to draw conclusions.						
AO3.3	Analyse information and ideas to develop and improve experimental procedures.						
AO3.3a	Analyse information and ideas to develop experimental procedures.						
AO3.3b	Analyse information and ideas to improve experimental procedures.						

Question			Answer	Marks	AO element	Guidance
1	(a)		Any two from: Friction (between child and slide) ✓ <u>Charge/electrons</u> transferred/gained/lost (between slide and child) ✓ (Like) charges <u>repelling</u> (on hair) ✓	2	3.2a	IGNORE references to static electricity ALLOW rubbed against slide ALLOW build up/increased for gained DO NOT ALLOW protons / positive charge transferred / positive electrons DO NOT ALLOW if opposite charges repel IGNORE attraction/repulsion between slide and hair (opposite charges attract
	(b)		Transfer ✓	1	1.1	
	(c)	(i)	Arrows show the direction of the force (on a positive charge) \checkmark	2	1.1	DO NOT ALLOW reference to magnetic fields in both parts ALLOW direction of movement of a positive charge DO NOT ALLOW force on a negative charge/electron
			Spacing of lines shows the strength (of the electric field) / wider spacing means weaker field ORA \checkmark			IGNORE direction of field (stem) ALLOW idea of strength/weakness but ignore eg. it is strong
		(ii)	Positive (charge) ✓	1	1.1	

PMT

Question			Answer		AO element	Guidance	
2	(a)		The distance from peak to peak AND The number of waves in 1 second ✓	1	1.1	Third row ticked	
	(b)	(i)	Ruler (or alternative) ✓	1	1.2	tape measure / metre stick / scale	
		(ii)	(Count the) number of waves/peaks/troughs (that pass a point) in 1 second / per second / divide by time (or other certain time limit) ✓	2	3.3a	ALLOW how many waves in the time taken for the video / find the time it takes one wavefront to pass a point	
			With a stop watch / using the timer (on the smart phone) \checkmark			ALLOW idea that the video can be used to check/measure time/how long	
		(iii)	Multiply the wavelength by the frequency \checkmark	1	1.2	ALLOW wavelength \div time <u>period</u> ALLOW f λ	

Question		Answer		AO element	Guidance	
3	(a)	 (Use stop clock to) record time taken to reach light gate ✓ Change in speed = / is recorded by light gate (because trolley starts from rest) / speed from light gate ÷ time ✓ 	2	1.2	ALLOW pass through for reach ALLOW speed at the light gate – initial speed/0	
	(b)	Arrow in equal and opposite direction ✓	1	2.2	ALLOW if no part of arrow tail is drawn inside block	

Question		Answer	Marks	AO element	Guidance
4	(a)	(The ratio of) mass divided by volume ✓	1	1.1	ALLOW mass over 1volume / mass per volume / mass per unit volume / correct use of units and quantities in any form
	(b)	 Any three from: As the temperature increases, the speed/energy of the molecules increases ✓ As the temperature increases, the pressure (of the molecules) increases ✓ (With increased temperature) there are more frequent collisions of molecules (with the boat/material) ✓ The (rate of) change in momentum increases (with T) ✓ Pressure = force/area (any subject)✓ 	3	3.2b	ALLOW as the speed of molecules increases the pressure increases IGNORE more collisions

	Question		Answer	Marks	AO element	Guidance
5	(a)	(i)	No energy is lost or the thicknesses of the arrows add up to the input (arrow thickness) \checkmark	1	1.2	ALLOW output widths = input width ALLOW total input = total output (not just output)
		(ii)	(200 – 160 =) 40 (W) ✓	1	2.1	
	(b)		More energy supplied/transferred from stand mixer ORA ✓	2	2.1	ALLOW more energy released by stand mixer / more energy due to more power IGNORE energy used / produced / given out
			More energy gained by the stores of the stand mixer \checkmark			IGNORE kinetic energy of cake mix ALLOW cake mix/surroundings gains more energy from stand mixer
	(c)		First check the answer on answer line If answer = 19.6 W award 3 marks	3		
			Power = (current) ² x resistance / P = $I^2 R \checkmark$		1.2	
			Correct substitution Power = $0.7^2 \times 40 \checkmark$		2.1 x 2	
			= 19.6 (W) ✓			

	Question		Answer	Marks	AO element	Guidance
6	(a)		 Any two from: Particles (of matter) carry/move the smell/the dye ✓ Sound wave is faster than the smell or water waves is faster than the dye ORA ✓ Waves carry/ transfer energy ✓ Waves do not transfer matter / the smell / the dye ✓ 	2	3.2b	
	(b)	(i)	0.90 (m) ✓	1	2.2	
		(ii)	0.48 (m) ✓	1	2.2	
		(iii)	2 (s)√	1	2.2	
	(c)		The vibration is at <u>right angles/perpendicular to \checkmark</u> the direction of travel / energy transfer \checkmark	2	1.1	ALLOW both marks from a labelled diagram ALLOW rope moves up and down for vibration (not just rope moves) ALLOW direction of energy transfer is perpendicular to the vibration = 2 marks

PMT

	Question		Answer	Marks	AO element	Guidance
7	(a)	(i)	First check the answer on answer line If answer = 100 A award 3 marks $V_p \times I_p = V_s \times I_s \checkmark$ $I = 25\ 000 \times 1600/400\ 000\ rearrangement \checkmark$ = 100 (A) \checkmark	3	1.2 2.1 x 2	ALLOW P = V x I or 40,000 000 40 000 000 ÷ 400 000 = 100 ALLOW 1 x 10 ⁿ = 2 marks
		(ii)	 The current (at 400kV) is lower (16 times) (than at 25kV) / 400kV allows a lower current ✓ Less energy dissipated / more efficient or 400kV is more efficient / 400kV reduces energy loss ✓ to (inaccessible) thermal energy stores of cables (through resistive heating) and surroundings ✓ 	3	1.1	ALLOW lost for dissipated ALLOW power loss = I ² R Dependent mark ALLOW e.g. less energy lost to heat = 2 marks
		(iii)	First check the answer on answer line If answer = 8 award 2 marks 1600 ÷ 200 ✓ = 8 (trains) ✓	2	2.1	
	(b)	(i)	230 (V) 50 (Hz) ✓	1	1.1	
		(ii)	The current/it changes direction (repeatedly) for a.c. AND flows in one direction for d.c. \checkmark	1	1.1	ALLOW diagrams to show the difference ALLOW a.c. changes polarity / changes from positive and negative and d.c. always positive IGNORE a.c. moves in both directions / a.c. can change direction

Question		Answer N		AO element	Guidance	
8	(a)	Ling ✓	1	3.2a		
	(b)	First check the answer on answer line If answer = 0.52 kg award 3 marks	3			
		Mass = weight \div g (in any form) \checkmark		1.2		
		m = 5.2 ÷ 10 ✓		2.1 x 2		
		= 0.52 (kg) √				
	(c)	5.2 N x 10 m = 52 Nm ✓	2	2.1	Tick in box 2	
		Nm is equivalent to J \checkmark		1.1	Tick in box 5	

Mark Scheme

J259/03

Question		Answer	Marks	AO element	Guidance
9	(a)	1 x 10 ⁻¹⁰ m ✓	1	1.1	Tick in box 4
	(b)	Beachball and white blood cell \checkmark	1	3.1b	Tick in box 2
	(c)	From top to bottom on the answer lines: 4, 2, (1), 3 \checkmark	1	1.1	

Question			Answer	Marks	AO element	Guidance
10	(a)	(i)	17 (proton no of Chlorine) \checkmark 0 in top box AND -1 in lower box for electron \checkmark	2	1.2	
		(ii)	Same number of nucleons/neutrons and protons together / 16p+19n and 17p+18n ✓ Chlorine has one more proton than sulfur / the different number of protons changes the element (from S to C <i>l</i>) ✓ One neutron has turned into a proton and released an electron/beta from nucleus (for conservation of charge) ✓	3	3.1a	 ALLOW Different number of protons / different number of neutrons ALLOW Mark Point 2 also for 16p+19n and 17p+18n IGNORE references to mass number / atomic number
	(b)	(i)	 Any two from: They are isotopes ✓ All chlorine atoms have the same number of protons ✓ Some chlorine atoms will have different number of neutrons ✓ 	2	1.1	
		(ii)	First check the answer on answer line If answer = 35.625 award 2 marks (11 x 35 + 5 x 37)/16 or 570/16 ✓ = 35.625 ✓	2	1.2	ALLOW correct rounding to 2, 3 or 4 s.f.

Question			Answer	Marks	AO element	Guidance
11	(a)		Pin column top to bottom: neutral, earth, live \checkmark P.d. column top to bottom: 0, (0), 230 \checkmark	2	1.1	One mark for each correct column
	(b)		The case is at 230V / mains voltage ✓ Someone touching metal case makes a circuit to earth so current will flow ✓	2	2.1	 ALLOW the case is live IGNORE The live wire touches/is in contact with the case (stem) ALLOW the case is at 230V the person touching is at 0V = 2 marks
	(c)	(i)		1	1.1	MUST be in this orientation, with outwards arrows, in the gap ALLOW without circle DO NOT ALLOW without arrows OR on a wire line
		(ii)	First check the answer on answer line If answer = 45 C award 3 marks (Conversion of time 50 x 60 =) 3000 s \checkmark Q = 0.015 x 3000 \checkmark = 45 (C) \checkmark	3	1.2 2.1 x 2	ALLOW Q = 0.75 (no time conversion) MAX 2 marks
		(iii)	First check the answer on answer line If answer = 0.075 A award 3 marks $3 \div 50 \checkmark$ = 0.06 \checkmark Total current = 0.06 + 0.015 = 0.075 (A) \checkmark	3	2.1	IGNORE rearrangement of formula

Question			Answer	Marks	AO element	Guidance
12	(a)		 Any two from: In solids and in liquids particles are packed/arranged closely together/in contact with each other ✓ Liquids and solids are both incompressible ✓ Similar number of particles per unit volume in both liquids and solids (so similar density)) ✓ 	2	1.1	IGNORE references to bonds / movement of particles ALLOW the same mass (of liquid or solid methane) will have a similar volume
	(b)	(i)	100 g \checkmark There are the same number of <u>particles</u> before and after changing state / mass is conserved meaning no <u>particles</u> are lost or gained \checkmark	2	2.1	ALLOW the same mass ALLOW 100g and the particles are further apart
		(ii)	First check the answer on answer line If answer = 14 cm ³ award 4 marks volume = mass \div density \checkmark (Calculate the difference in volume =) 90 \div 0.42 – 200 \checkmark = 14.2857143 (cm ³) \checkmark = 14 (cm ³) \checkmark	4	1.2 2.1 x 2 1.2	 ALLOW evidence of rearranged formula e.g. 90 ÷ 0.45 or 90 ÷ 0.42 or 214.285714 or 100 ÷ 0.42 ALLOW internal ecf using a correctly calculated volume MAX 3 ALLOW for mark point 3 an answer that rounds to 14 ALLOW a calculated value seen in working converted to 2 s.f. on answer line (i.e. candidate thinks it's a volume) OR a 2 s.f. calculation seen in working and transferred to answer line

Mark Scheme

Question			Answer	Marks	AO element	Guidance
	(c)		Particles closer together, and will collide with walls of container more frequently ✓	2	1.1	ALLOW particles closer together and more/faster/harder collisions with the walls (of the container)
			Greater outward pressure exerted \checkmark			

Question			Answer	Marks	AO element	Guidance
13	(a)	(i)	All points plotted within one small square \checkmark Smooth curve among the points \checkmark	2	2.2	
		(ii)	Value between 10 - 11.4 km/s given √	1	2.2	ALLOW ecf from straight line by eye and between 13 and 10
		(iii)	As the distance (from Jupiter) increases, the orbital speed decreases in a non-linear way / at a decreasing rate ✓	1	3.1a	Candidates must describe the relationship and the sense of decrease N.B. the 'graph' here is judged on the plotted points, not the best fit line
	(b)	(i)	A man-made object that orbits around a body in space, e.g. planet / star \checkmark	1	1.1	
		(ii)	First check the answer on answer line If answer = 50 kg award 4 marks Mass = momentum \div velocity (in any form) \checkmark Convert 190 km/s to 190 000 m/s \checkmark 9.5 x 10 ⁶ \div 190 000 = \checkmark 50 (kg) \checkmark	4	1.2 x 2 2.1 x 2	ALLOW no conversion of km to m gives 50 000 = 3 marks ALLOW 5 x10 ⁿ = 3 marks

Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

Call us on

01223 553998

Alternatively, you can email us on

support@ocr.org.uk

For more information visit



ocr.org.uk

Twitter/ocrexams

/ocrexams

/company/ocr

/ocrexams



OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2023 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please <u>contact us</u>.

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our Expression of Interest form.

Please get in touch if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.