
The table shows the average background radiation dose from various sources that a person living in Britain receives in one year.

Source of background radiation	Average amount each year in dose units
Buildings	50
Food anddrink	300
Medicaltreatments (including X-rays)	300
Radon gas	1250
Rocks	360
Space(cosmic rays)	240
TOTAL	2500

(a)	Only two of the following statements are true.	
	Tick (✔) the boxes next to the true statements.	
	Half the average background radiation dose comes from radon gas.	
	Everyone receives the same background radiation dose.	
	Cosmic rays produce less background radiation than food and drink.	
		(1)
(b)	Most sources of background radiation are natural but some are artificial (man-made).	
	Which source of background radiation given in the table is artificial?	
		(1)

(c)	Each time a dental X-ray is taken, the patient receives about 20 units of radiation.
	How many dental X-rays would give the yearly average dose for medical treatments?
	Number of X-rays =(2)
	(Z) (Total 4 marks)

Q2. Radiation is around us all of the time. The pie chart shows the sources of this radiation.




(i) What is the main source of this radiation?

(1)

(ii) What name is given to the radiation that is around us all of the time?

(1) (Total 2 marks) **Q3.** (a) The names of three types of nuclear radiation are given in **List A**. Some properties of these three types of radiation are given in **List B**.

Draw a straight line to link each type of radiation in **List A** to its correct property in **List B**. Draw only three lines.



(c) One of the substances in the table is used as a radioactive tracer. A hospital patient breathes in air containing the tracer. The radiation given out is measured by a doctor using a detector outside the patient's body.

Substance	Radiation given out	Solid, liquid or gas
Х	alpha	gas
Y	gamma	gas

Z		gamma	solid	
	Which	one of the sub	stances, X , Y or Z , s	hould be used as the tracer?
	Give tv	vo reasons for	your answer.	
	1			
	2			
(d)	Radiat	tion can also be	e used to kill the bac	eria on fresh food.
		one reason who I with radiation.	•	ers or consumers may want food to be

(1) (Total 8 marks)

Q4 .(a)	Sources of background	I radiation are	either natural	or man-made
4. (u)	Courses of background	i radiation arc	Citiloi Hatarai	or man made

Which **two** of the sources listed in the box are *natural* sources of background radiation?


Draw a ring around each of your answers.

cosmic rays nuclear accidents	X-rays	radon gas
-------------------------------	--------	-----------

(2)

(b) A teacher used a Geiger-Müller (GM) tube and counter to measure the background radiation in her laboratory. The teacher reset the counter to zero, waited one minute and then took the count reading. The teacher repeated this two more times.

The three readings taken by the teacher are given in the table.



(i) The three readings are different.

What is the most likely reason for this?

Tick (✓) one box.


The teacher did not reset the counter to zero.

Radioactive decay is a random process.

	The temperature in the laboratory changed.	(1)
(ii)	Calculate the mean (average) value of the three readings given in the table.	
	Mean (average) value = counts	(1)
(iii)	The diagram shows how the teacher used the GM tube and counter to	
()	measure the radiation emitted from a radioactive source.	
	The counter was reset to zero. The count after one minute was 159.	
	Counter 0159 Radioactive source GM tube	
	Calculate how many counts were due to the radiation from the radioactive source.	
	Counts due to the radiation from the radioactive source =	(1)
(iv)	The teacher then put a powerful magnet between the radioactive source and	

the GM tube.

The counter was reset to zero. The number on the counter shows the count after one minute.



What type of radiation was being emitted from the radioactive source?

Draw a ring around your answer.


	alpha	beta	gamma	
	Explain the reason for	r your answer.		
(c)	At the end of the lesson the	e teacher put the rac	lioactive source back	inside its
(-)	storage box.	, p		
		Lead li	ning age box	
	Why is the inside of the box	lined with lead?		

(3)

(1)

(d)	Which one of the following questions cannot be answe	red by scientific study?
	Tick (✓) one box.	
	Where does background radiation come from?	
	What is meant by the half-life of a radioactive source?	
	Should radioactive waste be dumped in the oceans?	
		(1) (Total 10 marks)

Q5.The pie chart shows the average proportions of background radiation from various sources in the UK.



Three sources of background radiation are given in **List A**. Statements about sources of background radiation are given in **List B**.


Draw **one** line to link each source of background radiation in **List A** to the statement about that source given in **List B**.

Draw only three lines.

List A	List B
·	Are used to show broken bones.
X-rays	
	The radiation comes from outer space.
Cosmic rays	
	Comes from soil containing a radioactive isotope of potassium.
Radon gas	
	Gives about 50 % of all background radiation.

(Total 3 marks)


Q6. (a) The pie chart shows the average proportions of natural background radiation from various sources in one part of the UK.



- (i) What proportion of the background radiation comes from radon gas?

 (1)
- (b) The level of background radiation from cosmic rays is not the same everywhere. For every 30 metres above sea level, the amount of background radiation increases by one unit.


The diagram shows the position of two villages, **A** and **B**, built on a hill.



How is the amount of background radiation from cosmic rays different in village **A** compared to village **B**?

To obtain full marks you must include a calculation in your answer.
(3) (Total 5 marks)

Q7.The pie chart shows the average proportions of natural background radiation from various sources in the UK.



(a) (i) Complete the following sentence.

On average,	of the natural background
radiation in the UK comes from radon gas.	_

(1)

(ii) Radon gas is found inside homes.

The table shows the results from measuring the level of radon gas inside four homes in one area of the UK.

Home	Level of radon gas in Bq per m³ of air
1	25
2	75
3	210
4	46
Mean	89

One of the homes has a much higher level of radon gas than the other three homes.

What should be done to give a more reliable mean for the homes in this area of the UK?

			Put a tick (✔) ir	the box next to yo	ur answer.		
ignore	e the	data f	or home number	3			
meas	ure th	ne rad	lon gas level in m	ore homes in this a	ırea		
includ	de dat	ta for	homes from diffe	rent areas of the Uk	<		
							(1)
	(b)	Eac	h atom of radon h	nas 86 protons and	136 neutrons.		
		(i)	How many elec	trons does each ato	om of radon have?	?	
			Draw a ring aro	und your answer.			
50			86	136	222		
							(1)
		(ii)	How many parti	cles are there in the	e nucleus of a rado	on atom?	
			Draw a ring aro	und your answer.			
50			86	136	222		
							(1) (Total 4 marks)

Q8. The table shows the average background radiation dose from various sources that a person living in the UK receives in one year.

Source of background radiation	Average radiation dose received each year in dose units
Cosmic rays (from space)	300
Food and drink	250
Medical treatments (including X-rays)	350
Radon gas	1250
Rocks	350
TOTAL	2500

(a)	(i)	A student looked at the data in the table and then wrote down four
		statements.

Only **two** of the statements are true.

Put a tick (\checkmark) in the boxes next to the **two** true statements.

More than half of the average radiation dose comes from radon gas.	
On average, cosmic rays produce less background radiation than rocks.	
Everyone living in the UK receives the same background radiation dose.	
Having no X-rays reduces a person's radiation dose.	

(ii) Each time a chest X-ray is taken, the patient receives about 100 units of radiation.

How many chest X-rays would just exceed the yearly average dose for medical treatments?

Number of chest X-rays =


(2)

(1)

(2)

(b) Exposure to radiation can cause cancer.

The graphs, **A**, **B** and **C**, show three different ways that the exposure to radiation and the risk of getting cancer could be linked.




(i) What do all three of these graphs suggest happens to the risk of getting cancer when the radiation dose goes from moderate to high?

(ii) Some scientists believe that exposure to **low** radiation doses reduces the chance that a person will get cancer. This effect is called 'radiation hormesis'.

Which one of the graphs, A, B or C, shows 'radiation hormesis'?

Write your answer in the box.



(c) Scientists did an experiment in which mice were exposed to different doses of


radiation.

The results from the experiment are given in the table.

Description of exposure	Percentage of mice getting cancer
Mice exposed to a low dose of radiation and then a high dose of radiation.	16%
Mice exposed to a high dose of radiation only.	46%

(i)	Do the results from this experiment hormesis'?	t provide eviden	ce to suppor	rt 'radiation	
Draw a ring	around your answer. NO		YES		
	Explain the reason for your answer	₹.			
					(2)
(ii)	Complete the following sentence by the box.	y drawing a ring	around the	correct word in	`,
		environmental			
sing animals ir	n scientific experiments raises	ethical	ssues.		
		social			
			_	-	


(1) (Total 10 marks) **Q9.**The pie chart shows the average proportions of background radiation from various sources in the UK.



(a) Three sources of background radiation are given in **List A**. Statements about sources of background radiation are given in **List B**.

Draw **one** line to link each source of background radiation in **List A** to the statement about that source given in **List B**.

Draw only three lines.




(3)

(b) The level of background radiation from cosmic rays is not the same everywhere.

For every 30 metres above sea level, the amount of background radiation increases by one unit.

The diagram shows the position of two villages, **A** and **B**, built on a hill.



How is the amount of background radiation from cosmic rays different in village ${\bf A}$ compared to village ${\bf B}$?

To obtain full marks, you must include a calculation in your answer.	
	(3)
	(Total 6 marks)