a	1	Stars	αn	throu	ıah a	a life	cycle.
u		.Otal 3	чu	unoc	iui c	שווו כ	CYCIC.

Some stars will finish their life cycle as a black dwarf and other stars as a black hole.

(a) The table below gives the mass, relative to the Sun, of three stars, **J**, **K** and **L**.

Star	Mass of the star relative to the Sun
J	0.5
K	14.5
L	20.0

		ch one of the stars, J , K or L , will become a black dwarf?	
	Give	e a reason for your answer.	
			(2
(b)	Sci	entists can take the measurements needed to calculate the mass of many stars.	
	Scie	entists cannot calculate the mass of the star Betelgeuse.	
	The Sun	y estimate that the star has a mass between 8 and 20 times the mass of the .	
	(i)	Betelgeuse is in the red super giant stage of its life cycle.	
		What will happen to Betelgeuse at the end of the red super giant stage?	
			(1
	(ii)	Suggest one reason why scientists can only estimate and not calculate the mass of Betelgeuse.	

			(1)
	(iii)	In the future, it may become possible for scientists to calculate the mass of Betelgeuse.	
		Suggest one reason why.	
			(4)
			(1)
(c)	Des ever	cribe what happens to a star, after the main sequence period, for the star to studies become a black dwarf .	
		(Total 10 ma	(5) arks)

Q2. The table gives information about the three types of particle that make up an atom.

Particle	Relative mass	Relative charge
Proton		+1
Neutron	1	
Electron	very small	-1

			
(a	a) Cor	mplete the table by adding the two missing values.	(2)
(k	o) Use cha	e the information in the table to explain why an atom has no overall electrical rge.	
			(2)
(-)	nium haa tuu natural jaatanaa uranium 225 and uranium 220	
(0	. Ura	nium has two natural isotopes, uranium-235 and uranium-238. nium-235 is used as a fuel inside a nuclear reactor. de the reactor, atoms of uranium-235 are split and energy is released.	
	(i)	How is the structure of an atom of uranium-235 different from the structure of an atom of uranium-238?	
			(1)
	(ii)	The nucleus of a uranium-235 atom must absorb a particle before the atom is able to split.	
		What type of particle is absorbed?	
		What type of particle is absorbed?	

	(iii)	The nucleus of an atom splits into smaller parts in a reactor.
		What name is given to this process?
		(1) (Total 7 marks)
Q3.	To ga	in full marks in this question you should write your ideas in good English. Put
		a sensible order and use the correct scientific words.
	Explain br	iefly how stars like the Sun are thought to have been formed.
		(Total 2 marks)

Q4.		The p	rocess of nuclear fusion results in the release of energy.	
	(a)	(i)	Describe the process of nuclear fusion.	
				(2)
		(ii)	Where does nuclear fusion happen naturally?	
				(1)
	(b)	that	many years, scientists have tried to produce a controlled nuclear fusion reaction lasts long enough to be useful. However, the experimental fusion reactors use e energy than they produce.	
		(i)	From the information given, suggest one reason why nuclear fusion reactors are not used to produce energy in a nuclear power station.	
				(1)
		(ii)	Suggest one reason why scientists continue to try to develop a practical nuclear fusion reactor.	
			(Total 5 ma	(1) arks)

Q5. (a)		ar fission is used in nuclear power stations to generate electricity. Nucle pens naturally in stars.	ear fusion
	(i)	Explain briefly the difference between nuclear fission and nuclear fusion	ion.
			(2)
	(ii)	What is released during both nuclear fission and nuclear fusion?	
			(1)
(b)	Plut	conium-239 is used as a fuel in some nuclear reactors.	
	(i)	Name another substance used as a fuel in some nuclear reactors.	
			(1)
	(ii)	There are many isotopes of plutonium.	
		What do the nuclei of different plutonium isotopes have in common?	
			(1) (Total 5 marks

Q6.Nuclear fission and nuclear fusion are two processes that release energy.

(a)) (i)	Use the correct answer from the box to con	nplete each sentence.

Geiger counter nuclear reactor star

Nuclear fission takes place within a

Nuclear fusion takes place within a

(2)

(1)

(ii) State **one** way in which the process of nuclear fusion differs from the process of nuclear fission.

(b) The following nuclear equation represents the fission of uranium-235 (U-235).

$${}^{1}_{0}n + {}^{235}_{92}U \longrightarrow {}^{236}_{92}U \longrightarrow {}^{141}_{56}Ba + {}^{92}_{36}Kr + 3{}^{1}_{0}n + energy$$

Chemical symbols:

Ba - barium

Kr - krypton

(i) Use the information in the equation to describe the process of nuclear fission.

.....

(4)

(ii) An isotope of barium is Ba-139. Ba-139 decays by beta decay to lanthanum-139 (La-139).

Complete the nuclear equation that represents the decay of Ba-139 to La-139.

a)	Stars are stable during the 'main sequence' period of the life cycle.					
	Why	?				
b)			ves an estimated time for the n he 'main sequence' period of th	umber of years that three stars, X , Y neir life cycle.	' and	
		Star	Relative mass of the star compared to the Sun	Estimated 'main sequence' period in millions of years		
		Х	0.1	4 000 000		
		Υ	1.0	9 000		
		Z	40.0	200		
	(i)	numbe		tern linking the mass of a star and th in sequence' period of its life cycle. data?	е	
	(ii)		sts cannot give the exact numb nce' period.	per of years a star will be in the 'mair	1	
	(ii)		nce' period.	per of years a star will be in the 'mair	ו	

(iii) Nuclear fusion is the process by which energy is released in stars.

Draw a ring around the correct answer in the box to complete the sentence. faster than The rate of nuclear fusion in a large star is the same as in a small star. slower than Explain the reason for your answer. (3)In this question you will be assessed on using good English, organising information (c) clearly and using specialist terms where appropriate. Describe what happens to a star much bigger than the Sun, once the star reaches the end of the 'main sequence' period of its life cycle. Your answer should include the names of the stages the star passes through.

Which **one** of the following can be concluded from the data in the table?

(Total 12 marks)