All questions are for both separate science and combined science students

1 A student investigates whether a spring obeys Hooke's law. She uses the apparatus shown in the photograph.



(a) Which additional measuring instrument does the student need for the investigate	(1)
 (b) Explain how the student can investigate whether the spring obeys Hooke's law.	(5)

(Total for Question 1 = 6 marks)

2 An underground train enters a station.



	© Tom Page	
(a)	The mass of the train and its passengers is 250 000 kg.	
	The total kinetic energy is 18 MJ.	
	(i) State the relationship between kinetic energy (KE), mass and velocity.	(1)
	(ii) Calculate the velocity of the train as it enters the station.	(3)
	velocity = m/s	
	(iii) The driver applies the brakes to stop the train.	
	State what happens to the kinetic energy of the train.	(1)

(b) The diagram shows a section through the station.

street level

tunnel level

(i) The passengers who use the station are carried from platform level to street level in a lift.

Explain why these passengers gain gravitational potential energy in the lift, even when they are below ground.

(2)


and go down a slope as they leave.	
The driver uses brakes to stop the train in the station and a motor to train move away.	make the
Explain how the sloping parts of the tunnel affect the amount of wortobe done on the train by the brakes and by the motor.	rk that needs
	(4)
(Total for Question 2	= 11 marks)

(ii) The tunnel is designed so that the trains go up a slope as they enter the station

3 A hot-air balloon is tied to the ground by two ropes.

The diagram shows the forces acting on the balloon.

The tension *T* in each rope is 200 N.



The ropes are untied and the balloon starts to move upwards.

(a) State the value of the force acting downwards on the balloon immediately after the ropes are untied and before the balloon starts moving.

(1)

force downwards =N


(b) (i) State the relationship between unbalanced force, mass and acceleration.

(1)

(ii) The balloon has a total mass of 910 kg.	
The initial unbalanced force on the balloon is 400 N upwards.	
Calculate the initial acceleration.	(0)
	(2)
initial acceleration =	. m/s²
(c) Explain how the upward acceleration of the balloon changes during the first few	,
seconds of its flight.	(3)
	(3)
(d) While the balloon is still accelerating, the pilot controls the balloon by pouring some sand from the bags.	
Explain how this affects the upward acceleration of the balloon.	(0)
	(2)
(Total for Question 3 = 9 ma	arks)

4 A bus travels along a straight road.

The graph shows how the velocity of the bus changes during a short journey.



(a) (i) State the velocity of the bus after 25 s.

(1)

velocity = m/s

(ii) How long is the bus stationary during its journey?

(1)

time =s

(b) (i) S	state the equation linking acceleration, change in velocity and time taken.	(1)
	Calculate the acceleration of the bus during the first 10 seconds. Give the unit.	(3)
(c) (i) S	acceleration = unit unitState the equation linking average speed, distance moved and time taken.	
		(1)
(ii) T	The bus moves a total distance of 390 m during the journey.	
(Calculate the average speed of the bus.	(2)
	average speed = m	/s
	bus travels further in the first 30 seconds of its journey than it does during last 30 seconds.	
Expl	ain how the graph shows this.	(2)
	(Total for Ouestion 4 = 11 mag	arks)

5 A student uses this apparatus to investigate forces stretching a spring.



She uses a ruler to measure the vertical distance h between the bottom of the mass hanger and the base of the stand.



(a) Suggest two ways that the student can measure distance \boldsymbol{h} more accurately.

1	
2	

(2)

(b) The student continues her investigation by loading the spring with different masses.

The table shows her results.

Mass in g	Force in N	Distance <i>h</i> in cm
20	0.2	4.6
40	0.4	3.9
60	0.6	3.1
80	0.8	2.3
100	1.0	1.6
120	1.2	0.9

	Name the dependent variable in this investigation.	(1)
(ii)	Explain how the force values in the table are calculated.	(2)

		\Box										(5) ⊞
												\pm
v) Use y	our grap	oh to fi	nd th	e force	e for w	hich <i>h</i>	ı is ze	ro.				(2)
	الدوماني منا	a a u + la a	a a wi w	م مام به	ما ا مر	ا مارماد		f	orce :	=	 	 N
	iin wheth	her the	e sprir	g obe	ys Hoo	oke's la	aw.	fo	orce :	=		 (2)
	in wheth	her the	e sprir	g obe	ys Ho	oke's la	aw.	f.	orce :	=		
	in wheth	her the	sprir	g obe	ys Hoo	oke's la						

PhysicsAndMathsTutor.com

o	A student investigates the speed of different toy cars as they roll down a slope.	
	starting height	
	(a) The student makes this prediction.	
	'The more weight a toy car has the faster it will roll down the slope.'	
	(i) What is the independent variable in the student's prediction?	(1)
	(ii) What is the dependent variable in the student's prediction?	(1)
1	(b) State two factors that the student should keep constant in his investigation.	(2)
2		

				(2)
	battery			
	joulemeter			
	micrometer			
	newtonmeter			
	ruler	✓		
	stopwatch			
	thermometer			
(d) Describe what the stud the toy car has, the fast	ent should do to test his er it will roll down the slo	prediction that pe.	the more weight	
				(5)
		(Total for O	uestion 6 = 11 ma	arks)
			-	-

(c) Put ticks (\checkmark) in the boxes to show which pieces of apparatus the student needs

for his investigation.

One has been done for you.