Questions are for both separate science and combined science students unless indicated in the question

1 A ray of light enters a glass block and is refracted as shown in Figure 1.




Figure 1

(a)	Explain why	the ray of	light is	refracted	towards	the normal.
-----	-------------	------------	----------	-----------	---------	-------------

(2)

(b) Opals and diamonds are transparent stones used in jewellery.

Jewellers shape the stones so that light is reflected inside.

Figure 2 shows the path of a ray of light that enters and leaves a shaped piece of opal.

This ray of light is totally internally reflected.





Figure 2

		(-)
	internally reflected than those inside an opal.	(3)
(iii)	The refractive index of diamond is 2.4. Explain why rays of light inside a diamond are more likely to be totally	
		\—/
	Show that the refractive index of opal is about 1.5.	(2)
(ii)	The critical angle of opal is 43°.	
		(1)

2 The diagram shows one of two 45° prisms used in an optical instrument.

The second prism is not shown.

The path of a ray of light is partly shown.



(a) What is the effect shown at point A?

(1)

- (b) The ray of light exits from the second prism along the line CD.
 - (i) Draw the position of the second prism inside the dotted square.


(1)

(ii) Complete the path of the light through the second prism.

(1)

(Total for Question 2 = 3 marks)

3 The diagram shows a light ray passing though a semicircular block of glass.



The dotted line is the normal to the surface at X.

When the light ray hits the surface as shown, **all** of it is reflected back inside.

(a) (i) Name the process shown in the diagram.

(2)

(ii) What is the angle labelled θ ?


(1)

(b) The diagram shows another light ray entering a right-angled glass block.

It hits the inside surface at Y as shown.

Add to the diagram to complete the path of the ray.

(3)




(Total for Question 3 = 6 marks)

4	This q	uest	ion is about sound waves.	
	(a) So	und	waves are (separate only)	(1)
	X	A	electromagnetic waves	(1)
	×	В	ionising radiation	
	×	C	longitudinal waves	
	×	D	transverse waves	
	(b) De	escri	be an experiment to measure the speed of sound in air. (separate only)	(5)
	•••••			

(c) The speed of sound in air is different for different heights above sea level.

The graph shows how the speed of sound varies with height.




(i)	Use the graph to estimate the speed of sound in air 6000 m above sea level.	(separate o	nly)
		(1)	

(2)

(iii) Some aeroplanes can travel faster than the speed of sound.

When an aeroplane travels faster than the speed of sound it causes a shock wave. People on the ground hear this shock wave as a sonic boom.

A student says



It is easier for an aeroplane to make a sonic boom when it travels higher up.

Do you agree with the student?

Explain why. (separate only)


(Total for Question 4 = 11 marks)

(2)

5	(a)	Which diagram	shows the re	eflection of a	a rav of	flight at a r	olane m	hirror?
	(u)	willen alagiani	SHOWS the I	chection of	a ray Or	ingili at a p	Julic II	

(b) The diagram below shows a ray of light as it passes from air into a glass block.

The angle of incidence is 43° and the light is refracted as shown.



- (i) On the diagram, draw the normal for this refraction.
- (ii) On the diagram, mark the angle of refraction. (1)
- (iii) Measure the angle of refraction. (1)

angle of refraction =

(1)


(1)

(iv) State the relationship between refractive index, angle of incidence and angle of refraction.	
of refraction.	(1)
(v) Calculate the refractive index of the glass.	
	(2)
refractive index =	
(c) The diagram shows how light can travel in a glass fibre.	
light	
(i) What is the name given to the effect shown?	(1)
	(1)
(ii) Explain what is happening to the light in the glass fibre.	
	(3)

She traces a ray of light through a glass block as shown in the diagram.	
A	
DC	
(a) Which letter represents the angle of refraction?	(1)
	. ,
(b) Explain how the student can use the glass block to find an accurate refractive index of glass.	value for the
remactive index of glass.	(4)

6 A student plans to measure the refractive index of glass.

7 In 1969, astronauts left a reflector on the surface of the Moon.



Author: Gregory H. Revera


The reflector consists of mirrors at 90° to each other.

Scientists on Earth aim light from a laser at the reflector.

This light reflects back to them.

(a) The diagram shows two mirrors in the reflector.

Complete the diagram to show the path of the ray of light.



(b) The speed of light in a vacuum is 300 000 km/s.


The average time for a ray of light to travel to the Moon and back is about 2.6 s.

Show that the Moon is about 400 000 km from the Earth.

(3)

(c) Scientists measure the time for the light to travel to the Moon and back very accurately, but the time is different every day.

The graph shows how these times change over the period of one month.



PhysicsAndMathsTutor.com

date of reading

in the graph.	(3)
(ii) The scientists also discovered that the average time for light to travel to the Moon and back increases gradually every year.	j
What further information does this give about the orbit of the Moon?	
<u> </u>	(1)

(Total for Question 7 = 9 marks)