

Question number	Answer	Notes	Marks
1 (a)	<p>Ice – Regular arrangement;</p> <p>Water – Irregular arrangement; No gaps big enough to add another particle;</p> <p>Steam – Random and spaced (compared to water);</p>	<p>Ignore</p> <ul style="list-style-type: none"> <li>• variation in particle size</li> </ul> <p>Allow ice sample that does not fill the box</p> <p>Gaps to be smaller than printed particle (bottom left) Allow water with “surface” shown and space above</p> <p>Ignore arrows / lines indicating movement</p>	4

(b)	<p>Ice – Vibrate (about fixed positions);</p> <p>Water – Change position/ move over each other;</p> <p>Steam – EITHER Random movement; OR Range of speeds;</p>	<p>Ignore ideas of</p> <ul style="list-style-type: none"> <li>• collisions</li> <li>• filling container</li> <li>• bonds</li> <li>• freedom</li> <li>• flowing</li> </ul> <p>Accept</p> <ul style="list-style-type: none"> <li>• oscillate</li> <li>• shake</li> <li>• jiggle</li> </ul> <p>Accept for change of position</p> <ul style="list-style-type: none"> <li>• move slowly</li> <li>• move around</li> </ul> <p>Allow slide past each other</p> <p>Accept quickly for range of speeds</p>	3
-----	--	---	---

(Total for Question 1 = 7 marks)

Question number		Answer	Notes	Marks
2	(a) (i)	90 (K)		1
	(ii)	Any three of  MP1 Idea that particles/molecules move apart;  MP2 Idea that particles/molecules gain (kinetic) energy;  MP3 Idea that particles/molecules move more freely;  MP4 Idea that particles/molecules leave the liquid;	Ignore: molecules vibrate Allow: molecules spread out, take up more space May be shown on labelled diagram Allow: idea of moving faster Ignore : 'move <b>more</b> ' Allow bonds break Ignore unqualified 'move <b>more</b> ' Allow escape Ignore evaporate	3
	(b) (i)	Any two of MP1 radiation / infrared; MP2 Idea of reflection; MP3 Idea of little/no absorption; MP4 Idea of poor emission;	Allow IR  Allow bad radiator	2
	(ii)	Any two of (in a vacuum there are) no atoms/molecules/particles;  so no/poor conduction;  so no/little convection (currents);	Allow: no 'medium' no 'material' There are no molecules to conduct = 2 marks There are no molecules to convect = 2 marks	2

(c)		<p>Any two of</p> <p>MP1 Idea that there is cold gas/air/oxygen just above the liquid (surface);</p> <p>MP2 Idea that the gas/air/oxygen in the room is warmer;</p> <p>MP3 Idea that convection currents in air (above liquid surface) unlikely;</p> <p>MP4 Idea that (evaporated) oxygen /air / gas would insulate the surface;</p> <p>MP5 Idea that oxygen/gas would build up pressure in a sealed vessel;</p>	<p>Ignore "heat rises"</p> <p>Allow: warm air won't fall, cool air won't rise Ignore density arguments Allow: gas is a poor conductor Allow: flask would burst if it had a lid</p>	2
-----	--	--	--	---

Total for question 2 = 10 marks

Question number	Answer	Notes	Marks									
3 (a)	<p>any one line correct for one mark; all three lines correct for two marks;;</p>	more than one line to a box does not score	2									
(b) (i)	<p>18; 192;</p> <table border="1"> <thead> <tr> <th></th> <th>Temperature in °C</th> <th>Temperature in kelvin</th> </tr> </thead> <tbody> <tr> <td>room temperature</td> <td><b>18</b></td> <td>291</td> </tr> <tr> <td>triple point of ethyne</td> <td>-81</td> <td><b>192</b></td> </tr> </tbody> </table>		Temperature in °C	Temperature in kelvin	room temperature	<b>18</b>	291	triple point of ethyne	-81	<b>192</b>		2
	Temperature in °C	Temperature in kelvin										
room temperature	<b>18</b>	291										
triple point of ethyne	-81	<b>192</b>										
(ii)	decreases / OWTTE;	ignore "molecules slow down"	1									
(iii)	remains constant / no change / nothing;		1									

**Total 6 marks**

Question number	Answer	Notes	Marks
4 (a) (i)	smoke particles in air (in smoke cell) OR pollen on water OR dust particles in air;	Accept correct description of Brownian motion applied to unspecified particles in a suitable medium	1
	(ii) Any two of - MP1 Idea that tiny/smaller particles are hitting; MP2 Larger (observed) particles are moved; MP3 Idea of random motion of larger particles;	Allow zig-zag movement	2
(b)	Any six ideas about arrangement and motion of particles Max 2 for each state  Solid – Regular pattern OR close packed; Vibration in position; Little space between particles;  Liquid – Irregular pattern; Able to move over/past other particles; Little space between particles;  Gas – No pattern; Able to move freely/fast; Larger space between particles;	Accept same ideas shown in labelled diagrams  Condone fixed position  Condone no fixed position Ignore vibration relating to liquid  Condone no fixed position Ignore vibration relating to gas	max 6

Total 9 marks

Question number	Answer	Notes	Marks
5 (a)	Any three of evaporation as liquid → gas/vapour;  higher (kinetic) energy/faster particles/molecules leave/ evaporate;  reducing (average) energy of particles left /heat remaining;  reducing temperature;	Accept: water/sweat → gas/vapour  Accept: particles leaving take heat with them  Accept: lower energy particles remain	3
(b) (i)	(still covered in) sweat /evaporation mentioned;  not generating as much 'new' heat;	Ignore: conduction, convection and radiation losses Ignore: reference to shiny sheet	2
(ii)	Either barrier to reduce particle movement; reducing convection / evaporation; OR (shiny) surface reflects/poor absorber; reducing radiation /IR losses;	Ignore: conduction losses  Accept: barrier to air currents / air is trapped	2

Question number	Answer	Notes	Marks
6 (a)	any four from – (at lower temp) particles move at lower speed / lower kinetic energy; on average; so hit sides less often / with less energy; reducing force / pressure; tension in rubber; pulls balloon material into smaller size;	Accept: momentum arguments	4



Question number	Answer	Notes	Marks
6 (b)	<p>Any <b>three</b> explanations of faulty method, with a workable improvement.            Note that the fault needs to be properly identified, not just "the method is faulty / inadequate", or the method numbered with a comment that "Step 2 is wrong"</p> <p><u>Fault #1</u>            'different time in freezer' does not give range of temps / always cools to same temp;  <u>Improvement #1</u>            Way to get range of temp ;            e.g use water bath(s), use freezer(s) set to different temps</p> <p><u>Fault #2</u>            Difficult /hard to 'measure temp of balloon with thermometer' OR this doesn't measure temp of gas inside;  <u>Improvement #2</u>            Measure temperature of surroundings ;            e.g. inside of freezer, water bath or air</p> <p><u>Fault #3</u>            Measuring / plotting 'size' is imprecise /too vague;  <u>Improvement #3</u>            measure / plot a more precise quantity;            e.g. volume / length / diameter / circumference</p>	<p>CREDIT any explanation OR improvement, up to three of each, wherever seen            i.e. the "Fault" and "Improvement" marks do not have to form a matching pair.</p> <p>Allow answers that mention high and/or low temperatures</p> <p>Needs to be more than: can't + statement from stimulus</p> <p>Ignore reference to room temperature</p> <p>Not temperature</p>	max 6

	<p><u>Fault #4</u>  'measure size next to ruler' is an inaccurate method / difficult to measure (with a ruler) / <u>comment</u> on shape ;  <u>Improvement #4</u>  Sensible method to measure (a relevant quantity);  e.g. measure volume by displacing water, measure circumference using tape/string, use set squares with ruler</p> <p><u>Fault #5</u>  repeating does not make it a fair test;  <u>Improvement #5</u>  control a named variable that does;  e.g. starting volume of balloon</p> <p><u>Fault #6</u>  balloon may warm up between leaving the freezer and being measured;  <u>Improvement #5</u>  method of minimising this;  e.g. idea of measuring quickly, having whole experiment at the measured temperature</p>	<p>Allow mention of parallax</p> <p>NOT "time in freezer"</p>	