Questions

Q1.

A student investigates what happens when light travels from air to glass.

Figure 15 shows some of the apparatus used in the investigation.




Figure 15

(i) In Figure 15, angle Y is the angle of

A deflection
B incidence
C reflection
D refraction

(1)

(ii) Figure 16 is a graph of the student's results.




Figure 16

Use the graph to calculate a value for

(2)

(Total for question = 6 marks)

$$\frac{\text{angle Y}}{\text{angle X}} =$$

(iii) The student concludes that angle Y is directly proportional to angle X. Explain what the student must do to test this conclusion in more detail.	(3)

Q2.

Figure 12 shows a semicircular glass block.




Figure 12

Describe how a student could use the semicircular glass block and other apparatus to determine the critical angle for a glass-air boundary.

You should add to the diagram in Figure 12 to help with your answer.

-		
		(4)
		(')
 	 •••••	

(Total for question = 4 marks)

Q3.

Ultraviolet waves cover a range of frequencies.

Scientists divide this range into three types, UVA, UVB and UVC.

The table in Figure 14 shows the frequency range for each type.

type	frequency range in Hz
UVA	$7.5\times10^{14}to9.4\times10^{14}$
UVB	9.4×10^{14} to 10×10^{14}
UVC	10×10^{14} to 30×10^{14}

Figure 14

Figure 15 is a diagram about the effect that the Earth's atmosphere has on three types of ultraviolet radiation.




Figure 15

Describe how the effects change with **wavelength**, using information from Figure 14 and Figure 15.

The width of the arrows drawn indicates the amount of radiation that is involved.

Calculations are **not** required.

(4)

(Total for question = 4 marks)

Q4.

Figure 7 shows some apparatus.





Figure 7

Describe an investigation to find out how the nature of a surface affects the amount of thermal energy absorbed by the surface.

You should use the apparatus in Figure 7 and any additional items you choose. Each can in Figure 7 has a bung in the top with a hole in it.

You may use a diagram if it helps your answer.	
	(6)
	•
	-
	-
	-
	-
	-
	-
	-
	-

(Total for question = 6 marks)

Q5.

Figure 6 shows two solid metal balls, **P** and **Q**.



Figure 6

P and Q are made from the same metal and have the same radius.

P is painted black and **Q** is painted white.

Each ball is heated to a different temperature.

The balls then cool in the same room.

The graph in Figure 7 shows how the temperature of each ball changes with time.




Figure 7

(i) Use the graph in Figure 7 to determine the time when ${\bf P}$ and ${\bf Q}$ were at the same temperature.

Show your working on the graph.

(2)

time = minutes

(ii) Whi graph ir		
X X X	С	100 °C 70 °C 10 °C 0 °C
6 and F	igure	why the curve for P is different from the curve of Q . Use information from Figure 7 to your answer.
		(2)
		(Total for question = 5 marks)

Q6.

A student is investigating the refraction of light.

Figure 5 shows part of the apparatus and the angles to be measured.





Figure 5

The student measures angle r for several different values of angle i.

Figure 6 shows the student's results.



(i) On the graph in Figure 6, draw the best fit curve.

(ii) Use the graph in Figure 6 to estimate the value	of angle <i>r</i> when angle <i>i</i> is 80°.
	(1)
angle <i>i</i>	·=°
(iii) Describe how angle r changes with angle i for to 6.	ne results shown on the graph in Figure
	(2)
	(Total for question = 4 marks)
Q7.	
Figure 6 is a simplified diagram to show radio wave then meeting a boundary between lower and upper	
I de	




Figure 6

Explain what happens to the radio waves after they meet the boundary between the lower and upper layers as shown in Figure 6.

our explanation should refer to changes in direction and speed of the waves.	
	(4)

(Total for question = 4 marks)


Q8.

Equal volumes of hot water are added to two cans.
The cans are identical apart from their surfaces.

One can has a black surface and the other can has a silver surface.

The cans are left to cool and their temperatures are monitored.

The graph in Figure 6 shows the results.




Explain, using evidence from the graph, which curve is for the black can and which curve is for the silver can.

	(Total for question = 2 ma	ırks)
 	 	••
		(∠)
		(0)

Q9.

This question is about light.

* Figure 11a shows refraction of light at a boundary between glass and air. Figure 11b shows total internal reflection of light at a boundary between glass and air.






Figure 11a

Figure 11b

Use Figure 11a and Figure 11b to explain refraction and total internal reflection.

You may add to Figure 11a and Figure 11b to help with your answer.

(6)

(Total for question = 6 marks)

Q10	•	
This	ques	stion is about light.
Whit	e ligh	nt includes all the colours in the visible spectrum.
The	book	of white light is the only light that shines on a book. A appears green. Ber is placed between the source of white light and the book.
Wha	t col	our does the book appear now?
×	Α	black (1)
	В	blue
X	С	green
	D	red
		(Total for question = 1 mark)
		(Total for question = 1 mark)
Q11		(Total for question = 1 mark)
Whic		(Total for question = 1 mark) slour of visible light has the longest wavelength?
		lour of visible light has the longest wavelength?
Whic	ch co	lour of visible light has the longest wavelength?
Whic	A B	lour of visible light has the longest wavelength? (1)
Which	A B	lour of visible light has the longest wavelength? (1) blue green
Which	A B C	lour of visible light has the longest wavelength? (1) blue green red

Q12.

Ultraviolet light has a higher frequency than infrared light.

Which of these colours of visible light has the highest frequency?

A blue
B green
C orange
D yellow

(Total for question = 1 mark)

Q13.

A student investigates how different surfaces radiate energy as they cool.

Figure 9 shows some of the apparatus used in a part of the investigation.




Figure 9

Describe how the student could collect data to show how the rate of cooling of the container and water change with time.

(2	2)

(Total for question = 2 marks)

റ	1	4
w		-

When white light crosses the boundary between air and glass, it can split up of the spectrum.	o into the colours
Explain, in terms of speed, why the light behaves like this.	
	(3)
(Total for gua	ostion = 2 marks)
(Total for que	estion = 3 marks)
Q15.	
(i) Oire and a large of Euclastic Alexander and a second control of the control o	
(i) Give one colour of light that has a longer wavelength than yellow light.	(1)
	(1)
(ii) Give one colour of light that has a higher frequency than yellow light.	(4)
	(1)
/Total for aug	estion = 2 marks)
(Total for que	5511011 - 2 111a1 NS)

Mark Scheme - Light and Colour

Q1.

Question Number	Answer		Mark
(i)	D refraction The only cor	rect answer is D	(1)
	A 'deflection' is an incorrect	distracting description	AO 1 1
	B 'incidence' is incorrect, th	at would be angle X	
	C 'reflection' is incorrect, no diagram	reflection being shown in the	
Question Number	Answer	Additional guidance	Mark
(ii)	any pair of coordinates	e.g. 20 and (13 or 14)	(2)
	selected from the line (1)	or 10 and (6 or 7)	AO 2 1
		ignore any units given	
	in range → 0.6(0) to 0.7(0) (1)	award full marks for a correct answer without working	
Question Number	Answer	Additional guidance	Mark
(iii)	an explanation linking:		(3)
	repeat (1)	allow 'more measurements' / 'repeat experiment' / collect more data	AO 3 3a
	different angles / more values of X (1)		
	for larger angles / values of X (1)	> 20°	

Q2.

Question Number	Answer	Additional guidance	Mark
	a description to include any four from:	critical angle	(4)
	shine a ray (of light) into the block (1)	move ray box round ray box	
	into the block through the curved surface along a radius (1)	credit marking points in the diagram if they are clear	
	{change angle / move ray(box)} until the angle of refraction is 90° / TIR just occurs (1)		
	measure angle of incidence {when refracted angle is 90° / when TIR just occurs}	allow 'calculate' for 'measure' plot angle i against angle r	
	repeat measurement of critical angle (1)	if light only enters block at straight edge, maximum 1 mark (for MP1)	

Q3.

Question Number	Answer	Additional guidance	Mark
	a description including:		(4)
	UVA mostly transmitted OR some absorbed (1)	UVA mostly travels through	
	UVB some transmitted OR mostly absorbed (1)	accept less transmitted than UVA	
	UVC not transmitted OR mostly absorbed OR some reflected (1)	more absorbed than UVA or UVB	
	correct relationship of absorption/ transmission to wavelength / 🛛 (1)	wavelength decreasing (with) absorption increasing OR longer wavelengths transmit more	
		☐ abs trans	
		dec inc dec	

Q4.

Question Number	Answer	Mark
	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.	(6)
	AO targeting: 6 marks AO1 strand 2 (6 marks) uses a thermometer inserted into the can uses a stopwatch / timer	
	 uses a measuring cylinder / beaker with markings sets up apparatus with lamp a fixed distance from each can that distance is the same for each can the measured volume is the same for each can a starting temperature is measured (aiming) to get the same start temperature 	
	 each, in turn, is heated for the same time as measured on a stopwatch a final (maximum) temperature is read OR takes a series of temperature readings with time and plots a graph of temperature(s) against time the one heating up the most is the best absorber N.B. fully credit any of these in a diagram e.g. bullet points 1-8 may all be seen in a diagram 	

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1-2	 Demonstrates elements of physics understanding, some of which is inaccurate. Understanding of scientific, enquiry, tech- niques and procedures lacks detail. (AO1)
		 Presents a description which is not logically ordered and with significant gaps. (AO1)
Level 2	3-4	 Demonstrates physics understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas, enquiry, techniques and procedures is not fully detailed and/or developed. (AO1)
		 Presents a description of the procedure that has a structure which is mostly clear, coherent and logical with minor steps missing. (AO1)
Level 3	5-6	 Demonstrates accurate and relevant physics understanding throughout. Understanding of the scientific ideas, enquiry, techniques and procedures is detailed and fully developed. (AO1)
		 Presents a description that has a well-developed structure which is clear, coherent and logical. (AO1)

Summa	Summary for guidance			
Level	Mark	Additional Guidance	General additional guidance – the decision within levels	
			Eg - At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.	
	0	No rewardable material.		
Level 1	1-2	Additional guidance isolated statement about apparatus or procedure or the science involved	Possible candidate responses (diag?) uses/puts a thermometer in the can/water OR measures a temperature OR uses heater to heat the cans Or puts water in the cans	
Level 2	3-4	Additional guidance some procedure detail but with omissions	Possible candidate responses (diag?) uses a thermometer to measure the temperature rise in the cans OR uses the heater to heat the cans for a fixed time Or uses the same amount of water in each can	

Level 3	5–6	Additional guidance more detailed and structured procedure	Possible candidate responses (diag?) uses a thermometer to measure the temperature rise in the cans AND
			uses the heater to heat the cans for a fixed time Or uses the same amount of water in each can

Q5.

Question number	Answer	Additional guidance	Mark
(i)	line shown on graph from intersection of two curves (1)		(2)
	answer in range 11 - 13 (minutes) inclusive (1)	award full marks for the correct answer without working	

Question number	Answer		Mai	rk
(ii)	⊠ C	10 °C	(1)	

Question number	Answer	Additional guidance	Mark
(iii)	an explanation linking:		(2)
	the gradient for ${f P}$ is greater/steeper than the gradient for ${f Q}$ (1)	P cools quicker than Q	
	(because) P /black is a better emitter (of radiation) (than Q /white) (1)	P loses thermal energy/heat quicker than Q	
		allow reverse arguments	
		credit answers in terms of absorption in this context	

Q6.

Question number	Answer	Additional guidance	Mark
(i) CS3	curve through origin, through all points – by eye (1)	angle r in " 25 - 20 - 15 - 10 - 5 - 20 - 10 20 30 40 50 60 70 80 90 angle / in " Figure 6	(1) AO1

Question number	Answer	Additional guidance	Mark
(ii) CS3	(r =) 42(°) ± 2(°) (1)	ECF their graph	(1) AO3

Question number	Answer	Additional guidance	Mark
(iii) CS3	Description to include two from: r increases as i increases (1)	r increases as i increases	(2) AO3
	(but) not in proportion (1)	(but) not in even steps/not straight line/non- linear/gradient changes	
	increase in $m{r}$ becomes less (for same increase in $m{i}$) (1)	r always less than i	

Q7.

Question number	Answer	Additional guidance	Mark
	explanation linking:		(4)
	wave P refracts (towards the normal) (1)	accept 'upper layer' for 'p' accept 'wavelength decreases' accept 'bends' for 'refracts' in this instance	
	because P slows down (1)		
	AND		
	wave Q is reflected (at an equal angle from the boundary) (1)	accept 'lower layer' for 'Q' accept 'wavelength unchanged' accept 'wave Q bounces off' (at an equal angle)	
	without change of speed of Q (1)		
		allow one mark for refraction and reflection if no other mark awarded	

Q8.

Question Number	Answer	Additional guidance	Mark
	an explanation linking two from:		(2)
	identifies curve Q is the black can OR that curve P is for the silver can (1)		
	(because, as) black is a better emitter	IGNORE reference to absorb	
	(then) (curve) Q shows a faster rate of cooling (1)	allow Q is at a lower temperature/stays cooler	
	OR	OR	
	(curve) Q is steeper (1)	P is at a higher temperature /stays hotter	
		may quote numbers from graph e.g. curve Q cools by 75(°C) in 20 minutes but curve P only shows a 60(°C) in the same time	

Q9.

Question number	Indicative content	Mark
*	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant. Refraction	(6) AO1
	 Angle of incidence marked Angle of refraction marked Angles are measured from the normal Angle of refraction is bigger than the angle of incidence Rays of light travel in straight lines Refraction occurs at a boundary between two materials of different (optical) density The angle of incidence is less than the angle of refraction when light passes into a less dense medium (glass into air) Refracted rays bend away from the normal when light passes into a less dense medium (glass into air) The ray in the more dense medium (glass) travels more slowly ORA 	
	 Total Internal Reflection Possible critical angle marked Light stays inside the glass Only occurs when the incident light is in the more dense medium Only occurs when the incident angle is equal to greater than the critical angle Critical angle for glass is about 42° Angle of incidence is equal to the angle of reflection 	

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1–2	Demonstrates elements of physics understanding, some of which is inaccurate. Understanding of scientific, enquiry, techniques and procedures lacks detail. (AO1) Presents a description which is not logically ordered and with significant gaps. (AO1)
Level 2	3–4	Demonstrates physics understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas, enquiry, techniques and procedures is not fully detailed and/or developed. (AO1) Presents a description of the procedure that has a structure which is mostly clear, coherent and logical with minor steps missing. (AO1)
Level 3	5–6	Demonstrates accurate and relevant physics understanding throughout. Understanding of the scientific ideas, enquiry, techniques and procedures is detailed and fully developed. (AO1) Presents a description that has a well-developed structure which is clear, coherent and logical. (AO1)

Level	Mark	Additional Guidance	General additional guidance - the decision within levels
			e.g At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.
	0	No rewardable material.	
Level 1	1-2	Additional guidance isolated fact(s) about refraction or total internal reflection(TIR)	Possible candidate responses naming of any rays of light or any angles in text or on diagrams light changes direction/bends TIR ray stays inside the glass / does not go into air refracted ray goes through glass and air
Level 2	3-4	Additional guidance simple description of refraction and TIR or facts about one and more detail of the other	Possible candidate responses Angle or ray identified For refraction light changes direction from glass into air or TIR angles are equal inside the glass
Level 3	5-6	Additional guidance detailed description of refraction and TIR	Possible candidate responses For refraction light changes direction from glass into air AND TIR angles are equal inside the glass

Q10.

Question number	Answer	Mark
	A black	(1) AO3
	B is incorrect as no blue light shines on the object	
	C is incorrect as no green light shines on the object	
	D is incorrect as no red light is reflected from the object	

Q11.

Question Number	Answer	Mark
	C red	(1)
	The only correct answer is C red	
	A is not correct because blue has a shorter wavelength than red	
	B is not correct because green has a shorter wavelength than red	
	D is not correct because yellow has a shorter wavelength than red	

Q12.

Question number	Answer	Mark
	⊠ A blue	(1)
	Green, orange and yellow all have a lower frequency than blue	

Q13.

Question Number	Answer	Additional guidance	Mark
	a description to include:		(2)
			AO 1 2
	use a thermometer (1)	temp. sensor	
		datalogger	
	measure temperature at regular intervals (1)	it must be clear that it is a number of readings – not just 2	
		eg measure temperature over time	

Q14.

Question Number	Answer	Additional guidance	Mark
	an explanation linking:		(3)
	(the colours have) different wavelengths (1) different wavelengths / colours travel at different speeds (1)	allow the word frequencies for wavelengths	AO 2 1
	so refract by different amounts (1)	for refract allow bend/change direction/follow different path	

Q15.

Question Number	Answer	Mark
(i)	red or orange	(1)
		AO 1 1

Question Number	Answer	Additional guidance	Mark
(ii)	green or blue or indigo or violet		(1) AO 1 1