Question	Answer	Acceptable answers	Mark
Number			
1(ai)	150 m		(1)
	(1)		

Question	Answer	Acceptable answers	Mark
Number			
1 (aii)	B at 7 s		(1)
	(1)		

Question	Answer	Acceptable answers	Mark
Number			
1(aiii)	6 (s)		(4)
	(1)		(1)

Question Number	Answer	Acceptable answers	Mark
1 (aiv)	Substitution: 15 ÷ 6 (1)	Allow ecf from 4(aiii) Must be 15 divided by their 4(aiii)	
	Evaluation 2.5 (m/s²) (1)	ECF allowed from first marking point ie evaluation of 15 divided by their answer from 4(aiii)	
		Award 2 marks for correct	
		answer, no working	(2)

Question	Answer	Acceptable answers	Mark
Number			
1 (bi)	100 - 30 (1)	100 + 30 or 130 gains 1 mark	
	70 (N)	Award 2 marks for correct answer, no	
	(1)	working	(2)

Question	Answer	Acceptable answers	Mark
Number			
1(bii)			
	550 (N)	539 (N) allow use of $g = 9.8$	
	(1)	N/kg	
		539.55 (N) for use of g =	
		9.81N/kg	
		Award mark for correct answer,	
		no	(1)
		working	

Question Number	Answer	Acceptable answers	Mark
1(c)	An explanation linking (combined) mass is less (1) smaller force required for same acceleration OR	ignore references to weight, friction or backwards force ignore "easier to accelerate" as in stem less force needed (to accelerate)	
	more acceleration from same force (1)	, , ,	(2)

(Total for Question 4 = 10 marks)

Question	Answer	Acceptable answers	Mark
Number			
2 (a)	В → ←		(1)

Question Number	Answer	Acceptable answers	Mark
2 (b)	A – 0 N		(1)

Question Number	Answer	Acceptable answers	Mark
2 (c)(i)	Substitution (1) 1.2 = (20 - 13) / t	1.2 = 7 / t	
	Transposition (1) $t = (20-13)/1.2$	t = 7/1.2	
	Evaluation 5.8 (s) (1)	5.833 (etc)	
	substitution and transposition can be in either order	Give full marks for correct answer, no working	(3)

Question Number	Answer	Acceptable answers	Mark
2 (c) (ii)	Substitution 1400 x 1.2 (1)		
	Evaluation 1700 (N) (1)	1680 Allow full marks for correct answer with no working shown	(2)

Question Number	Answer	Acceptable answers	Mark
2 (c) (iii)	An discussion to include three of the following points		
	The tow rope does not have to support the weight of the car (1)	forces are horizontal not vertical / only needs to overcome friction	
	Tension is caused by accelerating force (plus frictional forces) (1)	Force is needed to accelerate / resultant force is 0 at constant velocity	
	Tension is 5700 N (in this situation)(1)	Force to accelerate is 1700N	
	Forces could be kept below 12,000N (1)	Forces could be kept small	
	If acceleration is kept small (1)	If truck is driven gently/slowly	
	Numerical justification using $f = m \times a$ (1)		(3)

(Total for Question 4 = 10 marks)

Question number	Answer	Mark
3(a)(i)	В	(1)

Question number	Answer	Mark
3(a)(ii)	vertical arrow, acting downward through the suitcase	(1)

Question number	Answer	Additional guidance	Mark
3(b)(i)	substitution (1) $(KE =) \frac{1}{2} \times 85 \times 1.5^{2}$	award full marks for correct numerical answer without working	
	answer (1) 96 (J)	allow 95.625 (J)	(2)

Question	Answer	Additional guidance	Mark
number			
3(b)(ii)	rearrange (1) force = work done ÷ distance	accept rearrangement with values subst., i.e. (force) = 1200 ÷ 80	
	answer (1) (force) = 15 (N)	award full marks for correct numerical answer without working	(2)

Question number	Answer	Additional guidance	Mark
3 (c)	An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (1 mark): • the work done is the same for walking and running (1) • because work done depends on force and distance only, not time (1)	allow energy for work done because work done ÷ time is power	(2)

Question number	Answer	Additional guidance	Mark
3 (d)	rearrangement (1) (height) = change in GPE \div (mass \times g)	accept rearrangement with values, i.e. $(h) = 264 \div (12 \times 10)$ or $= 264 \div 120$	
	answer (1) 2.2 (m)	award full marks for correct numerical answer without working	(2)