
WJEC Physics GCSE Topic 2.6: The universe Questions by topic The diagram shows gas atoms in the cooler, outer atmosphere of a star in a galaxy that is 20 million light years away.

(a) Write down the time taken for light to get to us from the star. [1]

(b) The diagram shows light from the inner part of the star passing through its outer atmosphere. Some of the wavelengths are absorbed.



The diagrams below show three spectra.

Diagram A




Diagram B



Diagram C



Put a tick (/) in the correct column below to show which is the correct diagram for each statement. [2]


	Diagram A	Diagram B	Diagram C
Light leaving the star's atmosphere			
Light from inner part of the star			

(c) The spectrum below is from another star in the same galaxy.



	Expl	lain how the lines show that the stars are different.	[2]
(d)	Line (i)	s in spectra from distant galaxies are shifted towards the red end of the spe State what has happened to the wavelengths of those lines.	ectrum. [1]
	(ii)	The lines in spectra from some other galaxies are further red shifted. State what this tells us about those galaxies.	[1]
(e)		mological red shift supports the Big Bang theory. Name one other piece of supports this theory.	evidence [1]


The following diagrams show absorption spectra of hydrogen in a laboratory (diagram A), from a distant galaxy X (diagram B) and from another distant galaxy Y (diagram C).



(ii)	Explain how CMBR fits in with this theory.	[2]
• • • • • • • • • • • • • • • • • • • •		

(iii) The variation of intensity of CMBR is shown in the graph below.

Intensity (units)



Use the graph to answer the following questions.


(1)	Calculate the wavelength if the number of waves per cm is 2.	[1]
	wavelength =	cm
(II)	State what happens to the wavelength as the number of waves per increases.	cm [1]
(III)	State the intensity of a wave that has a wavelength of 1 mm.	[1]
	intensity =	nits

3.

The first diagram below shows the spectrum of white light after it is passed through hydrogen in the laboratory.

The second spectrum comes from a galaxy that is 4×10^9 light years away.

(i) State the time taken for light to travel from the galaxy to us.



(ii) Calculate the change in wavelength of the line A between the laboratory spectrum and the galaxy's spectrum. [1]

wavelength change = m

[1]

	opposite (Do not i	nclude in y	our answer	the develo	pment of th	eories of the	Universe.)	[6 QWC
********						• • • • • • • • • • • • • • • • • • • •		
•••••								

4.

Discuss the evidence for the Big Bang theory. Include in your answer reference to the following:

•	cosmological red shift of spectra from distant stars and galaxies;
	Cosmic Microwave Background Radiation (CMBR). [6 QWC]

• • • • • • • • •	
. ,	
*>********	


5.			
	The Big Bang theory of the origin of the Universe was built up based on some of the facts.	ollowing	
	Tick (\mathcal{I}) only two boxes alongside the facts that helped to set up this theory.	[2]	
	Light from distant galaxies is red shifted.		
	Our Sun is one of billions of stars in the Milky Way galaxy.		
	Scientists have discovered that stars are made from gases.		
	Scientists have detected Cosmic Microwave Background Radiation (CMBR).		
	There are billions of galaxies in the Universe.		2
6	Explain what is meant by the term 'cosmological red shift' and how it provides eviden origin of the Universe.	ice for the [6 QWC]	
		110012074200000000000	

State what is meant by absorption spectra and explain how they can provide information about stars and galaxies. [6 QWC]

6

The graph below shows how the velocity of galaxies moving away from the Earth (called their recession velocity) depends on their distance away from us (in light years).

recession velocity (km/s)



Sir Edwin Hubble put forward this theory.

"The recession velocity of a galaxy is directly proportional to its distance from Earth."

(a)	(1)	State	e how t	ne grap	on supp	oorts H	ubble's	theory	<i>'</i> .				[2]
		••••••			***************************************	••••••	•••••		••••••	••••••	•••••	 ••••••	

	(ii)	The gradient (steepness) of the graph is called the "Hubble lts value is given by: Hubble constant = $\frac{1}{\text{age of the University}}$ Explain how the gradient of this line will change in the future.	 'se	[2]
(b)	Use	speed of recession of a distant galaxy is measured as 600 the graph to calculate the distance of this galaxy from l n. (A light year is equivalent to 9.5 $ imes$ 10 12 km.)	0km/s. Earth. Give	your answer [2]
		distance	***	km
(c)	669. of th	wavelength of a particular absorption line from the distan 4nm. It is found to have been red shifted by 13.1 nm. Calculate same absorption line if measured in a laboratory experimes should use an equation from page 2 to obtain your answer.	e the expect ent on Earth	ed frequency
	(Spe	eed of light in vacuum, $c = 3 \times 10^8$ m/s.)		[5]
		frequency	f ==	Hz

d)	(i)	Explain how Cosmic Microwave Background Radiation (CMBR) provides evidence that supports the Big Bang Theory. [2]

	(ii)	Space has a temperature of about –270 °C (3 K) and is filled with CMBR energy. Explain why the temperature of space will decrease as the Universe continues to expand. [Note that the energy of a wave is directly proportional to its frequency.] [2]

_	

he A elow	indromeda Galaxy is 2.22 $ imes$ 10 6 light years away from Earth. Part of its spectrum is show $^\prime$.	vn
Re	Blue	
(i)	How long does light from Andromeda take to reach Earth?	1]
	time =	
(ii)	Explain how the dark lines crossing the spectrum are produced.	3]
iii)	Fred Hoyle proposed the Steady-State theory of the Universe in 1948. This suggested the Universe has always looked the same over time. Explain why red shift measuremen and the discovery of Cosmic Microwave Background Radiation (CMBR) did not support this theory.	ts
********		***

.,		