Please check the examination details below before entering your candidate information					
Candidate surname		Other names			
Centre Number Candidate Nu Pearson Edexcel Intern		al Advanced Level			
Tuesday 21 May 2024					
Afternoon (Time: 2 hours)	Paper reference	WPS02/01			
Psychology International Advanced Subsidiary UNIT 2: Biological Psychology, Learning Theories and Development					
You do not need any other material	s.	Total Marks			

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- The list of formulae and statistical value tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\left(\frac{\sum (x-\bar{x})^2}{n-1}\right)$$

Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

Level of significance for a one-tailed test

	Level of significance for a one-tailed test					
	0.05	0.025	0.01	0.005	0.0025	
Level of significance for a two-tailed test						
Ν	0.10	0.05	0.025	0.01	0.005	
5	0.900	1.000	1.000	1.000	1.000	
6	0.829	0.886	0.943	1.000	1.000	
7	0.714	0.786	0.893	0.929	0.964	
8	0.643	0.738	0.833	0.881	0.905	
9	0.600	0.700	0.783	0.833	0.867	
10	0.564	0.648	0.745	0.794	0.830	
11	0.536	0.618	0.709	0.755	0.800	
12	0.503	0.587	0.678	0.727	0.769	
13	0.484	0.560	0.648	0.703	0.747	
14	0.464	0.538	0.626	0.679	0.723	
15	0.446	0.521	0.604	0.654	0.700	
16	0.429	0.503	0.582	0.635	0.679	
17	0.414	0.485	0.566	0.615	0.662	
18	0.401	0.472	0.550	0.600	0.643	
19	0.391	0.460	0.535	0.584	0.628	
20	0.380	0.447	0.520	0.570	0.612	
21	0.370	0.435	0.508	0.556	0.599	
22	0.361	0.425	0.496	0.544	0.586	
23	0.353	0.415	0.486	0.532	0.573	
24	0.344	0.406	0.476	0.521	0.562	
25	0.337	0.398	0.466	0.511	0.551	
26	0.331	0.390	0.457	0.501	0.541	
27	0.324	0.382	0.448	0.491	0.531	
28	0.317	0.375	0.440	0.483	0.522	
29	0.312	0.368	0.433	0.475	0.513	
30	0.306	0.362	0.425	0.467	0.504	

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Chi-squared distribution formula

$$X^2 = \sum \frac{(O-E)^2}{E}$$
 $df = (r-1)(c-1)$

Critical values for chi-squared distribution

Level of significance for a one-tanea test	Level (of significance	e for a one-tailed test
--	---------	-----------------	-------------------------

	0.10	0.05	0.025	0.01	0.005	0.0005
	Level of significance for a two-tailed test					
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

Leve	l of	fsignificanc	e for a	one-tailed	l test
------	------	--------------	---------	------------	--------

	0.05	0.025	0.01					
	Level of significance for a two-tailed test							
n	0.1	0.05	0.02					
N=5	0	-	-					
6	2	0	-					
7	3	2	0					
8	5	3	1					
9	8	5	3					
10	11	8	5					
11	13	10	7					
12	17	13	9					

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



SECTION A

Biological Psychology

Answer ALL questions in this section. Write your answers in the spaces provided.

- 1 In your studies on biological psychology, you will have learned about one of the following contemporary studies:
 - McDermott (2008)
 - Hoefelmann et al. (2006).

Chosen study	
(a) State two conclusions of your chosen contemporary study.	(2)
1	
2	
(b) Explain one improvement that could be made to the sample used in your chosen contemporary study.	(2)
(Total for Question 1 = 4 ma	rks)



2	Herbert conducted a study to see if there was a relationship between playing
	computer games and quality of sleep. He gathered his participants from one
	university and asked them to fill in a questionnaire.

One of the questions Herbert asked was 'How many hours a day do you spend playing computer games?'. He also asked his participants to rate their quality of sleep, from 1 being very poor quality of sleep to 7 being an excellent quality of sleep.

(a)	State a fully operationalised non-directional (two-tailed) hypothesis for
	Herbert's study.

/	\neg
ı.	1
N.	_

Herbert analysed his data using the Spearman's rank test.

(b) Calculate Spearman's rank for the data gathered by Herbert by completing **Table 1**.

Your answers **must** be to **two** decimal places.

The formulae and statistical tables can be found at the front of the paper.

You **must** show your working out.

(4)

Number of hours a day spent playing computer games	Rank 1	Quality of sleep	Rank 2	d	d²
2	2.5	6	5.5	-3	
3.5	4	5	4	0	
6	6	3	2	4	
4	5	2	1	4	
2	2.5	4	3	-0.5	
1	1	6	5.5	-4.5	
Total for d ²					

Table 1
Space for calculations

Spearman's rank



(c) Explain one reason why Herbert used the Spearman's rank test for his data.	(2)
(d) Explain one weakness of Herbert's study about computer games and quality of sleep.	
	(2)
	(2)
	(2)
	(2)

3	Kaiko has a regular menstrual cycle. She menstruates every 29 days. Kaiko notices that she finds certain types of men more attractive at different times throughout the 29 days. Her friends say that she becomes angrier about a week before she menstruates, but she quickly calms down when menstruation begins. Describe the role of infradian rhythms on Kaiko's menstrual cycle.
•••••	
	(Total for Question 3 = 4 marks)



4	Twin studies are often used by psychologists when researching aggression.	
	(a) Describe how a twin study research method could be used in biological psychology, such as when researching aggression.	
		(4)

(b)	Explain one strength and one weakness of using a twin study research method in	1
	biological psychology.	(4)
	Strength	
	Weakness	
	(Total for Question 4 = 8 m	arks)



5	Assess the role of hormones as an explanation of aggression.	(8)

SECTION B

Learning Theories and Development

Answer ALL questions in this section. Write your answers in the spaces provided.

6	In your studies about learning theories and development, you will have learned about operant conditioning.	
	(a) Define, using an example, what is meant by the term 'positive reinforcement' as	
	used in operant conditioning.	(2)
		(2)
	(b) Define union on according what is present by the towns of a continuous of according	
	(b) Define, using an example, what is meant by the term 'negative reinforcement' as used in operant conditioning.	
	3	(2)
•••••		





(c) Explain one strength of operant conditioning as an explanation of beha	aviour.
(e)	(2)
(Total for Questio	n 6 = 6 marks)

7	Sophia conducted an observation to see whether children at different stages of development played games differently. She gathered her participants from a local school that had children from a variety of different ethnic backgrounds. She used a stratified sampling technique to gather her participants.

Sophia used a structured observation where she set up a room with a variety of toys. She observed the children playing through a one-way mirror. Sophia put the children into age groups and let them play with the toys for half an hour.

Sophia recorded the age of the children and whether they played next to each other or played together.

(a)	Describe how Sophia could have used a stratified sampling technique to gather
	the children for her investigation.

A	y	
4	= /	

|
 | ••••• |
 |
 | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|------|------|--|
|
 | |
 |
 | |
|
 | |
 |
 | |
|
 | |
 |
 | |
|
 | |
 |
 | |



Ctropostle				(4)
Strength				
Weakness				
) Explain on	e reason why Sophia may h	nave chosen to use a s	tructured observation.	(2)
				(2)



rovement Sophia could			(2)
	(Total fo	or Question 7 = 10 ma	arks)

BLANK PAGE QUESTION 8 BEGINS ON THE NEXT PAGE.

8	In your studies on learning theories and development you will have learned about the contemporary study by Capafóns et al. (1998).	
	(a) State one aim of the study by Capafóns et al. (1998).	(1)
	(b) Describe the sample used in the study by Capafóns et al. (1998).	(3)

	(c) Explain two weaknesses of the study by Capafóns et al. (1998).	(4)
1		
2		
	(d) Explain one application of the findings from the study by Capafóns et al. (1998).	(2)
_	(Total for Question 8 = 10 ma	nrks)



9	Earl has a phobia of needles and injections. His phobia developed after he had been to the dentist and had an injection that caused him severe pain. If Earl sees a needle on the television, he must look away as it makes him feel sick. Earl once fainted at the doctors' surgery because he saw his daughter having an injection.	
	Earl has to travel to another country for his work and needs to have some injections to be able to enter the country. Earl has decided to try systematic desensitisation as a treatment for his phobia of needles.	
	Discuss systematic desensitisation as a treatment for Earl's phobia of needles.	
	You must make reference to the context in your answer.	(0)
		(8)



· ·

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(
	(Total for Question 9 = 8 marks)

TOTAL FOR SECTION B = 34 MARKS



BLANK PAGE SECTION C BEGINS ON THE NEXT PAGE.

SECTION C

Answer ALL questions in this section. Write your answers in the spaces provided.			
10 To what extent has research been effective in explaining the circadian sleep-wake cycle?			
	(12)		



DO NOT WRITE IN THIS AREA



BLANK PAGE QUESTION 11 BEGINS ON THE NEXT PAGE.

11	Eliza and Fred are brother and sister. Eliza is in trouble at home for shouting at Fred. Fred was upset by the argument and so he was given some sweets by his mother to try and calm him down. Eliza said it was Fred's fault, as he threw a plate at her when they were arguing, and that was why she was shouting at him.	
	Eliza is also in trouble at school for throwing some food at another girl during an argument.	
Their mother blames their father for the children's aggression. The father was recently reported to the police for arguing with a neighbour and threatening to hit the neighbour.		
	Evaluate genes and social learning theory as an explanation of Eliza and Fred's aggression.	
	You must make reference to the context in your answer.	
		(16)

XXXXXX	

× 66	
XXXX	
\times vo \times	
×	
\times m \times	
\times	
∞	
DO NOT WRITE IN THIS AREA	

× iii	
× 7	
× (2) × ·	
$\times + \times$	
NOT WRITE IN THIS AREA	
XXXX	
X 62X	
$\times \odot \times$	

$\otimes \Theta \otimes$	
$\times \triangle \times$	

XIIIX	
DO NOT WRITE IN THIS AREA	
XXXX	
X 3 X	
\times	
XXX	

××××××	





DO NOT WRITE IN THIS AREA

(Total for Question 11 = 16 marks)
(101011011011111 - 101110110)

TOTAL FOR SECTION C = 28 MARKS TOTAL FOR PAPER = 96 MARKS

BLANK PAGE



BLANK PAGE

