	4	
u		١.

Tyler is 10 years old and has a phobia of the dentist. When Tyler was 4 years
old, he had a tooth removed, which caused him a lot of pain. Tyler is so scared
that if someone mentions the dentist he starts to cry. Last week he locked
himself in his bedroom and refused to go to his appointment with the dentist.

/1	'otal (	
Explain Tyler's phobia of the dentist using the two-process model.		

(Total 6 marks)

Q2	) ••
	Describe and evaluate the behavioural approach to the treatment of phobias.

You may use this space to plan your answer.	

(Total 12 marks)

<b>Q</b> 3	-
	Ken visited his friend, Jules, who has a large dog called Prince. Prince ran in from the garden, jumped at Ken and knocked him down, breaking his arm. Ken now has a fear of dogs and has avoided all dogs ever since.
	How would the two-process model of phobias explain Ken's fear of dogs?
	(Total 6 mai
Q4	Outline <b>one</b> limitation of systematic desensitisation as a treatment for phobias.

(Total 3 marks)

(Total 2 marks)

$\frown$	
u	J.

ne stairs.	coasters in case they b	reak down. He feels c	aiiii wileli ile uses
low could Stan	's phobia be explained	using the two-process	model?
			(Total 4 ı
riefly outline fl	ooding as a treatment fo	or phobias.	
·	C	•	

4	$\overline{}$	_	
1	•		
ч			_

Max has a phobia of the sea. On a family holiday as a child, he was carried away by the tide and had to be rescued by a lifeguard. Now he has a family of his own, Max refuses to go on beach holidays.

Discuss the two-process model of phobias. Refer to Max's phobia of the sea in your answer.

You may use this space to plan your answer.

(Total 16 marks)