



GCSE COMBINED SCIENCE: TRILOGY 8464/C/1F

Chemistry Paper 1F

Mark scheme

June 2025

Version: 1.0 Final



2 5 6 G 8 4 6 4 / C / 1 F / M S

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

No student should be disadvantaged on the basis of their gender identity and/or how they refer to the gender identity of others in their exam responses.

A consistent use of 'they/them' as a singular and pronouns beyond 'she/her' or 'he/him' will be credited in exam responses in line with existing mark scheme criteria.

Further copies of this mark scheme are available from [aqa.org.uk](https://www.aqa.org.uk)

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2025 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**.
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that ‘right + wrong = wrong’.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks should be awarded for a correct numerical answer, without any working shown. Full marks are **not** awarded for a correct final answer from incorrect working.

3.4 Interpretation of ‘it’

Answers using the word ‘it’ should be given credit only if it is clear that the ‘it’ refers to the correct subject.

3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.


You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question 1


Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	electron		1	AO1 5.1.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	nucleus		1	AO1 5.1.1.3

Question	Answers	Mark	AO / Spec. Ref.
01.3	Subatomic particle  allow 1 mark for 1 or 2 correct do not accept more than one line from a box on the left	2	AO1 5.1.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	the number of protons only		1	AO1 5.1.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	$(A_r =) \frac{(10 \times 19.7) + (11 \times 80.3)}{100}$	allow $(A_r =) \frac{197 + 883.3}{100}$	1	AO2 5.1.1.6
	= 10.803	allow $(A_r =) \frac{1080.3}{100}$	1	
	= 10.8		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6		allow any combination of x, O, e ⁽⁻⁾ , ● for electrons	1	AO2 5.1.1.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	model B shows the 3D arrangement of the ions		1	AO3 5.2.1.3
	model B shows the relative sizes of the ions		1	

Total Question 1	11
------------------	----

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	Li		1	AO1 5.1.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	delocalised electrons from the outer shell		1	AO1 5.2.1.5

Question	Answers	Mark	AO / Spec. Ref.
02.3	Substance Particle diagram Lithium solid Fluorine gas Lithium fluoride solid do not accept more than one line from a box on the left	1 1 1	AO3 5.1.1.1 5.2.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	D		1	AO3 5.2.2.3

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/C/1F – JUNE 2025

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	diamond		1	AO1 5.2.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	(relative formula mass =) $12 + (19 \times 4)$		1	AO2 5.3.1.2
	= 88		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.7	6	allow 3 pairs	1	AO2 5.2.1.1 5.2.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.8	nitride		1	AO2 5.1.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.9	neon has a stable arrangement of electrons		1	AO1 5.1.2.4

Total Question 2	12
-------------------------	-----------

Question 3

Question	Answers	Mark	AO / Spec. Ref.
03.1	magnesium + oxygen → magnesium oxide allow MgO for magnesium oxide	1	AO2 5.4.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	oxidised		1	AO1 5.4.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	0.30 (g)	allow 0.3 (g)	1	AO2 5.3.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	a solid reacts with a gas to produce a solid		1	AO3 5.3.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	ring around point 0.25, 0.35		1	AO3 5.3.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6	(mean =) $\frac{0.96 + 0.93 + 0.92 + 0.95}{4}$	allow (mean =) $\frac{3.76}{4}$	1	AO2 5.3.1.3
	= 0.94 (g)		1	

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/C/1F – JUNE 2025

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.7	a water bath is not hot enough		1	AO3 5.3.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.8	some of the magnesium did not react	allow the reaction was incomplete allow none of the magnesium reacted allow there was no reaction	1	AO3 5.3.1.3

Total Question 3	9
------------------	---

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	compounds		1	AO1 5.4.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	iron is less reactive than carbon		1	AO1 5.4.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	to reduce the amount of energy used		1	AO1 5.4.3.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	the electrodes react with oxygen gas		1	AO1 5.4.3.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	the alloy is harder than the pure metal		1	AO1 5.2.2.7

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/C/1F – JUNE 2025

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	(melting point of alloy) decreases		1	AO2 5.2.2.7
	until 70% (silver)	allow a value in the range 69% to 71%	1	
	or			
	until 530 °C	allow a value in the range 520 °C to 540 °C		
	then (melting point) increases		1	
		if no other mark awarded, allow 1 mark for (melting point) increases from 660 °C to 960 °C or (melting point) increases by 300 °C		
Total Question 4			8	

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	any two from: - measure the volume of the alkali - repeat and calculate a mean - stir / swirl the mixture - use universal indicator solution	ignore references to safety allow use a measuring cylinder (to measure the alkali) allow use a burette (to measure the alkali) allow use a pH probe	2	AO3 5.4.2.4


Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	7		1	AO1 5.4.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	neutralisation		1	AO1 5.4.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	H ⁺		1	AO1 5.4.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	nitric (acid)	allow HNO ₃	1	AO2 5.4.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	(A) overall energy change		1	AO1 5.5.1.2
	(B) progress of reaction		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.7	filter funnel with filter paper inside		1	AO1 5.4.2.3 RPA8
	a container to collect the filtrate	an answer of  scores 2 marks	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.8	zinc	allow Zn	1	AO2 5.4.2.1

Total Question 5	11
------------------	----

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	any one from: - do experiment in a fume cupboard - do experiment in a well-ventilated laboratory / room	ignore references to safety glasses or gloves allow use an extractor fan allow descriptions of well-ventilated such as open windows allow use a <u>gas</u> mask	1	AO3 5.4.3.4 RPA9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	all 6 points plotted correctly line of best fit	allow a tolerance of $\pm \frac{1}{2}$ a small square allow 1 mark for 4 or 5 points plotted correctly	2 1	AO2 5.4.3.4 RPA9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	any one from: - the increase in mass (for successive 60 second intervals) decreases - after 300 seconds the mass remains constant	allow evidence of two correctly determined changes in mass (for 60 second intervals) from Table 1 allow the difference in mass (every 60 seconds) is not the same	1	AO3 5.4.3.1 5.4.3.4 RPA9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	(volume conversion $25 \text{ cm}^3 \Rightarrow$ $0.025 \text{ (dm}^3\text{)}$		1	AO2 5.3.2.5
	(concentration $\Rightarrow \frac{5.5}{0.025}$	allow correct use of an incorrect / no conversion of volume	1	
	$= 220 \text{ (g/dm}^3\text{)}$		1	
	OR			
	(concentration $\Rightarrow \frac{5.5}{25} \text{ (1)}$	allow correct use of an incorrectly determined concentration in g/cm^3 using the values in the question		
	$= 0.22 \text{ (g/cm}^3\text{) (1)}$			
	(conversion $= 0.22 \times 1000$) $= 220 \text{ (g/dm}^3\text{) (1)}$			
	OR			
	(ratio of volume $\frac{1000}{25} \Rightarrow 40 \text{ (1)}$			
	(so ratio of mass $\Rightarrow 40 \times 5.5 \text{ (1)}$			
	$= 220 \text{ (g/dm}^3\text{) (1)}$			

MARK SCHEME – GCSE COMBINED SCIENCE: TRILOGY – 8464/C/1F – JUNE 2025

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	hydrogen is less reactive than potassium		1	AO2 5.4.3.4 RPA9

Total Question 6	9
------------------	---

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	(a reaction) which transfers energy to the surroundings	allow heat for energy allow (a reaction) which releases energy (to the surroundings)	1	AO1 5.5.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	(mass of oxygen = $2 \times 16 =$) 32		1	AO2 5.3.1.2
	(percentage =) $\frac{32}{74} \times 100$	allow correct use of an incorrectly determined mass of oxygen	1	
	= 43.2 (%)	allow 43.2432 (%) correctly rounded to at least 2 significant figures	1	

Question	Answers	Mark	AO / Spec. Ref.
07.3	Level 3: The method would lead to the production of a valid outcome. All key steps are identified and logically sequenced.	5–6	AO1 5.5.1.1 RPA10
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3–4	
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content • measure volume of water - o using a measuring cylinder - o pour into a suitable container eg insulated cup • measure initial temperature of water - o using a thermometer • add known mass of calcium oxide - o measured with a balance - o stir • measure the highest temperature reached by the mixture or measure temperature reached after set time period - o determine the temperature change • repeat with different masses of calcium oxide or add successive masses to the same mixture • use the same volume of water - o use the same initial temperature of water for Level 3 all key steps should be described and the control variable the same volume of water must be given		

Total Question 7	10
-------------------------	-----------