

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

GCSE COMBINED SCIENCE: TRILOGY

Foundation Tier Chemistry Paper 1F

Thursday 17 May 2018

Morning

Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).


Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.


Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.







































02.4	What type of reaction happens when chlorine reacts with potassium bromide solution? [1 mark] Tick one box.
	decomposition
	displacement
	neutralisation
	precipitation
0 2.5	Complete the sentence.
	Choose the answer from the box.
	[1 mark]
	an atom an electron a neutron a proton
	Chlorine is more reactive than bromine.
	This is because chlorine gains more easily.
02.6	How does the size of a chlorine atom compare with the size of a bromine atom?
	Complete the sentence.
	Choose the answer from the box.
	[1 mark]
	bigger than the same size as smaller than
	A chlorine atom is a bromine atom.



Turn over ►

Do not write outside the box

02.7	Give a reason for your answer to question 02.6	[1 mark]
	Reason	
0 2 8	Fluorine reacts with chlorine to produce CIF_3 Balance the chemical equation for the reaction.	[1 mark]
	Cl_2 +F ₂ \rightarrow 2 ClF_3	
02.9	Explain why fluorine is a gas at room temperature.	
	Use the following words in your answer: energy forces molecules	weak [3 marks]



This question is about acids and bases.	Do not write outside the box
Which ion is found in all acids? [1 mark] Tick one box. CI ⁻ H ⁺ Na ⁺ OH ⁻	
Zinc nitrate can be produced by reacting an acid and a metal oxide. Name the acid and the metal oxide used to produce zinc nitrate. [2 marks] Acid Metal oxide	
In an equation, zinc nitrate is written as Zn(NO ₃)₂(aq). What does (aq) mean? Tick one box.	
Dissolved in water	
The pH of a solution is 8 Some hydrochloric acid is added to the solution. Suggest the pH of the solution after mixing. [1 mark] pH =	
	Which ion is found in all acids? [1 mark] Tick one box. CF H* Na* OH Zinc nitrate can be produced by reacting an acid and a metal oxide. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. Name the acid and the metal oxide used to produce zinc nitrate. It mark] Nat does (aq) mean? Tick one box. Dissolved in water Insoluble Insoluble Reactant Insolution is 8 Some hydrochloric acid is added to the solution. Buggest the pH of the solution after mixing.



IB/M/Jun18/8464/C/1F

0 3 . 5 Table 2 shows the solubility of three solids in water at room temperature.

Table 2

Solid	The mass of the solid that dissolves in 100 cm ³ of water
Phosphorus oxide	50 g
Silicon dioxide	0 g
Sodium hydroxide	100 g

A teacher labelled these three solids **A**, **B** and **C**.

She gave a student the information shown in Table 3

Table 3


Solid	Observation when added to water	pH of the solid in water
Α	colourless solution	14
В	colourless solution	2
С	solid does not dissolve	7

Describe a method that could be used to identify each of the three solids A, B and C.

You must use an indicator in the method.

Use information in Table 2 and Table 3


[4 marks]





	Group 2 metal carbonates break down when heated to produce a metal oxid gas.	le and a	Do not write outside the box
	metal carbonate \rightarrow metal oxide + gas		
04.2	Name the two products when calcium carbonate (CaCO ₃) is heated.	[2 marks]	
	and		
04.3	What type of reaction happens when a compound breaks down? Tick one box.	[1 mark]	
	burning		
	decomposition		
	neutralisation		
	reduction		
04.4	The metal carbonate takes in energy from the surroundings to break down.		
	What type of reaction takes in energy from the surroundings?	[1 mark]	
	Tick one box.	[i mark]	
	combustion		
	electrolysis		
	endothermic		
	exothermic		





1 5


0 4 . 7

A student heated different masses of a Group 2 carbonate. The student measured the volume of gas produced.

Figure 11 shows a graph of the student's results.

The student calculates the gradient of the line in Figure 11


The student makes two mistakes.





Do not write outside the

04.8	A student repeated the experiment with a different Group 2 metal carbonate (XCO_3).	Do not write outside the box
	The relative formula mass (M_r) of X CO ₃ is 84	
	Relative atomic masses (A_r): C = 12 O = 16	
	Calculate the relative atomic mass (A_r) of X .	
	Name metal X.	
	Use the periodic table.	
	[4 marks]	
	Relative atomic mass (<i>A</i> _r) =	
	Metal X is	
		16
	Turn over for the next question	
	Turn over ►	





			electrode (catho		
	What does this te	ll you about the re	eactivity of coppe	r?	1 4
	Tick one box.				[1 mark
	Copper is less rea	active than hydroc	gen		
	Copper is less rea	active than oxyger	n		
	Copper is more re	ective than carbo	n		
	Copper is more re	ective than chlori	ine		
	Table 4 shows the	e student's results	5.		
			Table 4		
		Tot	tal mass of copp	per produced in m	ng
	Time in mins	Experiment 1	Experiment 2	Experiment 3	Mean
	1	0.60	0.58	0.62	0.60
	2	1.17	1.22	1.21	1.20
	4	2.40	2.41	2.39	2.40
	5	3.02	X	3.01	3.06
3	Determine the me	an mass of copp	er produced after	^r 3 minutes.	[1 mark
3	Determine the me	an mass of copp	·	r 3 minutes.	_
3		ean mass of copp	Mass =		
3			Mass =		[1 mark


0 5.4	Calculate the mass X of copper produced in Experiment 2 after 5 minutes.	Do not write outside the box
	Use Table 4 on page 19 [2 marks]	
	Mass X = mg	
0 5.5	The copper chloride solution used in the investigation contained 300 grams per dm^3 of solid CuCl ₂ dissolved in 1 dm^3 of water.	
	The students used 50 cm ³ of copper chloride solution in each experiment.	
	Calculate the mass of solid copper chloride used in each experiment. [3 marks]	
	Mass = g	
		8



0 6	This question is about sodium and chlorine.	Do not wr outside tl box
	Figure 13 shows the positions of sodium and chlorine in the periodic table.	
	Figure 13	
	Na Cl	
0 6 . 1	State one difference and one similarity in the electronic structure of sodium and	
	of chlorine. [2 marks]	
	Difference	
	Similarity	
0 6.2	Sodium atoms react with chlorine atoms to produce sodium chloride (NaCl).	
	Describe what happens when a sodium atom reacts with a chlorine atom.	
	Write about electron transfer in your answer. [4 marks]	



Turn over ►



IB/M/Jun18/8464/C/1	F
---------------------	---

END OF QUESTIONS

2. When the fizzing stops, heat the solution with a Bunsen burner until all the liquid is gone.

1. Add one spatula of calcium carbonate to dilute hydrochloric acid in a beaker.

The method contains several errors and does not produce copper sulfate crystals.

Explain the improvements the student should make to the method so that pure crystals of copper sulfate are produced.


0 7

The student's method is:

[6 marks]

Do not write outside the





Copyright © 2018 AQA and its licensors. All rights reserved.



Guildford, GU2 7XJ.