Cambridge Assessment

Cambridge IGCSE[™]

CO-ORDINATED SCIENCES

Paper 2 Multiple Choice (Extended)

October/November 2023 45 minutes

0654/21

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

- 1 Which characteristic of a living organism releases energy for growth?
 - **A** excretion
 - **B** reproduction
 - **C** respiration
 - D sensitivity
- 2 When a plant cell is put into a solution that has a lower water potential than the cell, the cytoplasm can pull away from the cell wall.

What is the term for this?

- A flaccid
- **B** plasmolysis
- **C** turgid
- **D** turgor pressure
- 3 Which colour does Benedict's solution change to when heated with a reducing sugar?
 - A blue
 - B blue-black
 - **C** orange
 - **D** purple

4 The graph shows the effect of increasing temperature on the time taken for amylase to fully digest a sample of starch.



Which statements are correct?

- 1 As the temperature increases, the kinetic energy of the amylase and starch molecules increases.
- 2 The time taken to fully digest the starch decreases as temperature increases because there are more frequent collisions between starch and amylase molecules.
- 3 The time taken to fully digest the starch decreases as temperature increases because the shape of the amylase changes as it denatures.

A 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

5 The diagram shows a cross-section through a leaf.

Which tissue is adapted for gas exchange?



6 Pancreatic insufficiency is a condition that occurs when the pancreas is unable to produce enough enzymes.

Which secretions are reduced due to this condition?

- **A** amylase, lipase and protease
- **B** amylase, lipase and bile
- **C** amylase, insulin and protease
- D glucagon, insulin and protease
- **7** Which label shows the position of the xylem in the cross-section of the root of a dicotyledonous plant?



8 Aerobic respiration releases energy from nutrient molecules.

One molecule of glucose requires1..... molecules of oxygen. The reaction releases2..... molecules of carbon dioxide and3..... molecules of water.

Which row completes gaps 1, 2 and 3?

	1	2	3
Α	six	two	two
В	two	six	six
С	two	two	two
D	six	six	six

9 During an experiment, auxin is applied to one side of a shoot just behind the tip.

What will this stimulate?

- A decreased cell elongation in all cells
- **B** decreased cell elongation on the side with extra auxin
- **C** increased cell elongation in all cells
- D increased cell elongation on the side with extra auxin

10 Which part of the male reproductive system is correctly matched to its function?

	part	function
Α	prostate gland	transfers sperm to the urethra
в	scrotum	holds the testes outside of body
С	testes	secrete fluids for sperm to swim in
D	urethra	transfers semen to ovary

11 Cats with polydactyly have an extra digit on their paw. The allele for polydactyly, P, is dominant to the allele for having five digits, p.

The pedigree diagram shows a family of cats where polydactyly is present.



What is the probability that the next kitten from the mating of 3 and 4 has five digits?

A 0.00 **B** 0.25 **C** 0.50 **D** 0.75

- **12** Four processes that occur in mammals are listed.
 - 1 muscle contraction
 - 2 cell division
 - 3 excretion
 - 4 maintenance of a constant body temperature

Which processes reduce the amount of energy available to the next trophic level?

- **A** 1, 2, 3 and 4
- **B** 1 and 2 only
- **C** 1, 3 and 4 only
- D 4 only

13 Forests are cut down and burnt in deforestation programmes.

As a result of this, which gas in the atmosphere increases in concentration?

- A carbon dioxide
- B hydrogen
- **C** nitrogen
- D oxygen
- **14** Dye X is a mixture of different coloured substances.

Chromatography is used to compare X with three other mixtures, P, Q and R.

The results are shown.



Which mixtures contain dye X?

- **A** P, Q and R **B** P and Q only **C** P only **D** R only
- **15** What do the chemical symbols N_2 and Ni represent?

	N ₂	Ni
Α	a compound	a compound
В	a compound	an element
С	an element	a compound
D	an element	an element

16 The nucleon number of a hydrogen atom is 1.

What is present inside the nucleus of this atom?

- **A** one proton and one electron
- **B** one proton and one neutron
- **C** one proton only
- **D** one neutron only

17 When magnesium carbonate reacts with dilute hydrochloric acid, carbon dioxide gas is released.

The equation for this reaction is shown.

$$MgCO_3 + 2HCl \rightarrow MgCl_2 + CO_2 + H_2O$$

Which volume of carbon dioxide, collected at room temperature and pressure, is released when 4.2g of magnesium carbonate reacts with excess dilute hydrochloric acid?

A $1.2 \, \text{dm}^3$ **B** $2.4 \, \text{dm}^3$ **C** $4.8 \, \text{dm}^3$ **D** $12 \, \text{dm}^3$

18 The temperature of solution Q is 21 °C. The temperature of solution P is 24 °C.

The two solutions are mixed. The temperature of the mixture is 31 °C.

Which statement is correct?

- **A** An endothermic reaction occurs and the reacting chemicals gain energy.
- **B** An endothermic reaction occurs and the reacting chemicals lose energy.
- **C** An exothermic reaction occurs and the reacting chemicals gain energy.
- **D** An exothermic reaction occurs and the reacting chemicals lose energy.
- **19** The rate of reaction between calcium carbonate and dilute hydrochloric acid is determined either by measuring the change in gas volume per unit time or by measuring the change in mass per unit time.

Which piece of apparatus must be used for both methods?

- **A** a balance
- B a gas syringe
- C a stop-clock
- **D** a thermometer

20 The ionic equation for the reaction between iron(II) chloride and chlorine is shown.

 $2\mathsf{F}e^{2^{+}} + \mathsf{C}l_{2} \rightarrow 2\mathsf{F}e^{3^{+}} + 2\mathsf{C}l^{-}$

Which row shows the substance that is reduced and the oxidising agent?

	substance reduced	oxidising agent
Α	Cl_2	Cl_2
В	Cl_2	Fe ²⁺
С	Fe ²⁺	Cl_2
D	Fe ²⁺	Fe ²⁺

21 Substance X is mixed with aqueous sodium hydroxide.

A green precipitate is produced.

Which metal ion is present in X?

A Cu^{2+} **B** Fe^{2+} **C** Fe^{3+} **D** Zn^{2+}

22 Potassium is in Group I of the Periodic Table.

Which statement about potassium is correct?

- A It is a relatively hard metal.
- **B** It is less dense than lithium.
- **C** It has a higher melting point than sodium.
- **D** It reacts more vigorously with water than sodium.
- **23** What is a use for argon?
 - A as a catalyst
 - **B** in alloys
 - **C** in lamps
 - **D** neutralising chemical waste

24 Silver oxide is reduced by heating with carbon more easily than copper oxide is reduced by heating with carbon.

A copper strip is placed into a solution of silver nitrate as shown.



Which row describes the reaction?

	the colourless solution slowly turns blue	the copper strip slowly dissolves	a silver-grey metal is formed
Α	X	X	X
В	\checkmark	\checkmark	\checkmark
С	\checkmark	X	\checkmark
D	X	\checkmark	x

25 Catalytic converters are fitted to cars to remove some gases from exhaust emissions.

Which gases are released by catalytic converters?

- **A** carbon dioxide and nitrogen
- B carbon dioxide and nitrogen monoxide
- **C** carbon monoxide and nitrogen
- **D** carbon monoxide and nitrogen monoxide
- **26** Sulfuric acid is manufactured by the Contact process.

One of the reactions in this process converts sulfur dioxide to sulfur trioxide.

Which statements about the conditions for this reaction are correct?

- 1 A nickel catalyst is used.
- 2 A pressure of about 1–2 atmospheres is used.
- 3 A temperature of about 450 °C is used.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- 27 Which statements about monomers and polymers are correct?
 - 1 Different polymers can have different linkages between monomers.
 - 2 An addition polymerisation reaction produces more than one type of polymer.
 - 3 Addition polymers are made from saturated monomer molecules.
 - 4 Nylon is a condensation polymer formed from two different monomers.

A 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

28 The speed–time graph represents part of a car journey.



How far does the car travel in the part of the journey shown?

Α	20 m	В	45 m	С	70 m	D	90 m

29 A rocket has a mass of 300 kg. Its motors produce a force of 12 000 N vertically upwards. The acceleration of free fall g is 10 m/s^2 .

What is the resultant force on the rocket and what is the acceleration of the rocket?

	resultant force/N	acceleration m/s ²
Α	9000	30
В	9000	$2.7 imes 10^{6}$
С	15000	50
D	15000	$4.5 imes 10^6$

30 A uniform metre rule rests on a pivot at the 50 cm mark. A load L is placed at the 30 cm mark and a load of 6.0 N is placed at the 80 cm mark. The arrangement is balanced.



What is the weight of load L?

A 6.0 N **B** 9.0 N **C** 16 N **D** 24 N

31 A hydroelectric energy storage scheme stores energy by pumping water up a mountain into a lake behind a dam.

In 1.0 s, 10000 kg of water is pumped into the lake and gains a height of 150 m. The efficiency of this process is 60%.

Gravitational field strength = 10 N/kg.

What is the energy input in 1.0 s?

- $\label{eq:alpha} \mbox{A} \quad 9.0 \times 10^5 \mbox{J} \qquad \mbox{B} \quad 2.5 \times 10^6 \mbox{J} \qquad \mbox{C} \quad 9.0 \times 10^6 \mbox{J} \qquad \mbox{D} \quad 2.5 \times 10^7 \mbox{J}$
- 32 What is a thermocouple used to measure?
 - **A** expansion
 - **B** pressure
 - **C** resistance
 - **D** temperature

33 A vacuum flask uses a vacuum between two shiny surfaces to keep a drink hot for a long time.



How do the vacuum and the shiny surfaces help to keep the drink hot?

	vacuum	shiny surfaces
Α	prevents conduction and convection	reduce conduction and radiation
В	prevents conduction and convection	reduce radiation only
С	prevents radiation	reduce conduction and convection
D	prevents radiation	reduce convection only

34 When light passes from air into glass its speed decreases but its frequency remains constant.

Light travelling in air enters a glass block at an angle of incidence that is greater than 0° .

Which row describes what happens to the direction and what happens to the wavelength of the light?

	direction	wavelength
Α	moves away from the normal	decreases
В	moves away from the normal	increases
С	moves towards the normal	decreases
D	moves towards the normal	increases

- **35** Which change to a sound wave makes the sound louder?
 - **A** decreasing the amplitude
 - **B** decreasing the wavelength
 - **C** increasing the amplitude
 - **D** increasing the wavelength

36 Three charged balls P, Q and R are suspended by insulating threads. Ball P is negatively charged.

Ball Q is brought close to ball P. The balls move away from each other.



Ball Q is now brought close to ball R. The balls move closer to each other.



What are the signs of the charges on ball Q and ball R?

	ball Q	ball R
Α	negative	negative
в	negative	positive
С	positive	negative
D	positive	positive

- В Α filament lamp filament lamp current current ohmic ohmic resistor resistor voltage n voltage Ω С D filament lamp filament lamp current current ohmic ohmic resistor resistor 0 0 0 0 voltage voltage
- 37 Which graph shows the current-voltage characteristics of an ohmic resistor and a filament lamp?

38 A battery is connected in a circuit to a 3.0Ω resistor, a 6.0Ω resistor and two ammeters P and Q.



What is the combined resistance of the two resistors and which ammeter has the greater reading?

	combined resistance / Ω	ammeter with greater reading
Α	less than 3.0	Р
В	less than 3.0	Q
С	9.0	Р
D	9.0	Q

39 The current in an electric kettle used to boil water is 9.0 A.

What is the most appropriate rating of fuse to use with this kettle?

- **A** 1A **B** 3A **C** 8A **D** 13A
- 40 Three types of ionising radiation enter a magnetic field at right angles to the field.Which types of radiation are deflected?
 - $\textbf{A} \quad \alpha \text{ and } \beta \text{ only } \quad \textbf{B} \quad \alpha \text{ and } \gamma \text{ only } \quad \textbf{C} \quad \beta \text{ and } \gamma \text{ only } \quad \textbf{D} \quad \alpha, \beta \text{ and } \gamma$

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

=	0	e	um t	0	e	on O	8	Ľ	lon 0	9	5	aton 4	4	e	nor 31	9	L	lon -	8	Ő	uosse	_	
>		I	hel	~	Z	Ñ le	-	<	arg 4	ñ	×	kryt 8	¢.	×	xer 13	8	£	rad	=	0	ogane	_	
۲ ۲				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	_	iodine 127	85	At	astatine 	117	Ts	tennessine	I	
⋝				80	0	oxygen 16	16	ა	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	polonium 	116	Ľ	livermorium	I	
>				7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth	115	Mc	moscovium	I	
2				9	U	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Fl	flerovium	I	
≡					5	ш	boron 11	13	١٩	aluminium 27	31	Ga	gallium 70	49	Ч	indium 115	81	11	thallium 204	113	ЧN	nihonium	1
										30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	Cu	copernicium	1	
										29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium	1	
n D										28	ïŻ	nickel 59	46	Pd	palladium 106	78	Ţ	platinum 195	110	Ds	darmstadtium	1	
										27	ပိ	cobalt 59	45	Rh	rhodium 103	77	L	iridium 192	109	Mt	meitnerium	1	
	-	т	hydrogen 1							26	Fе	iron 56	44	Ru	ruthenium 101	76	SO	osmium 1 90	108	Hs	hassium	1	
										25	Mn	manganese 55	43	ЪС	technetium -	75	Re	rhenium 1.86	107	Bh	bohrium	1	
					loc	SS				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	\geq	tungsten 184	106	Sg	seaborgium	-	
			Key	tomic number	mic symt	name tive atomic ma				23	>	vanadium 51	41	٩N	niobium 93	73	Ца	tantalum 181	105	Db	dubnium	1	
				g	atol	relat				22	F	titanium 48	40	Zr	zirconium 91	72	Ť	hafnium 178	104	Rf	rutherfordium	-	
							L			21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids			
=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ي م	strontium 88	56	Ba	barium 137	88	Ra	radium	1	
-				с	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	л Ц	francium	1	

	57	58	59	60	61	62	63	64	65	66
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	D
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium —	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163
	89	06	91	92	93	94	95	96	97	98
actinoids	Ac	Th	Ра		Np	Pu	Am	Cm	贤	Ç
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium
	I	232	231	238	I	I	I	I	I	I
The volume of on	e mole of	any gas	is $24 \mathrm{dm}^3$	at room t	emperatu	ire and pi	essure (r	.t.p.).		

71 Lu Iutetium 175 103 Lr lawrencium

70 Ytterbium 173 102 102 -

69 thulium 169 101 Md mendelevium

68 erbium 167 167 100 fermium

67 Holmium 165 99 ES

PMT

16