	ow before enteri	ing your candidate information
Candidate surname		Other names
Centre Number Candidate Nu Pearson Edexcel Level		el 2 GCSE (9–1)
Monday 22 May 202	3	
Morning (Time: 1 hour 10 minutes)	Paper reference	1SCO/1CF
<b>Combined Science</b>	e	₾ •
PAPER 2		
PAPER 2		Foundation Tier

### **Instructions**

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
   there may be more space than you need.
  - there may be more space than you
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

### Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.
- In questions marked with an asterisk (\*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.
- There is a periodic table on the back cover of the paper.

### **Advice**

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over








# **BLANK PAGE**

# Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box  $\boxtimes$ . If you change your mind about an answer, put a line through the box  $\boxtimes$  and then mark your new answer with a cross  $\boxtimes$ .

- 1 In an experiment, paper chromatography was used to separate the coloured dyes in four different inks, **W**, **X**, **Y** and **Z**.
  - (a) Figure 1 shows the chromatogram at the end of the experiment.



(i) The chromatogram shows that only one of the inks contains a single dye. Which ink contains a single dye?

(1)

- A W
- $\boxtimes$  B X
- ⊠ C Y
- ⊠ D Z
- (ii) Which ink contains the greatest number of dyes?

(1)

- $\bowtie$  A W
- $\boxtimes$  B X
- $\square$  C Y
- $\square$  D Z

(iii) The R<sub>f</sub> value of a dye can be calculated using the equation

$$R_{f} = \frac{\text{distance moved by the dye}}{\text{distance moved by solvent front}}$$

At the end of the chromatography one dye had moved 3.60 cm and the solvent front had moved 9.20 cm.

Calculate the R<sub>f</sub> value for this dye.

Give your answer to 2 decimal places.

(2)

 $R_f = \dots$ 

(b) The substance used as the solvent in the chromatography was heated for 8 minutes.

Figure 2 shows how the temperature of the substance changed with time.

temperature in °C




Figure 2

From **A** to **B** the substance was a liquid.

From **C** to **D** the substance was a gas.

(i) Give the name of the change when a liquid becomes a gas.

(1)

(ii) Use Figure 2 to give the temperature of the substance at 4 minutes.

(1)

(iii) Use Figure 2 to give the time when the substance has completely changed into a gas.

(1)

..... minutes

(iv) The temperature of the substance at  $\bf A$  was 25 °C.

Calculate the temperature rise of the substance from **A** to **D**.

(1)

(Total for Question 1 = 8 marks)

- 2 This question is about electrolysis.
  - (a) Which statement describes what happens during electrolysis?

(1)

- A atoms are decomposed
- **B** ionic compounds are decomposed
- C mixtures are separated
- **D** molecules are separated
- (b) Figure 3 shows the electrolysis of copper chloride solution.
  - (i) Use the words from the box to complete the labelling of the diagram in Figure 3.

(2)

anode cathode electrolyte




Figure 3

(ii) The products of the electrolysis shown in Figure 3 are solid **X** and gas **Y**. Draw **one** straight line from each product to its name. (2)product name carbon solid X chlorine copper gas Y hydrogen (iii) The experiment is repeated using powdered solid copper chloride instead of copper chloride solution. Nothing happens and no products are formed. Explain why nothing happens and no products are formed. (2)



# **BLANK PAGE**

- **3** (a) When lead nitrate solution and potassium chloride solution are mixed, potassium nitrate and a precipitate of lead chloride are formed.
  - (i) Complete the word equation for this reaction.

(1)

lead nitrate + \_\_\_\_\_ + lead chloride

(ii) Lead nitrate is toxic.

Which hazard symbol should be on a container of lead nitrate?

(1)











(b) A student put 5 cm³ of potassium carbonate solution into a test tube and added 2 cm³ of calcium nitrate solution.

A precipitate formed and was allowed to settle as shown in Figure 4.

The height of the precipitate was measured.




Figure 4

(i) Give the name of the piece of apparatus the student should use to find the volume of the potassium carbonate solution.

(1)

(ii) The student repeated the experiment.

The results are shown in Figure 5.

experiment	height of precipitate in cm	
1	2.4	
2	2.7	
3	2.4	

Figure 5

Use the data in Figure 5 to calculate the mean height of the precipitate.

(2)

mean height of precipitate = ......cm

rical ricigit of precipitate – .....

	(Total for Question 3 = 9 m	arks)
	State <b>one</b> variable that should be controlled in this investigation.	(1)
	They repeated the experiment using different volumes of calcium nitrate.	
(iv)	The student investigated whether increasing the volume of calcium nitrate solution increased the height of the precipitate formed.	
•••••		
(,	the mixture in the test tube.	(3)
(111)	Describe how a pure, dry sample of the precipitate could be obtained from	



(a)	Ma	agnesium is a metal.	
		State <b>one</b> physical property of magnesium.	(1)
 	(ii)	Which element is in the same group of the periodic table as magnesium? Use the periodic table to help you answer this question.	(1)
		A carbon	
		■ B chromium	
		C sodium	
		D strontium	
(b)	(i)	Magnesium atoms have 12 electrons.	
		Complete the electronic configuration of a magnesium atom.	(1)
		2.8.	
	(ii)	The electronic configuration of a chlorine atom is 2.8.7	
		Explain how the electronic configuration of chlorine is linked to its period in the periodic table.	(2)



(c)	1.20 g of magnesium reacts completely with 3.55 g of chlorine to form magnesium chloride.	
	Calculate the empirical formula of the magnesium chloride.	
	(relative atomic masses: $Mg = 24.0$ , $CI = 35.5$ )	
	You must show your working.	
		(3)

empirical formula = .....

(d) Sodium reacts with chlorine to form sodium chloride, which contains ionic bonds.

Hydrogen reacts with chlorine to form hydrogen chloride, which contains covalent bonds.

Figure 6 shows dot and cross diagrams of these compounds.

sodium chloric	de (ionic bonding)	hydrogen chloride (covalent bonding)
sodium ion	chloride ion	H CI

Figure 6

(4)

**BLANK PAGE** 



5 In an experiment, powdered calcium hydroxide was added to dilute hydrochloric acid and the pH was measured.

The method used was

- step 1 measure 200 cm<sup>3</sup> dilute hydrochloric acid into a beaker
- step 2 add 0.1 g of powdered calcium hydroxide to the beaker
- step 3 find the pH of the mixture
- **step 4** repeat steps 2 and 3 until the pH stops changing.
- (a) State what should be done after **step 2** to make sure that any reaction is complete.

(1)

(b) Complete the word equation for the reaction.

(2)

calcium hydroxide + hydrochloric acid → ......

(c) Which row of the table shows the state symbols for powdered calcium hydroxide and dilute hydrochloric acid in the balanced chemical equation?

(1)

		calcium hydroxide	hydrochloric acid
X	A	aq	I
X	В	I	aq
X	C	S	aq
X	D	S	I





(d) The results of the experiment are shown in Figure 7.




Figure 7

(i) Using Figure 7, give the pH of the acid at the start of the experiment.

(1)

(ii) Using Figure 7, give the mass of calcium hydroxide required to make a neutral mixture.

(1)

(iii) Explain why the pH starts at a low value and ends at a higher value.

(3)



(e) State what should be used to measure the pH of the mixture in this experiment.

(1)

(f) The calcium hydroxide used is corrosive to the eyes and an irritant to skin.

Using this information, state **one** safety precaution that should be taken during the experiment when using any corrosive substance.

(1)

(Total for Question 5 = 11 marks)

**BLANK PAGE** 



**6** Figure 8 shows part of the reactivity series of metals.




Figure 8

(a) Which metal reacts when added to cold water?

(1)

- A calcium
- B copper
- C gold
- **D** silver

(b) A student investigates the reactivity of four different metals.

The student adds an equal-sized piece of each metal to separate test tubes containing dilute hydrochloric acid.

The student's observations for zinc and copper are recorded in Figure 9.

metal	observations		
magnesium			
-:	bubbles produced at a steady rate		
zinc	test tube feels slightly warm		
iron			
copper	no reaction		

Figure 9



(i)	Use the information in Figure 8 and in Figure 9 to predict the observations for the reactions of magnesium and of iron with dilute hydrochloric acid.  magnesium	(2)
	iron	
(ii)	When metals react with acids, hydrogen gas is produced.  Describe the test to show that the gas is hydrogen.	(2)
(iii)	When magnesium reacts with hydrochloric acid, magnesium chloride and hydrogen are formed.  Complete the balanced equation for the reaction.	(2)
	$Mg + \dots HCI \rightarrow MgCI_2 + \dots$	



(6)

- \*(c) There are **three** common methods of obtaining metals from the Earth's crust:
  - mine the pure metal
  - mine the metal ore and heat it with carbon
  - mine the metal ore and electrolyse the molten compound.

The method used to obtain a metal is linked to its position in the reactivity series of metals.

Aluminium, gold, iron, and silver are some commonly used metals.

Use the reactivity series in Figure 8 to state and explain the method chosen to obtain each of these four metals.





# The periodic table of the elements

0	4 <b>He</b> helium 2	20 <b>Ne</b> neon 10	40 <b>Ar</b> argon 18	84 <b>Kr</b> krypton 36	131 <b>Xe</b> xenon 54	[222] <b>Rn</b> radon 86
7		19 <b>F</b> fluorine 9	35.5 <b>CI</b> chlorine 17	80 <b>Br</b> bromine 35	127 	[210] <b>At</b> astatine 85
9		16 <b>O</b> oxygen 8	32 <b>S</b> sulfur 16	79 <b>Se</b> selenium 34	128 <b>Te</b> tellurium 52	[209] <b>Po</b> polonium 84
2		14 N nitrogen 7	31 <b>P</b> phosphorus 15	75 <b>As</b> arsenic 33	122 <b>Sb</b> antimony 51	209 <b>Bi</b> bismuth 83
4		12 <b>C</b> carbon 6	28 <b>Si</b> silicon 14	73 <b>Ge</b> germanium 32	119 <b>Sn</b> tin 50	207 <b>Pb</b> lead 82
က		11 <b>B</b> boron 5	27 Al aluminium 13	70 <b>Ga</b> gallium 31	115 In indium 49	204 <b>T</b> thallium 81
				65 <b>Zn</b> zinc 30	112 <b>Cd</b> cadmium 48	201 <b>Hg</b> mercury 80
				63.5 <b>Cu</b> copper 29	108 <b>Ag</b> silver 47	197 <b>Au</b> gold 79
				59 nickel 28	106 Pd palladium 46	195 <b>Pt</b> platinum 78
				59 <b>Co</b> cobalt 27	103 <b>Rh</b> rhodium 45	192   <b>Ir</b>   indium 77
	1 <b>H</b> hydrogen 1			56 iron 26	Ru ruthenium 44	190 <b>Os</b> osmium 76
•				55 Mn manganese 25	[98] Tc technetium 43	186 <b>Re</b> rhenium 75
		mass <b>ool</b> umber		52 Cr chromium 24	96 <b>Mo</b> molybdenum 42	184 W tungsten 74
	Key	relative atomic mass <b>atomic symbol</b> name atomic (proton) number		51 V vanadium 23	93 <b>Nb</b> niobium 41	181 <b>Ta</b> tantalum 73
		relativ <b>ato</b> atomic		48 <b>Ti</b> titanium 22	91 <b>Zr</b> zirconium 40	178 <b>Hf</b> hafnium 72
	·			45 Sc scandium 21	89 <b>Y</b> yttrium 39	139 <b>La*</b> lanthanum 57
7		9 <b>Be</b> beryllum 4	24 <b>Mg</b> magnesium 12	40 <b>Ca</b> calcium 20	88 Sr strontium 38	137 <b>Ba</b> barium 56
_		7 <b>Li</b> lithium 3		39 <b>K</b> potassium 19	85 <b>Rb</b> rubidium 37	133 <b>Cs</b> caesium 55

<sup>\*</sup> The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.