



Pearson
Edexcel

Mark Scheme (Results)

Summer 2024

Pearson Edexcel GCSE
In Combined Science Chemistry
(1SC0) Paper 1CF

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2024

Question Paper Log Number P74435A

Publications Code 1SC0_1CF_2406_MS


All the material in this publication is copyright

© Pearson Education Ltd 2024

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Paper 1CF Foundation Tier

Question number	Answer	Additional guidance	Mark
1(a)		<p>all particles should be arranged regularly allow overlapping circles should be at least 3 rows/columns, each row can be directly over the one below</p>	(1) AO1-1

Question number	Answer	Mark
1(b)(i)	<p>C freezing is the only correct answer</p> <p>A is incorrect as condensing is gas to liquid B is incorrect as evaporating is liquid to gas D is incorrect as melting is solid to liquid</p>	(1) AO1-1

Question number	Answer	Additional guidance	Mark
1(b)(ii)	<p>An explanation linking:</p> <ul style="list-style-type: none"> • it is reversible (1) • no new substance is made (1) 	<p>allow a description of reversible / not a permanent change</p> <p>allow the { substance / compound} does not change /it is only a change of state / not a chemical <u>reaction</u> / it is the same product</p> <p>ignore no { bonds/intermolecular forces} are broken</p>	(2) AO2-1

Question number	Answer	Mark
1(c)(i)	<p>D fast random is the only correct answer</p> <p>A is incorrect as particles move fast and are random in a gas</p> <p>B is incorrect as particles move fast in a gas</p> <p>C is incorrect as particles are random in a gas</p>	(1) AO1-1

Question number	Answer	Additional guidance	Mark
1(c)(ii)	<p>the boiling point of wax is higher than the boiling point of water / the boiling water is not hot enough</p>	<p>comparison needed</p> <p>allow (water) not { heated/hot} enough / temperature not hot enough</p>	(1) AO2-1

Total for Question 1 = 6 marks

Question number	Answer		Mark
2(a)	sedimentation → filtration → chlorination (2) first or last step correct (1)		(2) AO1-1

Question number	Answer	Additional guidance	Mark
2(b)(i)	An explanation linking <ul style="list-style-type: none"> gain of electron(s) (1) one electron (1) 	MP2 depends on MP1 gains an electron (2)	(2) AO1-1

Question number	Answer	Mark
2(b)(ii)	D to kill any bacteria in the water is the only correct answer A, B, C are not reasons why chlorine is added	(1) AO1-1

Question number	Answer	Additional guidance	Mark
2(b)(iii)	any one from <ul style="list-style-type: none"> ions {present / make test invalid} the water is impure tap water would interfere with analysis 	allow named substances that could be present in tap water eg calcium ions / chlorine / chloride ions / magnesium ions / minerals allow (water) is not pure ignore 'sterile' / 'contains chemicals' / 'not clean' / 'contains bacteria' ignore any substances not found in tap water	(1) AO1-1

Question number	Answer	Additional guidance	Mark
2(c)(i)	<p>An explanation linking either</p> <ul style="list-style-type: none"> • remove (delivery) tube from below water line (1) • so that {gas / water vapour / steam} can move through (delivery) tube / to prevent water being pushed up the delivery tube (1) <p>or</p> <ul style="list-style-type: none"> • (delivery) tube is too low (1) • {gas / water vapour / steam} not being able to get into the tube (1) 	<p>allow alternative description of delivery tube</p> <p>allow error circle on Figure 4</p> <p>allow move delivery tube higher in conical flask</p> <p>ignore change the delivery tube (alone)</p> <p>MP2 depends on MP1</p> <p>allow error circle on Figure 4</p> <p>MP4 depends on MP3</p>	(2) AO3-3

Question number	Answer	Additional guidance	Mark
2(c)(ii)	Bunsen (burner) / spirit burner	<p>allow electric heater</p> <p>ignore other forms of heat and equipment</p>	(1) AO2-2

Total for Question 2 = 9 marks

Question number	Answer	Additional guidance	Mark
3(a)	number of protons = 17 (1) number of neutrons = 18 (1) number of electrons = 17 (1)	Accept ONLY whole numbers If no marks scored then maximum 1 mark for number of electrons = number of protons OR $p + n = 35$	(3) AO1-1

Question number	Answer	Additional guidance	Mark
3(b)	<p>empirical formula alone without working scores 0</p> <p>silicon: $\frac{1.4}{28}$ and chlorine $\frac{7.1}{35.5}$ (1) or 0.05 and 0.2</p> <p>simplest whole number ratio: 1 4 (1)</p> <p>empirical formula SiCl_4 / Cl_4Si (1)</p>	<p>allow ecf throughout</p> <p><u>inverted division:</u> silicon: $\frac{28}{1.4}$ and chlorine $\frac{35.5}{7.1}$ (0) or 20 5</p> <p>simplest whole number ratio: 4 1 (1)</p> <p>empirical formula Si_4Cl / ClSi_4 (1)</p> <p><u>error in step 2:</u> MP1 still scores, MP2 (0), allow ecf for MP3</p> <p><u>division other relative atomic mass:</u> silicon: $\frac{1.4}{35.5}$ and chlorine $\frac{7.1}{28}$ (0) or 0.0394 / 0.04 and 0.254 / 0.25 or 1 6.43 / 6.25</p> <p>simplest whole number ratio: 5 / 4 32 / 25 (1)</p> <p>empirical formula $\text{Si}_5\text{Cl}_{32}$ / $\text{Si}_4\text{Cl}_{25}$ (1)</p> <p><u>division by atomic number:</u> MP1 – 0, correctly calculated, can still score MP2 and MP3</p>	(3) AO2-1

Question number	Answer	Mark
3(c)	group = 4 (1) period = 3 (1)	(2) AO3-1

Question number	Answer	Additional guidance	Mark
3(d)	<p>A description to include any two from :</p> <ul style="list-style-type: none"> left gaps / incomplete (1) fewer elements / not all elements discovered (1) elements ordered by atomic mass (1) no group 0 (/8/18)) / fewer groups (1) no atomic numbers (1) some elements in different positions (1) names of some elements were different (1) 	<p>allow reverse arguments for modern periodic table for all these points, except:</p> <p>modern periodic table ordered by atomic number</p> <p>allow gaps left for undiscovered elements (on Mendeleev's table) (2)</p>	(2) AO1-1

Total for Question 3 = 10 marks

Question number	Answer	Additional guidance	Mark
4(a)	<p>26.08 with or without working scores 2 marks</p> <p>$\frac{6.52}{250} = 0.02608 / 0.026 / 0.0261 \text{ (1) [MP1]}$</p> <p>$\text{MP1} \times 1000 = 26.08 / 26(.0) / 26.1 \text{ (1)}$</p>	<p>allow ecf on all methods ignore 0.03</p> <p>OR</p> <p>$\frac{1000}{250} = 4 \text{ (1)}$</p> <p>$4 \times 6.52 = 26.08 \text{ (1)}$</p> <p>OR</p> <p>$\frac{250}{1000} = 0.25 \text{ (1)}$</p> <p>$\frac{6.52}{0.25} = 26.08 \text{ (1)}$</p>	(2) AO2-1

Question number	Answer	Additional guidance	Mark
4(b)	<p>A description to include any two for each substance</p> <p>copper hydroxide</p> <ul style="list-style-type: none"> filter (off the copper hydroxide) (1) wash the copper hydroxide with distilled water (1) dry the solid (1) <p>sodium sulfate</p> <ul style="list-style-type: none"> pour { sodium sulfate solution /filtrate} into evaporating basin (1) heat to evaporate water from solution (1) dry the solid (1) 	<p>ignore sieve</p> <p>allow any suitable means of drying except heating</p> <p>allow 'crystallisation'</p> <p>allow any suitable means of drying eg leave on side to evaporate (1)</p>	(4) AO2-2

Question number	Answer	Additional guidance	Mark
4(c)(i)	<p>does not react / chemically stable (1)</p> <p>conducts (electricity) / a conductor (1)</p>	<p>allow inert (1)</p> <p>ignore cheap / not soluble</p>	(2) AO1-1

Question number	Answer	Mark
4(c)(ii)	<p>D SO_4^{2-} and OH^- ions is the only correct answer</p> <p>A is not correct as H^+ would be attracted to the negative electrode B is not correct as SO_4^{2-} and OH^- ions would be attracted to the positive electrode C is not correct as H^+ and Na^+ would be attracted to the negative electrode</p>	(1) AO1-1

Question number	Answer	Additional guidance	Mark
4(c)(iii)	<p>electrode</p> <p>product</p>	do not award answers with more than one line from any of the boxes on the left	(2) AO1-1

Total for Question 4 = 11 marks

Question number	Answer	Mark
5(a)(i)	$\text{Ba}(\text{OH})_2(\text{s}) + 2\text{HCl}(\text{aq}) \rightarrow \text{BaCl}_2(\text{aq}) + 2\text{H}_2\text{O}(\text{l})$	(1) AO2-1

Question number	Answer	Additional guidance	Mark
5(a)(ii)	barium hydroxide { disappears / gets smaller} / (it) becomes clear	allow 'solid' for barium hydroxide allow barium hydroxide dissolves ignore any colours mentioned / colour change/ any incorrect observations ignore becomes a { liquid / solution} reject bubbles	(1) AO2-2

Question number	Answer	Additional guidance	Mark
5(b)(i)	pH meter	allow pH probe ignore pH paper / data logger / pH scale	(1) AO3-3

Question number	Answer	Additional guidance	Mark
5(b)(ii)	<p>An explanation linking:</p> <ul style="list-style-type: none"> to ensure that the mixture is evenly spread (1) to make substances {react / dissolve} / to speed up the {reaction / dissolving} (1) 	<p>allow to mix the reactants allow so pH (in mixture) is uniform / concentration is uniform / to get an accurate pH</p> <p>ignore more accurate / valid / fair test</p> <p>allow 'so the reaction is complete' / 'to dissociate all the hydroxide ions'</p>	(2) AO2-2

Question number	Answer	Additional Guidance	Mark
5(b)(iii)	<p>all points plotted correctly (\pm half a small square) (2) OR 7/8 points plotted correctly (1)</p> <p>S-shaped line of best fit (1)</p>	<p>line of best fit must go through 7 points if the points are not visible a line going through all correct values scores 3 reject dot-to-dot line / line starting from origin tramlines allowed here but penalised in 5(b)(iv) bar chart scores 0</p>	(3) AO2-1

Question number	Answer	Additional guidance	Mark
5(b)(iv)	pH reading at 4.5 spatula measures from their line on graph	allow +/- half a small square on y-axis ignore any candidate working allow ECF from 5(b)(iii) but if no graph line or multiple lines, cannot score. if bar chart has been drawn for 5biii, then mark for 5biv cannot be awarded	(1) AO3-2

Question number	Answer	Mark
5(c)	A corrosive is the only correct answer B, C and D are incorrect as this is the symbol for a corrosive substance	(1) AO1-1

Question number	Answer	Additional guidance	Mark
5(d)	measure the { mass / amount} of the barium hydroxide / use known { masses / amounts} rather than a spatula full each time use a balance / scales	allow weighing / weigh before and after ignore scale	(1) AO3-3

Total for Question 5 = 11 marks

Question number	Answer	Mark
6(a)(i)	<p>B 2.8 is the only correct answer</p> <p>A is incorrect as there are too few electrons</p> <p>C and D are incorrect as there are too many electrons</p>	(1) AO1-1

Question number	Answer	Additional guidance	Mark
6(a)(ii)	<p>an explanation linking</p> <p>SOLID</p> <ul style="list-style-type: none"> is an (ionic) lattice / (ions are) held by strong (electrostatic) attractions (1) so the ions {cannot move / are fixed / just vibrate} (1) <p>SOLUTION</p> <ul style="list-style-type: none"> in solution the ions {can move / are free} (1) 	<p>allow giant structure / regular arrangement / regular structure for lattice</p> <p>allow atoms / (charged) particles in MP1 only</p> <p>ignore electrons for MP1</p> <p>reject molecules / elements</p> <p>reject electrons</p> <p>allow liquid for solution</p> <p>reject electrons</p> <p>reject intermolecular forces</p>	(3) AO2-1

Question number	Answer	Additional guidance	Mark
6(b)	<p>43(.4) with or without working scores 3</p> $2 \times 23 + 12 + 3 \times 16 = 106 \quad (1)$ $\frac{46}{106} = 0.4339622642 \quad (1)$ $0.4339622642 \times 100 = 43.4 \quad (1)$	<p>43.39622642 rounded correctly to 2 or more sig. fig. scores 3</p> <p>if M_r incorrect, must show working to allow ecf on MP2 and MP3</p> <p>$\frac{46}{\text{attempt of } M_r \text{ Na}_2\text{CO}_3}$</p> <p>$\frac{23 \text{ or } 46}{\text{attempt of } M_r \text{ Na}_2\text{CO}_3} \times 100$</p> <p>the following common answers with working can be awarded</p> <p>21.69811321 rounded correctly to 2 or more sig. fig. scores 2</p> <p>76.6666667 rounded correctly to 2 or more sig. fig. scores 2</p> <p>48.11320755 rounded correctly to 2 or more sig. fig. scores 1</p>	(3) AO2-1

Question number	Indicative content	Mark
6(c)	<p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material that is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p>AO1 (3 marks) AO3 (3 marks)</p> <ul style="list-style-type: none"> • solid A is powdered zinc • metal + acid → metal salt + hydrogen • zinc + sulfuric acid → zinc sulfate + hydrogen • bubbles seen so gas is produced • does not turn limewater cloudy so gas is not carbon dioxide • test for hydrogen is lit splint • lit splint makes squeaky pop • so gas produced is hydrogen • solid B is copper oxide • metal oxide + acid → metal salt + water • copper oxide + sulfuric acid → copper sulfate + water • no gas is produced • copper oxide is black • some left in excess at bottom of test tube • copper sulfate solution is blue • solid C is sodium carbonate • metal carbonate + sulfuric acid → metal sulfate + carbon dioxide + water • sodium carbonate + sulfuric acid → metal sulfate + carbon dioxide + water • bubbles seen so gas is produced • test for carbon dioxide is limewater • limewater turned cloudy so gas produced is carbon dioxide • no reaction with lit splint • so no hydrogen gas produced 	(6) AO1; AO3

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1–2	<ul style="list-style-type: none"> The plan attempts to link knowledge and understanding of scientific enquiry, techniques and procedures, flawed or simplistic connections made between elements in the context of the question. (AO1) Analyses the scientific information but understanding and connections are flawed. An incomplete plan that provides limited synthesis of understanding. (AO3)
Level 2	3–4	<ul style="list-style-type: none"> The plan is mostly supported through linkage knowledge and understanding of scientific enquiry, techniques and procedures, some logical connections made between elements in the context of the question. (AO1) Analyses the scientific information and provides some logical connections between scientific enquiry, techniques and procedures. A partially completed plan that synthesises (AO3)
Level 3	5–6	<ul style="list-style-type: none"> The plan is supported throughout by linkage knowledge and understanding of scientific enquiry, techniques and procedures, logical connections made between elements in the context of the question. (AO1) Analyses the scientific information and provide logical connections between scientific concepts throughout. A well-developed plan that synthesises relevant understanding coherently. (AO3)

Level	Mark	Descriptor	Additional Guidance
	0	No rewardable material.	Read whole answer and ignore all incorrect material and any references to other metals / discard any contradictory material then:
Level 1	1–2	<u>Additional Guidance</u> Correctly identifies at least 1 solid or product Identifies product with correct test Gives at least 1 general observation Gives at least 1 general word equation Identifies all 3 substances	<u>Possible candidate response</u> (all examples, not a definitive list) solid A – zinc (1) reaction with solid A gives off hydrogen (1) limewater cloudy so is carbon dioxide (1) gas is released so must be bubbles (1) metal + acid → salt + hydrogen (2) solid A is zinc and the gas given off is hydrogen (2) A – zinc, B – copper oxide, C – sodium carbonate (2)
Level 2	3–4	<u>Additional Guidance</u> Correctly identifies at least 2 solids with at least one linked explanation Correctly identifies at least 1 solid and 1 product with at least one linked explanation Gives at least one correct word equation Identifies one solid with correct word equation Correctly identifies all 3 solids with linked explanations for just 1 solid	<u>Possible candidate response</u> solid A is zinc and solid B is copper oxide. Copper oxide is black (3) solid C is sodium carbonate as carbon dioxide turned limewater cloudy (3) solid B is copper oxide, which is black. It produces copper sulfate, which is blue (4) zinc + sulfuric acid → zinc sulfate and hydrogen (3) Solid B: copper oxide + sulfuric acid → copper sulfate + water (4) A – zinc, B – copper oxide, C – sodium carbonate; and hydrogen is produced when zinc reacts with an acid as zinc is a metal (4)
Level 3	5–6	<u>Additional Guidance</u> Correctly identifies 2/3 solids with linked explanations for at least two Fully identifies one solid with all products and a linked explanation Identifies all 3 solids backed by relevant information	<u>Possible candidate response</u> solid A is zinc as hydrogen is produced. Solid B is copper oxide as it is black. (5) Solid B: copper oxide + sulfuric acid → copper sulfate (blue solution) + water (5) solid A is zinc because hydrogen is produced. Solid B is copper oxide, which forms blue copper sulfate solution. Solid C is sodium carbonate as it is the only solid that could produce carbon dioxide (6)

Total for Question 6 = 13 marks