Please check the examination details b	pelow before ente	ring your candidate information
Candidate surname		Other names
	entre Number	Candidate Number
Pearson Edexcel		
Level 1/Level 2 GCSE (9–1)		
Thursday 14 M	lay 20	120
Thursday 14 M	iay Zu	20
Maurian (Time 1 have 10 minutes)		15C0/1CE
Morning (Time: 1 hour 10 minutes)	Paper R	eference 1SC0/1CF
Combined Scien	CO	
Combined Scient		
Paper 2		
		Foundation Tier
You must have:		Total Marks
Calculator, ruler		Total Marks
Carcaractor, raici		JI I

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 60.
- The marks for each question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.
- There is a periodic table on the back cover of the paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box ⊠. If you change your mind about an answer, put a line through the box ⋈ and then mark your new answer with a cross ⋈.

1 (a) When solid sodium chloride is mixed with water, sodium chloride solution forms.

What name is given to the process of mixing a solid with water to form a solution?

(1)

- A crystallising
- B diluting
- C dissolving
- D melting
- (b) Sodium reacts with hydrochloric acid to form sodium chloride and hydrogen.
 - (i) Write the word equation for this reaction.

(2)

(ii) The hazard symbol shown in Figure 1 is used on containers of sodium.



Figure 1

What is the meaning of this hazard symbol?

(1)

- **A** corrosive
- **B** flammable
- C oxidising
- **D** toxic



(iii) Hydrogen has one electron in its electron shell. Figure 2 shows the incomplete dot and cross diagram of a hydrogen molecule.

Complete Figure 2 to show the electrons in the covalent bond between the two atoms of hydrogen.






Figure 2

- (c) The pH of a sodium chloride solution was measured.
 - (i) State what could be used to measure the pH of a solution.

(1)

(ii) Sodium chloride solution is neutral.

Give the pH of this solution.

(1)

(Total for Question 1 = 7 marks)



- 2 Chlorine has an atomic number of 17.
 - (a) Figure 3 shows the arrangement of electrons in an atom of chlorine.




Figure 3

(i) What is the electronic configuration of this atom?

(1)

- **A** 10.7
- **B** 17
- **C** 2.8.7
- **D** 7.8.2
- (ii) Explain, using Figure 3, why chlorine belongs to group 7 of the periodic table.

(2)



(b) The nucleus of an atom is made up of protons and neutrons. Atoms of chlorine contain 17 protons.

Figure 4 shows some information about a proton, a neutron and an electron.

	relative mass	relative charge				
proton	1	+1				
neutron	1	0				
electron	very small	-1				

Figure 4

(i) Explain, using the information in Figure 3 and Figure 4, why atoms of chlorine

	(2)
(ii) Atoms of chlorine-37 have a mass number of 37.	
Calculate the number of neutrons in atoms of chlorine-37.	(1)
	(1)
number of neutrons =	:
(iii) There are two isotopes of chlorine, chlorine-35 and chlorine-37.	
Explain the meaning of the term isotopes .	(2)
	(2)



3	(a)	his Me Sta	pei nde te c	19th century, Mendeleev arranged the elements known at the time to form riodic table. eleev's periodic table is different from the modern periodic table. One difference between Mendeleev's periodic table and the modern lic table.	(1)				
		•••••							
	(b)			nium oxide reacts with hydrochloric acid to form a salt and water. ate the name of the salt formed.	(1)				
		(ii) In this reaction aluminium oxide is a base. State the type of reaction that takes place when an acid reacts with a base.							
	(c)	Gal	lliur	m, Ga, is in the same group of the modern periodic table as aluminium.					
		The	e fo	rmula of aluminium oxide is Al ₂ O ₃ .					
		(i)	Pre	edict the formula of gallium oxide.	(1)				
		(ii)	Ga ele	llium oxide has a very high melting point. Ilium oxide does not conduct electricity when solid but does conduct ectricity when molten. nat type of substance is gallium oxide?					
		×	Α	giant covalent	(1)				
	[×	В	ionic					
	[X	c	metallic					
		X	D	simple molecular					

(d)	Figure 5 shows the changes of state for gallium and the arrangement of particles
	in liquid gallium.




Figure 5

(i) Complete the boxes for solid gallium and gaseous gallium by drawing the arrangement of the particles in each of these physical states.

(2)

(ii) Give the name of the change of state labelled Y in Figure 5.

(1)

(e) Gallium metal is a conductor of electricity.

Explain how metals conduct electricity.

(2)

(Total for Question 3 = 10 marks)



4 Some metals are found in the Earth's crust as uncombined elements. Reactive metals are found in ores.

In ores, metals are combined with other elements.

(a) Which of these metals is found as the uncombined element in the Earth's crust?

(1)

- A aluminium
- B gold
- □ C potassium
- **D** zinc
- (b) Give **two** advantages of recycling metals rather than extracting metals from their ores.

(2)

1______

2..

(c) An ore of iron is mostly iron oxide, Fe_2O_3 . Iron can be extracted from this iron oxide by heating it with carbon.

Balance this equation for the reaction that takes place.

(1)

$$2Fe_2O_3 +Fe +FO_2$$

(d) Most copper ores are described as low grade.

This means that the percentage of copper in the ore is very small.

5000 kg of one copper ore was found to contain 42.5 kg of copper.

Calculate the percentage of copper in this ore.

(2)

percentage of copper in ore =

(e)	In one stage of the extraction of lead from its ore, lead oxide is heated strongly with carbon.	
	The equation for the reaction is	
	$2PbO + C \rightarrow 2Pb + CO_2$	
	Explain, using this equation, which substance has been oxidised in this reaction.	(2)
(f)	A titanium ore was analysed and found to contain 12 g of titanium atoms combined with 8.0 g of oxygen atoms.	
	Calculate the empirical formula of this titanium compound. (relative atomic masses: $Ti = 48$, $O = 16$)	
	You must show your working.	(3)

empirical formula =

(Total for Question 4 = 11 marks)

Figure 6 shows the apparatus that can be used to electrolyse sodium sulfate solution using inert electrodes.




Figure 6

- (a) Hydrogen is produced at the negative electrode during electrolysis.
 - (i) Describe the test to show the gas is hydrogen.

.....

(2)

(ii) What is the name of gas **X** that forms at the positive electrode?

(1)

- A ammonia
- B oxygen
- **D** sulfur dioxide
- (iii) State what is meant by the term **electrolysis**.

(2)



g dm
g dr



6 The word equation for the reaction between copper carbonate and dilute sulfuric acid is

(a) (i) Complete the balanced equation for this reaction.

(2)

$$CuCO_3 + \dots + CO_2 + H_2O$$

(ii) Calculate the relative formula mass of copper carbonate, $CuCO_3$. (relative atomic masses: C = 12.0, O = 16.0, Cu = 63.5)

(2)

(iii) What is the chemical test to show that a gas is carbon dioxide?

(1)

relative formula mass of CuCO₃ =

- A bubble the gas through limewater, limewater turns cloudy
- **B** put damp blue litmus paper in the gas, litmus paper turns red
- C put a lighted splint into the gas, splint is extinguished
- \square **D** measure the pH of the gas, pH = 4

(b) Figure 7 shows a conical flask containing dilute sulfuric acid. Copper carbonate is added to the acid in the flask. The copper carbonate is added one spatula measure at a time until the reaction has finished.




Figure 7

(i) State **two** observations that would show the reaction has finished.

1.	 														
2.	 														



(2)

*(ii)) Describe how you would obtain a solution of copper sulfate from the mixture and how you would obtain pure, dry copper sulfate crystals from this solution.											
	Your description should include the apparatus you would use.											
	You may wish to use diagrams in your answer.											
		(6)										

	T01
	(Tota
00	
NOT	
WRI	
IS AF	
(EA	
۵	
ONC	
T W	
<u> </u>	
HS A	
REA	
DQ	
NOT	
DO NOT WRITE IN THIS	
E N	
THIS	
ARE/	

(Total for Question 6 = 13 marks)

TOTAL FOR PAPER = 60 MARKS



The periodic table of the elements

0	4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86
		19 F fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85
9		16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83
4		12 C carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn tin 50	207 Pb lead 82
3		11 B boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 T thallium 81
	•			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79
				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78
				59 Co cobalt 27	103 Rh rhodium 45	192 Ir irridium 77
	1 hydrogen			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76
				55 Mn manganese 25	Tc technetium 43	186 Re rhenium 75
		mass sol umber		52 Cr	96 Mo molybdenum 42	184 W tungsten 74
	Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73
		relativ ato atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72
	·			45 Sc scandium 21	89 Y yttrium 39	139 La * lanthanum 57
2		9 Be beryllium 4	24 Mg magnesium	40 Ca calcium 20	88 Sr strontium 38	137 Ba banum 56
_		7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55

^{*} The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.