Vrite your name here Surname	Other na	mes
Pearson Edexcel Level 1/Level 2 GCSE (9–1)	Centre Number	Candidate Number
Combined:	Scionco	
Paper 4: Chemistry		Higher Tier
	2	Higher Tier Paper Reference 1SC0/2CH

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must **show all your working out** with **your answer clearly identified** at the **end of your solution**.

Information

- The total mark for this paper is 60.
- The marks for each question are shown in brackets
 use this as a guide as to how much time to spend on each question.
- In questions marked with an asterisk (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box ⊠. If you change your mind about an answer, put a line through the box ⋈ and then mark your new answer with a cross ⋈.

1	Thi	s qu	uestion is about changes to the Earth's atmosphere.	
	(a)		nich of the following is a correct statement about the relative amounts of rbon dioxide and oxygen in the Earth's early atmosphere?	
			(*	1)
	X	A	large amount of carbon dioxide and large amount of oxygen	
	X	В	large amount of carbon dioxide and small amount of oxygen	
	X	C	small amount of carbon dioxide and large amount of oxygen	
	X	D	small amount of carbon dioxide and small amount of oxygen	
	(b)	Sev	veral processes change the composition of the Earth's atmosphere.	
		De	escribe how the composition of the atmosphere is affected by burning fossil fuels.	2)

(c) The graphs in Figure 1 and Figure 2 show the concentration of carbon dioxide in the atmosphere and the mean global temperature, between 1960 and 2000.




Figure 1




Figure 2

Explain whether these graphs provide evidence that an increase in carbon dioxide is causing the Earth's temperature to rise.

//	gIII	ъ.	
١.	10	_	

(d)	Wh	nich of these pairs of gases are both greenhouse gases?	(1)
×	A	nitrogen and methane	
X	В	nitrogen and oxygen	
X	C	oxygen and water vapour	
×	D	water vapour and methane	
		(Total for Question 1 = 6 ma	rks)

- 2 Magnesium and calcium are in group 2 of the periodic table. They are less reactive than the metals in group 1.
 - (a) Calcium reacts with water to form calcium hydroxide, Ca(OH)₂, and hydrogen, H₂.

$$Ca(s) + 2H_2O(I) \rightarrow Ca(OH)_2(s) + H_2(g)$$

Describe what would be **seen** when a piece of calcium is dropped into a container of water.

(2)

(b) Magnesium reacts very slowly with cold water but it reacts faster with steam, H₂O, and forms magnesium oxide, MgO, and hydrogen.

Write the balanced equation for the reaction between magnesium and steam.

(2)

(c) The electronic configurations of magnesium and calcium are

magnesium 2.8.2 calcium 2.8.8.2

When magnesium and calcium react with water they form positive ions.

Suggest an explanation, in terms of their electronic configurations, why calcium is more reactive than magnesium.

(2)

(d) A sample of calcium bromide contains 0.2 g calcium and 0.8 g bromine by mass.

Calculate the empirical formula of calcium bromide. (relative atomic masses: Ca = 40, Br = 80)

(3)

empirical formula =

(Total for Question 2 = 9 marks)

3 Crude oil is a mixture of hydrocarbons.

It can be separated into fractions.

(a) Which of these mixtures shows formulae of substances that could be in the gaseous fraction of crude oil?

(1)

- \square **B** C_2H_4 , C_3H_7Br , C_4H_{10}
- \square **C** $C_2H_{6'}C_3H_{8'}C_4H_{10}$
- \square **D** C_2H_6 , C_3H_7Br , $C_4H_{10}O$
- (b) Figure 3 shows the percentages of the fractions in crude oil from three different oil wells.

	percentage of fraction in crude oil from		
fraction	oil well A	oil well B	oil well C
gases	1	6	9
petrol	2	15	24
kerosene	6	14	20
diesel oil	7	10	16
fuel oil	26	28	30
bitumen	58	27	1

Figure 3

- (i) State which oil well contains the greatest combined total of diesel oil and fuel oil. (1)
- (ii) State which oil well produces a crude oil containing the highest percentage of high boiling point fractions.

(1)

(c) Fractions of crude oil contain alkanes.

A sample of decane, $C_{10}H_{22}$, was cracked using the apparatus in Figure 4. This produced a mixture of products, including ethene.




Figure 4

(i) Explain how ethene is produced using the apparatus in Figure 4.	(2)
	(5)

(ii) One molecule of decane produced two molecules of propene, C₃H₆, and one molecule of product **Z**.

$$C_{10}H_{22} \rightarrow 2C_3H_6 + product \mathbf{Z}$$

What is the formula of product **Z**?

(1)

- C₄H₁₀
- \square **D** C_7H_{16}
- (iii) When decane undergoes complete combustion, a mixture of carbon dioxide and water is formed.

Complete the balanced equation for this reaction.

(2)

$$2\mathsf{C}_{10}\mathsf{H}_{22} \; + \; \mathsf{O}_2 \; \rightarrow \; \mathsf{CO}_2 \; + \; \mathsf{H}_2\mathsf{O}$$

(Total for Question 3 = 9 marks)

4 A student investigated the rate of reaction between dilute hydrochloric acid and marble chips (calcium carbonate).

Calcium chloride, carbon dioxide and water are formed.

(a) Complete and balance the equation for the reaction.

(2)

(b) The student investigated the rate by using different sizes of marble chips. In their investigation, the same mass of marble chips was used in each experiment.

The volume of gas given off was measured.

The graph in Figure 5 shows the results.




Figure 5

(i) State how the graph shows that line B gives the results for the larger marble chips.

(1)


(ii) A tangent has been drawn on line A. Calculate the rate of reaction at this point.	(2)
rate of reaction =(c) During any reaction, reactants are used up and the rate of reaction decreases.	cm³s ⁻¹
Explain, in terms of particles, why the rate of reaction decreases.	(2)

(d) The decomposition of hydrogen peroxide is catalysed by adding a small amount of manganese(IV) oxide.


Which of these graphs shows the mass of the catalyst as the reaction takes place?


(1)






 \boxtimes B





□ D



(e) Two gases, ${\bf X}$ and ${\bf Y}$, react to give a gaseous product ${\bf Z}$.

The reaction is carried out under two different sets of conditions in experiments 1 and 2 as shown in Figure 6.

condition	experiment 1	experiment 2
temperature/°C	30	20
pressure/atm	1	2

Figure 6	
Explain why it is not possible to predict what the rate of Experiment 2 will be compared with Experiment 1.	
	(3)
(Total for Question 4 = 11 ma	rks)

- **5** The elements chlorine, bromine and iodine are part of group 7 in the periodic table.
 - (a) The appearances of chlorine, bromine and iodine at room temperature are shown in Figure 7.

halogen	appearance
chlorine	green gas
bromine	red-brown liquid
iodine	grey solid

Figure 7

Astatine is the element below iodine in group 7.

Predict the appearance of astatine.

(1)

Explain how displacement reactions can be used to show the reactivity of these three elements. (6)

- (c) When iron wool is heated in bromine vapour, it reacts to form iron bromide.
 - (i) In an experiment, $5.60\,\mathrm{g}$ of iron reacted exactly with $24.0\,\mathrm{g}$ of bromine, $\mathrm{Br_2}$.

[relative atomic masses: Fe = 56.0, Br = 80.0]

Determine, using this information, the balanced equation for the reaction between iron and bromine.

You must show your working.

(4)

(ii) When iron reacts with bromine, bromide ions are formed.

Explain the type of reaction bromine atoms undergo when they are converted to bromide ions.

(2)

(Total for Question 5 = 13 marks)

6	(a) Each of these substances forms ions in solution.	
	One mole of the following substances is dissolved in 1 dm ³ of water.	
	Which solution contains the greatest number of ions?	(1)
	\square A ammonium sulfate, $(NH_4)_2SO_4$	
	☑ B iron(III) chloride, FeCl ₃	
	☐ C magnesium nitrate, Mg(NO ₃) ₂	
	D potassium bromide, KBr	
	(b) When sodium hydroxide solution is neutralised with an acid there is a temperature change.	
	A student is given dilute hydrochloric acid and dilute ethanoic acid of the same concentration in $moldm^{-3}$.	
	Devise a plan to compare the temperature changes produced when sodium hydroxide solution is neutralised with each of these two acids.	
		(4)


(c) Hydrogen reacts with chlorine to form hydrogen chloride.

$$H_2(g) + Cl_2(g) \rightarrow 2HCl(g)$$

The reaction is exothermic.

Draw and label the reaction profile diagram for this reaction, identifying the activation energy.

(3)



(d) The energies of some bonds are shown in Figure 8.

bond	energy of bond/kJ mol ⁻¹			
H—H	436			
CI—CI	243			
H—Cl	432			

Figure 8

Hydrogen reacts with chlorine to form hydrogen chloride.

$$H_2(g) + CI_2(g) \rightarrow 2HCI(g)$$

Calculate the energy change, in $kJ \, mol^{-1}$, for the reaction of 1 mol of hydrogen gas, H_2 , with 1 mol of chlorine gas, Cl_2 , to form 2 mol of hydrogen chloride gas, HCl.

(4)

energy change =kJ mol⁻¹

(Total for Question 6 = 12 marks)

TOTAL FOR PAPER = 60 MARKS

The Periodic Table of the Elements

_							
0	4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	fully
7		19 F fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85	orted but not
9		16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	ve been repo
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	s 112-116 ha authenticated
4		12 C carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn tin	207 Pb lead 82	mic numbers
3		11 B boron 5	27 Al aluminium 13	70 Ga gallium 31	115 In indium 49	204 TI thallium 81	Elements with atomic numbers 112-116 have been reported but not fully authenticated
	·			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	Elem
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	[272] Rg roentgenium
				59 Ni nickel 28	106 Pd palledium 46	195 Pt platinum 78	Ds darmstadtum 110
				59 Co cobalt 27	103 Rh rhodium 45	192	[268] Mt meitnerium 109
	1 H hydrogen 1			56 iron 26	Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
		mass ɔol umber		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	[266] Sg seaborgium 106
	Key	relative atomic mass atomic symbol _{name} atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
		relativ ato atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf rutherfordium 104
				45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57	[227] Ac* actinium 89
2		9 Be beryllum	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
_		7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

^{*} The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.